



Rapid news number: RNPI21-055

Date: 12/08/2021

From: DENV Residential DX SBU

Pages: 8

### 1. Background:

We are pleased to announce a new product series: **Sensira FTXQ/RXQ-A and Siesta brand ATXQ/ARXQ-A range**  
The purpose of development is to provide an additional layer of products to extend the volume zone portfolio offering a range with good value for money.

### 2. Features:

- New VZ layer
- New design
- Capacity range: 25-35
- SEER up to 6,22 and SCOP up to 4,22
- Optional WLAN connection

### 3. Timing:

- Mass production → October 2021
- Sales launch → January 2022



Rapid news number: RNPI21-055

Date: 12/08/2021

From: DENV Residential DX SBU

Pages: 8

**Subject: Sales launch of Sensira Series  
FTXQ-A/RXQ-A and Siesta Brand ATXQ-A/ARXQ-A**

Dear Madam,

Dear Sir,

Hereby we would like to announce you the launch of new Sensira Series FTXQ-A/RXQ-A and Siesta brand ATXQ-A/ARXQ-A.

### Range

For this segment 25 and 35 class will be introduced, for both Daikin and Siesta brand.

Sensira INDOOR		FACTORY	Sensira OUTDOOR	
Product number	Material name		Product number	Material name
FTXQ25AMV1B	FTXQ25A	DSZ	RXQ25AMV1B	RXQ25A
FTXQ35AMV1B	FTXQ35A		RXQ35AMV1B	RXQ35A
Siesta INDOOR			Siesta OUTDOOR	
Product number	Material name		Product number	Material name
ATXQ25AMV1B	ATXQ25A		ARXQ25AMV1B	ARXQ25A
ATXQ35AMV1B	ATXQ35A		ARXQ35AMV1B	ARXQ35A

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



### Why choose Sensira?

As an additional segment, new Sensira has all it takes to be competitive in the market.

- A new refreshed outlook in line with European taste with compact dimensions (286x770x225mm).
- Thanks to different sales routes, this new volume zone layer is a very good opportunity to provide more differentiation and attractiveness for price-oriented markets, such as South-East Europe and Russia.
- Specifications in line with current Daikin volume zone segment (FTXF-C and FTXC-C, see table below). With this additional layer, Daikin completes its line-up with a competitive product in the volume zone market
- Optional WLAN connection to control unit with smartphone.

		FTXQ-A	FTXC-C	FTXF-C
Factory		DSZ	DAMA	DTAS/DICz
Range		25/35	20/25/35/50/60/71	20/25/35/42/50/60/71
SEER / SCOP (35 class)		A++ (6.21)/ A+ (4.12)	A++ (6.87)/ A+ (4.28)	A++ (6.22)/A+ (4.11)
WLAN		Optional	Optional	Optional
Dimensions indoor unit	HxWxD [class]	286x770x225 mm [25/35]	288x770x231 mm [20/25/35/50]	286x770x225 mm [20/25/35/42]
		NA	297x990x271 mm [60/71]	295x990x263 mm [50/60/71]

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



### Outlook



ARC470A1



The new Sensira is designed for simplicity: its refreshed outlook with a compact design makes this unit perfect for any interior décor.

Additionally, the remote control with its intuitive outlook including large buttons makes it very easy-to-use.

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



### Specifications

		MODEL	25class	35class	Siesta 25class	Siesta 35class	
		Range	Sensira	Sensira	Sensira Siesta	Sensira Siesta	
Indoor unit Product number			FTXQ25AMV1B	FTXQ35AMV1B	ATXQ25AMV1B	ATXQ35AMV1B	
Outdoor unit Product number			RXQ25AMV1B	RXQ35AMV1B	ARXQ25AMV1B	ARXQ35AMV1B	
PERFORMANCE	Capacity (Cooling) kW		2.50	3.50	2.50	3.50	
	Capacity (Heating) kW		3.00	3.90	3.00	3.90	
	EER		3.24	3.24	3.24	3.24	
	SEER		A++	A++	A++	A++	
			6.22	6.21	6.16	6.15	
	Pdesign cooling kW		2.50	3.50	2.50	3.50	
	COP		3.71	3.71	3.71	3.71	
	SCOP (Average climate)		A+	A+	A+	A+	
		4.22	4.12	4.15	4.11		
Pdesign heating kW		2.40	2.30	2.40	2.30		
SOUND	Sound power OU (cooling) dB(A)		61	62	61	62	
	Sound pressure OU (cooling) dB(A)		47	47	47	47	
	Sound power IU (cooling) dB(A)		55	55	55	55	
	Sound pressure IU (cooling lowest) dB(A)		23	24	23	24	
OPERATION RANGE	Cooling °C		+10 to +46	+10 to +46	+10 to +46	+10 to +46	
	Heating °C		-15 to +18	-15 to +18	-15 to +18	-15 to +18	
INSTALLATION	Max. piping length m		20	20	20	20	
	Piping length W/O add. charge m		8	8	8	8	
	Level difference IU-OU m		15	15	15	15	
	Piping connections	Liquid (mm)		6.4	6.4	6.4	6.4
		Gas (mm)		9.52	9.52	9.52	9.52
	Refrigerant		R32	R32	R32	R32	
Refrigerant amount kg		0.5	0.71	0.5	0.71		

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



## Combinations

			DAIKIN		Siesta	
			Indoor			
			25	35	25	35
© Official combination			FTXQ25A	FTXQ35A	ATXQ25A	ATXQ35A
Model name						
Outdoor	DAIKIN	25	RXQ25A	⊙		
		35	RXQ35A		⊙	
	Siesta	25	ARXQ25A			⊙
		35	ARXQ35A			

## Always in control no matter where you are



The WLAN option allows to control the units from your smartphone or tablet with the free app available for Android or Apple devices. The WPS feature allows for an easy connection to your home network.



## Options

Optional Accessories :	
WLAN Adaptor	BRP069B45

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



### Feature list

FEATURES		Sensira Range			
		FTXQ25A	FTXQ35A	ATXQ25A	ATXQ35A
OBJECTIVE					
We care	Energy saving during operation standby		⊙		
	Night set mode		⊙		
	Econo mode		⊙		
	Fan only		⊙		
Comfort	Cooling		⊙		
	Heating		⊙		
	Auto cooling-heating changeover		⊙		
	Powerful mode		⊙		
	Comfort mode		⊙		
	Indoor unit silent operation		⊙		
Air flow	Vertical auto swing		⊙		
	Auto fan speed		⊙		
	Fan speed steps		⊙		
Humidity control	Dry programme		⊙		
Air treatment	Air filter		⊙		
Remote control & timer	Residential controller via app (optional)		⊙		
	Infrared remote control		⊙		
Other functions	Auto-restart		⊙		
	Self-diagnosis		⊙		
	Swing compressor		⊙		

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38



## Rapid News – GENERAL info

Marketing Department • Daikin Europe N.V.  
Please do not print this document

CONFIDENTIAL INFO – FOR INTERNAL USE ONLY

---

### Sales Launch

The sales launch is planned from January 2022 onwards.

For exact availability information, please contact your supply center.

In case you have any questions or remarks on this matter, do not hesitate to raise a ticket via the Daikin Europe Marketing Support desk at <http://marketing.daikineurope.com>.

Yours sincerely

---

Specifications are subject to change without notice

DAIKIN EUROPE N.V. - Zandvoordestraat 300 - 8400 Oostende

Tel. +32 59 55 81 11 - Fax +32 59 55 82 38

---