

**Date:** 09/07/2021

**Author:**

**SUBJECT:** Sales launch of Sensira FTXF-D/RXF-D and Siesta Brand ATXF-D/ARXF-D

Dear Madam,  
Dear Sir,

Hereby we would like to announce you the launch of new SENSIRA FTXF-D/RXF-D and Siesta ATXF-D/ARXF-D.

**Range**

Please find below the comparison between old range and new range.

No changes on Siesta range IU/OU for 50-60-70 class.

CURRENT			
Type	Brand	Product Nr	Material Nr
Indoor Unit	DAIKIN	FTXF20C5V1B	FTXF20C
		FTXF25C5V1B	FTXF25C
		FTXF35C5V1B	FTXF35C
		FTXF42C5V1B	FTXF42C
		FTXF50A2V1B	FTXF50A
		FTXF60A2V1B	FTXF60A
		FTXF71A2V1B	FTXF71A
	Siesta by DAIKIN	ATXF20C5V1B	ATXF20C
		ATXF25C5V1B	ATXF25C
		ATXF35C5V1B	ATXF35C
		ATXF42C5V1B	ATXF42C
		ATXF50A2V1B	ATXF50A
		ATXF60A2V1B	ATXF60A
		ATXF71A2V1B	ATXF71A

NEW			
Type	Brand	Product Nr	Material Nr
Indoor Unit	DAIKIN	FTXF20D5V1B	FTXF20D
		FTXF25D5V1B	FTXF25D
		FTXF35D5V1B	FTXF35D
		FTXF42D5V1B	FTXF42D
		FTXF50D2V1B	FTXF50D
		FTXF60D2V1B	FTXF60D
		FTXF71D2V1B	FTXF71D
	Siesta by DAIKIN	ATXF20D5V1B	ATXF20D
		ATXF25D5V1B	ATXF25D
		ATXF35D5V1B	ATXF35D
		ATXF42D5V1B	ATXF42D
		ATXF50A2V1B	ATXF50A
		ATXF60A2V1B	ATXF60A
		ATXF71A2V1B	ATXF71A



CURRENT			
Type	Brand	Product Nr	Material Nr
Outdoor Unit	DAIKIN	RXF20C5V1B	RXF20C
		RXF25C5V1B	RXF25C
		RXF35C5V1B	RXF35C
		RXF42C5V1B	RXF42C
		RXF50B5V1B	RXF50B
		RXF60B5V1B	RXF60B
		RXF71A5V1A	RXF71A
	Siesta by DAIKIN	ARXF20C5V1B	ARXF20C
		ARXF25C5V1B	ARXF25C
		ARXF35C5V1B	ARXF35C
		ARXF42C5V1B	ARXF42C
		ARXF50A5V1B	ARXF50A
		ARXF60A5V1B	ARXF60A
		ARXF71A5V1B	ARXF71A

NEW			
Type	Brand	Product Nr	Material Nr
Outdoor Unit	DAIKIN	RXF20D5V1B	RXF20D
		RXF25D5V1B	RXF25D
		RXF35D5V1B	RXF35D
		RXF42D5V1B	RXF42D
		RXF42D5V1B	RXF50D
		RXF42D5V1B	RXF60D
		RXF42D5V1B	RXF71D
	Siesta by DAIKIN	ARXF20D5V1B	ARXF20D
		ARXF25D5V1B	ARXF25D
		ARXF35D5V1B	ARXF35D
		ARXF42D5V1B	ARXF42D
		ARXF50A5V1B	ARXF50A
		ARXF60A5V1B	ARXF60A
		ARXF71A5V1B	ARXF71A

**Outlook**

No changes on the outlook for indoor unit, outdoor unit and remote control



**Improvements**

In order to keep the competitiveness within the volume zone segment, the specifications of Sensira D series are increased and the operation range is improved as follows:

- SEER improved from 6.22 to 6.5 for 20, 25 and 35 classes.
- Operation range in cooling: improved from 46°C to 48°C outdoor temperature for the whole range.



Also the D series simplifies the material name of the full range, previously composed by A/B/C products (See RANGE section above)

For your reference, herewith the comparison of the full volume zone segment range:

		FTXC-C	FTXF-C	FTXF-D
Factory		DAMA	DTAS/DICz	DTAS/DICz
Range		20/25/35/50/60/71	20/25/35/42/50/60/71	20/25/35/42/50/60/71
SEER / SCOP (35 class)		A++ (6.70)/A+ (4.35)	A++ (6.22)/A+ (4.11)	A++ (6.5)/A+ (4.11)
WLAN		Optional	Optional	Optional
Operation range	Cooling	10~+46°C	10~+46°C	-10~+48°C
	Heating	-15~+18°C	-15~+18°C	-15~+18°C
Dimensions Indoor unit	HxWxD [class]	288x770x231 mm [20/25/35/50]	286x770x225 mm [20/25/35/42]	286x770x225 mm [20/25/35/42]
		297x990x271 mm [60/71]	295x990x263 mm [50/60/71]	295x990x263 mm [50/60/71]



**Combinations**

No changes on multi combination. Cross combination will be available.

- ☉ Official combination - see note ※1
- Non-official combination - see note ※2

Class		INDOOR UNITS NEW RANGE										INDOOR UNITS CURRENT RANGE																					
		DAIKIN					SIESTA					DAIKIN					SIESTA																
		20	25	35	42	50	60	71	20	25	35	42	50	60	71	20	25	35	42	50	60	71	20	25	35	42	50	60	71				
Model name		FTXF20D5V1B	FTXF25D5V1B	FTXF35D5V1B	FTXF42D5V1B	FTXF50D2V1B	FTXF60D2V1B	FTXF71D2V1B	ATXF20D5V1B	ATXF25D5V1B	ATXF35D5V1B	ATXF42D5V1B	ATXF50A2V1B	ATXF60A2V1B	ATXF71A2V1B	FTXF20C5V1B	FTXF25C5V1B	FTXF35C5V1B	FTXF42C5V1B	FTXF50A2V1B	FTXF60A2V1B	FTXF71A2V1B	ATXF20C5V1B	ATXF25C5V1B	ATXF35C5V1B	ATXF42C5V1B	ATXF50A2V1B	ATXF60A2V1B	ATXF71A2V1B				
OUTDOOR UNITS NEW RANGE	DAIKIN pair	20	RXF20D5V1B	☉												○																	
		25	RXF25D5V1B		☉												○																
		35	RXF35D5V1B			☉													○														
		42	RXF42D5V1B				☉													○													
		50	RXF50D5V1B					☉													○												
		60	RXF60D5V1B						☉													○											
		71	RXF71D5V1B							☉													○										
	SIESTA pair	20	ARXF20D5V1B							☉												○											
		25	ARXF25D5V1B								☉												○										
		35	ARXF35D5V1B									☉												○									
		42	ARXF42D5V1B										☉												○								
		50	ARXF50A5V1B											☉												○							
		60	ARXF60A5V1B												☉												○						
		71	ARXF71A5V1B													☉												○					
OUTDOOR UNITS NEW RANGE	DAIKIN pair	20	RXF20C5V1B	○												☉																	
		25	RXF25C5V1B		○												☉																
		35	RXF35C5V1B			○												☉															
		42	RXF42C5V1B				○											☉															
		50	RXF50B5V1B					○											☉														
		60	RXF60B5V1B						○											☉													
		71	RXF71A5V1B							○											☉												
	SIESTA pair	20	ARXF20C5V1B							○																							
		25	ARXF25C5V1B								○																						
		35	ARXF35C5V1B										○																				
		42	ARXF42C5V1B											○																			
		50	ARXF50A5V1B												○																		
		60	ARXF60A5V1B													○																	
		71	ARXF71A5V1B															○															

※1 MDM-SET drawing data for best/worst official combinations are declared only for capacity ratio = 1 (+/-5%).Data for rest of wider capacity ratio range of official combinations are provided in electronic version only to be uploaded into Free Access Web (FAW).

※2 Data for non-official combinations can be provided on request.

※3 SIESTA ATXF/ARXF units are not available in the DACE region.



**Always in control no matter where you are**

The WLAN option allows to control the units from your smartphone or tablet with the free app available for Android or Apple devices. The WPS feature allows for an easy connection to your home network.

**Options**

Item	Option kit name	Number	FTXF-D ATXF-D
Individual control systems	Daikin Residential Controller – WLAN adapter	BRP069B45	⊗
	Wired remote control	BRC073A1	⊗
	Cord for wired remote control (3m)	BRCW901A03	⊗
	Cord for wired remote control (8m)	BRCW901A08	⊗
Adapters	Interface adaptor for DIII Net use	KRP928BB2S	⊗

**Sales Launch**

The sales launch is planned from January 2022 onwards.

---

Information herewith provided is subject to change without notice.

