

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

VRV 5 Outdoor Units

HOBO VRV 5 Heat Pump			
	RXYA-A	8	20 370,00
	RXYA-A	10	22 285,00
	RXYA-A	12	26 740,00
	RXYA-A	14	31 200,00
	RXYA-A	16	35 752,50
	RXYA-A	18	42 660,00
	RXYA-A	20	46 922,50

Каталожни комбинации (включва BHFA22P1007)		
RXYA-A (RYMA5A + RYMA5A)	10	36 840,00
RXYA-A (RYMA5A + RXYA8A)	13	38 590,00
RXYA-A (RYMA8A+RXYA8A)	16	по запитване
RXYA-A (8+10)	18	43 050,00
RXYA-A (8+12)	20	47 505,00

RYMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.

Общият капацитет на система не може да надвишава 20HP.

Accessories		
BHFA22P1007	Multi-module connection kit for 2 module systems (2 Pipe systems)	277,50
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 115,00
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 162,50
KRC19-26	Cool/heat selector (switch)	112,50
EKBRP2A81	Cool/heat selector PCB (required to connect KRC19-26)	290,00
KJB111A	Cool/heat selector (fixing box)	55,00
DTA104A61	Demand adaptor kit (RXYA14, 16, 18, 20 require EKS826B2)	777,50
EKS826B2	Demand PCB mounting plate	152,50
SV1A25A	Shut off valve box, 1 port, 5 indoor units, index 250	1 890,00
SV4A14A	Shut off valve box, 4 ports, 20 indoor units, index 400	3 160,00
SV6A14A	Shut off valve box, 6 ports, 30 indoor units, index 600	4 332,50
SV8A14A	Shut off valve box, 8 ports, 40 indoor units, index 650	5 695,00
EKBSJK	Joint kit	670,00
K-KDU303KVE	External drain pump	900,00
EKBSDCK	Optional duct connection for series connection	77,50

VRV 5 Heat Recovery			
	REYA-A	8	26 030,00
	REYA-A	10	26 865,00
	REYA-A	12	32 225,00
	REYA-A	14	38 537,50
	REYA-A	16	44 035,00
	REYA-A	18	50 640,00
	REYA-A	20	55 702,50

Каталожни комбинации (включва BHFAQ23P907A)		
REYA-A (REMA5A + REMA5A)	10	37 092,50
REYA-A (REMA5A + REYA8A)	13	44 900,00
REYA-A (8+8)	16	52 710,00
REYA-A (8+10)	18	53 542,50
REYA-A (8+12)	20	58 902,50
REYA-A (10+12)	22	59 087,50
REYA-A (8+16)	24	70 712,50
REYA-A (12+14)	26	71 410,00
REYA-A (12+16)	28	76 905,00

REMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.


VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
Accessories		
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	455,00
EKBPH012T	Bottom plate heater 5/8-12HP Units	1 035,00
EKBPH020T	Bottom plate heater 14-20HP Units	1 077,50
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 515,00
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 187,50
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 135,00
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	9 780,00
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 530,00
EKBSJK	Joint kit	670,00
EKBSDCK	Optional duct connection for series connection	77,50
K-KDU303KVE	External drain pump	900,00
VRV 5 S-Series		
RXYSA-AV1	4	10 342,50
RXYSA-AV1	5	11 492,50
RXYSA-AV1	6	12 830,00
RXYSA-AY1	4	10 342,50
RXYSA-AY1	5	11 492,50
RXYSA-AY1	6	12 830,00
RXYSA-A	8	12 830,00
RXYSA-A	10	14 200,00
RXYSA-A	12	17 227,50
Accessories		
KHRQM22M29H	Refnet Header	397,50
KHRQM22M20TA	Refnet Joint	182,50
EKBPH250D	Bottom plate heater	445,00
KRC19-26	Cool/heat selector (switch)	112,50
KJB111A	Cool/heat selector (fixing box)	55,00
EKPCCAB4	VRV configurator	547,50



VRV 5 Indoor Units



BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	382,50
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	342,50
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	345,00
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	345,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимости от дек. Панель	305,00
BYCQ140E	Standart Dec. panel	540,00
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)	760,00
BYCQ140EGF	Selfclean Dec. Panel	980,00
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)	1 197,50
BYCQ140EW	FULL WHITE Dec. Panel	610,00
BYCQ140EP	New Designer panel in white (RAL 9010)	832,50
BYCQ140EPB	New Designer panel in black (RAL 9005)	1 265,00
SB.KDDP55	Fresh air intake for max 20% fresh air	940,00
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge	277,50
KAF5511D160	Replacement long life filter FXFA/FXFQ	252,50
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP1BC101	Installation box for adaptor PCB	45,00
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB	102,50
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW	1 215,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
Fully flat cassette		
	FXZA-A 15	2 402,50
	FXZA-A 20	2 465,00
	FXZA-A 25	2 505,00
	FXZA-A 32	2 660,00
	FXZA-A 40	2 950,00
	FXZA-A 50	3 000,00
FXZA-A + BYFQ60C4W 15		2 870,00
FXZA-A + BYFQ60C4W 20		2 932,50
FXZA-A + BYFQ60C4W 25		2 972,50
FXZA-A + BYFQ60C4W 32		3 127,50
FXZA-A + BYFQ60C4W 40		3 417,50
FXZA-A + BYFQ60C4W 50		3 467,50
Accessories		
BRC7F530W/S	Infra-red wireless remote controller for BYFQ60CW/S	342,50
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	452,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRYQ60A3W	Presence & Floor sensors for BYFQ60C4W	262,50
BRYQ60A3S	Presence & Floor sensors for BYFQ60C4S	272,50
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A50	Relay PCB (requires installation box KRP1BC101)	170,00
KRP1BC101	Installation box for adaptor PCB	45,00
BYFQ60C4W	White decoration panel	467,50
BYFQ60C4S	Silver-white decoration panel	675,00
EKRS23	Conversion wire harness for standard panel	30,00
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	212,50
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	960,00
KDDQ44XA60	Fresh air intake - flange duct	322,50
KAF441C60	Replacement long life filter	247,50
Concealed floor standing unit		
	FXNA-A 20	2 290,00
	FXNA-A 25	2 375,00
	FXNA-A 32	2 457,50
	FXNA-A 40	2 532,50
	FXNA-A 50	2 685,00
	FXNA-A 63	2 852,50
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A51	Relay PCB (requires installation box)	185,00
Wall mounted unit		
	FXAA-A 15	1 875,00
	FXAA-A 20	1 937,50
	FXAA-A 25	1 975,00
	FXAA-A 32	2 017,50
	FXAA-A 40	2 152,50
	FXAA-A 50	2 240,00
FXAA-A 63		2 292,50
Accessories		
BRC7EA630	Infra red wireless remote controller	367,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP4A93	Installation box for adaptor PCB	267,50
K-KDU572KVE	Drain pump kit	1 062,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
Slim concealed ceiling unit		
FXDA-A	10	1 710,00
FXDA-A	15	1 875,00
FXDA-A	20	1 937,50
FXDA-A	25	2 060,00
FXDA-A	32	2 185,00
FXDA-A	40	2 320,00
FXDA-A	50	2 465,00
FXDA-A	63	2 615,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BAE20A62	Auto cleaning filter for FXDA15-32A	820,00
BAE20A82	Auto cleaning filter for FXDA40-50A	865,00
BAE20A102	Auto cleaning filter for FXDA63A	917,50
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP1BC101	Installation box for adaptor PCB	45,00
Concealed ceiling unit		
FXSA-A	15	2 210,00
FXSA-A	20	2 322,50
FXSA-A	25	2 435,00
FXSA-A	32	2 457,50
FXSA-A	40	2 612,50
FXSA-A	50	2 730,00
FXSA-A	63	2 782,50
FXSA-A	80	3 525,00
FXSA-A	100	3 660,00
FXSA-A	125	3 725,00
FXSA-A	140	4 095,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP1BC101	Installation box for adaptor PCB	45,00
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	215,00
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	275,00
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	570,00
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	882,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
Concealed ceiling unit (High ESP)		
FXMA-A	50	2 917,50
FXMA-A	63	2 985,00
FXMA-A	80	3 775,00
FXMA-A	100	3 912,50
FXMA-A	125	3 995,00
FXMA-A	200	6 397,50
FXMA-A	250	6 565,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
ERP01A50	Relay PCB (requires installation box KRP1BC101)	170,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	510,00
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	882,50
BAFL502A250	Long life replacement filter FXMA200/250	517,50
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	875,00
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	920,00
BDD500B250	Filter chamber FXMA/FXMQ 200-250	577,50
BDU510B250VM	Optional drain pump FXMA/FXMQ 200-250	1 620,00
Ceiling suspended unit		
FXHA-A	32	3 435,00
FXHA-A	50	3 610,00
FXHA-A	63	3 782,50
FXHA-A	100	4 312,50
Accessories		
BRC7GA53-9	Wireless control heat pump	530,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP4B93	Installation box for relay PCB	240,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
KAF501B56	Long life replacement filter FXHA/FXHQ32	377,50
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	377,50
KAF501B160	Long life replacement filter FXHA100	495,00
KDU50R63	Drain pump	1 942,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
4-way blow ceiling suspended unit		
FXUA-A	50	4 725,00
FXUA-A	71	5 120,00
FXUA-A	100	5 780,00
		
Accessories		
BRC7C58	Wireless control heat pump	530,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
ERP01A51	Relay PCB (requires installation box)	185,00
KRP1BA97	0	по запитване
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	125,00
KAFP551K160	Long life replacement filter	172,50
KDBHP49B140	Sealing member of air discharge outlet	465,00
KDBTP49B140	Decoration panel for air discharge	722,50
BRE49B2F	Sensor kit	245,00
4-way blow ceiling suspended unit		
FXKA-A	20	2 207,50
FXKA-A	25	2 230,00
FXKA-A	32	2 252,50
FXKA-A	40	2 410,00
FXKA-A	50	2 475,00
FXKA-A	63	2 542,50
		

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

VRV 4 Outdoor Units

VRV IV+ Inverter HP with continuous heating

	RYYQ-U	8	21 340,00
	RYYQ-U	10	23 342,50
	RYYQ-U	12	28 015,00
	RYYQ-U	14	32 687,50
	RYYQ-U	16	37 455,00
	RYYQ-U	18	44 687,50
	RYYQ-U	20	49 162,50

VRV IV Inverter HP with cont. heating (MULTI-module combinations)

RYMQ-U	8	20 370,00
RYMQ-U	10	22 287,50
RYMQ-U	12	26 742,50
RYMQ-U	14	31 195,00
RYMQ-U	16	35 747,50
RYMQ-U	18	42 652,50
RYMQ-U	20	46 927,50

Каталожни комбинации (включва BHFQ-)

RYMQ-U (10 + 12)	22	49 270,00
RYMQ-U (8 + 16)	24	56 357,50
RYMQ-U (12 + 14)	26	58 177,50
RYMQ-U (12 + 16)	28	62 730,00
RYMQ-U (12+ 18)	30	69 635,00
RYMQ-U (16 + 16)	32	71 735,00
RYMQ-U (16 + 18)	34	78 640,00
RYMQ-U (16 + 20)	36	82 915,00
RYMQ-U (8 + 10 + 20)	38	90 090,00
RYMQ-U (10 + 12 + 18)	40	92 187,50
RYMQ-U (10 + 16 + 16)	42	94 287,50
RYMQ-U (12 + 16 + 16)	44	98 742,50
RYMQ-U (14 + 16 + 16)	46	103 195,00
RYMQ-U (16 + 16 + 16)	48	107 747,50
RYMQ-U (16 + 16 + 18)	50	114 652,50
RYMQ-U (16 + 18 + 18)	52	121 557,50
RYMQ-U (18 + 18 + 18)	54	128 462,50

Свободни комбинации (включва BHFQ-)

RYMQ-U (10 + 10)	20	44 815,00
RYMQ-U (10 + 12)	22	49 270,00
RYMQ-U (12 + 12)	24	53 725,00
RYMQ-U (12 + 14)	26	58 177,50
RYMQ-U (14 + 14)	28	62 630,00
RYMQ-U (16 + 14)	30	67 182,50
RYMQ-U (16 + 16)	32	71 735,00
RYMQ-U (10 + 12 + 12)	34	76 277,50
RYMQ-U (12 + 12 + 12)	36	80 732,50
RYMQ-U (10 + 14 + 14)	38	85 182,50
RYMQ-U (12 + 14 + 14)	40	89 637,50
RYMQ-U (14 + 14 + 14)	42	94 090,00
RYMQ-U (14 + 14 + 16)	44	98 642,50
RYMQ-U (14 + 16 + 16)	46	103 195,00
RYMQ-U (16 + 16 + 16)	48	107 747,50
RYMQ-U (16 + 16 + 18)	50	114 652,50
RYMQ-U (16 + 18 + 18)	52	121 557,50
RYMQ-U (18 + 18 + 18)	54	128 462,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
VRV IV+ Inverter HP <u>without</u> continuous heating		
	RXYQ-U 8	19 400,00
	RXYQ-U 10	21 225,00
	RXYQ-U 12	25 465,00
	RXYQ-U 14	29 712,50
	RXYQ-U 16	34 050,00
	RXYQ-U 18	40 627,50
	RXYQ-U 20	44 687,50
Каталожни комбинации (включва BHFQ-)		
RXYQ-U (10 + 12)	22	46 930,00
RXYQ-U (8 + 16)	24	53 690,00
RXYQ-U (12 + 14)	26	55 417,50
RXYQ-U (12 + 16)	28	59 755,00
RXYQ-U (12 + 18)	30	66 332,50
RXYQ-U (16 + 16)	32	68 340,00
RXYQ-U (16 + 18)	34	74 917,50
RXYQ-U (16 + 20)	36	78 977,50
RXYQ-U (8 + 10 + 20)	38	85 817,50
RXYQ-U (10 + 12 + 18)	40	87 822,50
RXYQ-U (10 + 16 + 16)	42	89 830,00
RXYQ-U (12 + 16 + 16)	44	94 070,00
RXYQ-U (14 + 16 + 16)	46	98 317,50
RXYQ-U (16 + 16 + 16)	48	102 655,00
RXYQ-U (16 + 16 + 18)	50	109 232,50
RXYQ-U (16 + 18 + 18)	52	115 810,00
RXYQ-U (18 + 18 + 18)	54	122 387,50
Свободни комбинации (включва BHFQ-)		
RXYQ-U (10 + 10)	20	42 690,00
RXYQ-U (10 + 12)	22	46 930,00
RXYQ-U (12 + 12)	24	51 170,00
RXYQ-U (12 + 14)	26	55 417,50
RXYQ-U (14 + 14)	28	59 665,00
RXYQ-U (16 + 14)	30	64 002,50
RXYQ-U (16 + 16)	32	68 340,00
RXYQ-U (10 + 12 + 12)	34	72 660,00
RXYQ-U (12 + 12 + 12)	36	76 900,00
RXYQ-U (10 + 14 + 14)	38	81 155,00
RXYQ-U (12 + 14 + 14)	40	85 395,00
RXYQ-U (14 + 14 + 14)	42	89 642,50
RXYQ-U (14 + 14 + 16)	44	93 980,00
RXYQ-U (14 + 16 + 16)	46	98 317,50
RXYQ-U (16 + 16 + 16)	48	102 655,00
RXYQ-U (16 + 16 + 18)	50	109 232,50
RXYQ-U (16 + 18 + 18)	52	115 810,00
RXYQ-U (18 + 18 + 18)	54	122 387,50
Accessories		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	240,00
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	505,00
EKPCCAB4	VRV configurator	547,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	295,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 115,00
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 162,50
KRC19-26	Cool/heat selector (switch)	112,50
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	157,50
KKS826B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	130,00
KJB111A	Cool/heat selector (fixing box)	55,00
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
VRV IV+ Inverter HP OPTIMIZED FOR HEATING		
RXYLQ-T	10	24 507,50
RXYLQ-T	12	29 417,50
RXYLQ-T	14	34 322,50
VRV IV Inverter HP optimized for heating (MULTI)		
RXMLQ-T	8	20 272,50
Каталожни комбинации (включва BHFQ-)		
RXYLQ-T (8+8)	16	40 785,00
RXYLQ-T (10+8)	18	45 020,00
RXYLQ-T (10+10)	20	49 255,00
RXYLQ-T (10+12)	22	54 165,00
RXYLQ-T (12+12)	24	59 075,00
RXYLQ-T (12+14)	26	63 980,00
RXYLQ-T (14+14)	28	68 885,00
RXYLQ-T (10+10+10)	30	74 027,50
RXYLQ-T (10+10+12)	32	78 937,50
RXYLQ-T (10+12+12)	34	83 847,50
RXYLQ-T (12+12+12)	36	88 757,50
RXYLQ-T (12+12+14)	38	93 662,50
RXYLQ-T (12+14+14)	40	98 567,50
RXYLQ-T (14+14+14)	42	103 472,50
Accessories		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	240,00
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	505,00
EKPCCAB4	VRV configurator	547,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	295,00
KRC19-26	Cool/heat selector (switch)	112,50
KJB111A	Cool/heat selector (fixing box)	55,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00
MINI VRV IV - S Series Compact		
RXYSCQ-TV1	4	9 445,00
RXYSCQ-TV1	5	10 495,00
RXYSCQ-TV1	6	11 545,00
MINI VRV IV - S Series		
RXYSQ-TV1	4	9 445,00
RXYSQ-TV1	5	10 490,00
RXYSQ-TV1	6	11 715,00
RXYSQ-TY1	4	9 445,00
RXYSQ-TY1	5	10 490,00
RXYSQ-TY1	6	11 715,00
RXYSQ-TY1	8	12 112,50
RXYSQ-TY1	10	14 200,00
RXYSQ-TY1	12	17 227,50
Accessories		
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	207,50
KRC19-26	Cool/heat selector (switch)	112,50
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	295,00
KJB111A	Cool/heat selector (fixing box)	55,00
EKCHSC	Cool/heat selector cable (required to connect KRC19-26) for RXYSQ4-6TY9	50,00
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
VRV IV - HEAT PUMP FOR INDOOR INSTALLATION		
SB.RKXYQ5T	5	18 475,00
RKXYQ5T 	compressor unit	7 942,50
RDXYQ5T	heat exchanger unit	10 532,50
EKDPH1RDX	Drain pan heater	215,00
SB.RKXYQ8T	8	20 210,00
RKXYQ8T 	compressor unit	11 520,00
RDXYQ8T	heat exchanger unit	8 690,00
EKDPH1RDX	Drain pan heater	215,00
Accessories		
EKPCCAB4	VRV configurator	547,50
KRC19-26	Cool/heat selector (switch)	112,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	295,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
KJB111A	Cool/heat selector (fixing box)	55,00
EKDPH1RDX	Drain pan heater	215,00
VRV IV+ Heat Recovery SF		
REYQ-U 	8	24 790,00
REYQ-U	10	25 585,00
REYQ-U	12	30 690,00
REYQ-U	14	36 702,50
REYQ-U	16	41 937,50
REYQ-U	18	48 227,50
REYQ-U	20	53 050,00
Каталожни комбинации (включва BHFQ-)		
M-REYQ-U.OU (5+5)	10	35 357,50
M-REYQ-T.OU (5+8)	13	42 795,00
M-REYQ-U.OU (8+8)	16	50 035,00
M-REYQ-U.OU (8+10)	18	50 830,00
M-REYQ-U.OU (8+12)	20	55 935,00
REYQ-U.OU (10+12)	22	56 730,00
REYQ-U.OU (8+16)	24	67 182,50
REYQ-U.OU (12+14)	26	67 847,50
REYQ-U.OU (12+16)	28	73 082,50
REYQ-U.OU (12+18)	30	79 372,50
REYQ-U.OU (16+16)	32	84 330,00
REYQ-U.OU (16+18)	34	90 620,00
REYQ-U.OU (16+20)	36	95 442,50
REYQ-U.OU (8+12+18)	38	104 682,50
REYQ-U.OU (10+12+18)	40	105 477,50
REYQ-U.OU (10+16+16)	42	110 435,00
REYQ-U.OU (12+16+16)	44	115 540,00
REYQ-U.OU (14+16+16)	46	121 552,50
REYQ-U.OU (16+16+16)	48	126 787,50
REYQ-U.OU (16+16+18)	50	133 077,50
REYQ-U.OU (16+18+18)	52	139 367,50
REYQ-U.OU (18+18+18)	54	145 657,50
Accessories		
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	455,00
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	975,00
EKPCCAB4	VRV configurator	547,50
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 115,00
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 162,50
EKBSVQLNP	Sound reduction kit (sound insulation)	285,00
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	310,00
KDDN26A4	Sound reduction kit for BS4Q14AV1	2 602,50
KDDN26A8	Sound reduction kit for BS6Q14AV1 and BS8Q14AV1	3 077,50
KDDN26A12	Sound reduction kit for BS10Q14AV1 and BS12Q14AV1	4 140,00
KDDN26A16	Sound reduction kit for BS16Q14AV1	4 700,00
KHFP26A100C	Closed pipe kit	137,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
REPLACEMENT VRV IV+ Q-Series		
	HP	
RXYQQ-U	8	25 220,00
RXYQQ-U	10	27 587,50
RXYQQ-U	12	33 110,00
RXYQQ-U	14	38 635,00
RXYQQ-U	16	44 265,00
RXYQQ-U	18	54 005,00
RXYQQ-U	20	56 700,00
Каталожни комбинации (не включва BHFQ-)		
RXYQQ-U.OU (10+12)	22	60 937,50
RXYQQ-U.OU (8+16)	24	69 725,00
RXYQQ-U.OU (12+14)	26	71 985,00
RXYQQ-U.OU (12+16)	28	77 615,00
RXYQQ-U.OU (12+18)	30	87 355,00
RXYQQ-U.OU (16+16)	32	88 770,00
RXYQQ-U.OU (16+18)	34	98 510,00
RXYQQ-U.OU (16+20)	36	101 205,00
RXYQQ-U.OU (8+10+20)	38	110 012,50
RXYQQ-U.OU (10+12+18)	40	115 207,50
RXYQQ-U.OU (10+16+16)	42	116 622,50
Accessories		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	240,00
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	505,00
EKPCCAB4	VRV configurator	547,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	295,00
KRC19-26	Cool/heat selector (switch)	112,50
KJB111A	Cool/heat selector (fixing box)	55,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
REPLACEMENT VRV III Q-Series HR		
RQCEQ280P3.OU	10 (RQEQ140P3+RQEQ140P3+BHFP26P36C)	36 455,00
RQCEQ460P3.OU	16 (RQEQ140P3+RQEQ140P3+RQEQ180P3+BHFP26P63C)	62 240,00
RQCEQ500P3.OU	18 (RQEQ140P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	69 372,50
RQCEQ540P3.OU	20 (RQEQ180P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	76 507,50
RQCEQ712P3.OU	24 (RQEQ140P3+RQEQ180P3+RQEQ180P3+RQEQ212P3+BHFP26P84C)	99 630,00
RQCEQ744P3.OU	26 (RQEQ140P3+RQEQ180P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	104 390,00
RQCEQ816P3.OU	28 (RQEQ180P3+RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	116 280,00
Accessories		
BHFP26P36C	Multi-module connection kit for 2-module systems	545,00
BHFP26P63C	Multi-module connection kit for 3-module systems	1 115,00
BHFP26P84C	Multi-module connection kit for 4-module systems	1 482,50
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	927,50
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024	
Water cooled VRV IV-W+ for standard and geothermal applications /HP/HR			
RWEYQ - T9		8	17 587,50
RWEYQ - T9		10	19 632,50
RWEYQ - T9		12	22 185,00
RWEYQ - T9		14	25 070,00
Каталожни комбинации (не включва BHFQ-)			
RWEYQ - T9.OU		16	35 175,00
RWEYQ - T9.OU		18	37 217,50
RWEYQ - T9.OU		20	39 770,00
RWEYQ - T9.OU		22	41 815,00
RWEYQ - T9.OU		24	52 760,00
RWEYQ - T9.OU		26	47 252,50
RWEYQ - T9.OU		28	50 137,50
RWEYQ - T9.OU		30	59 402,50
RWEYQ - T9.OU		32	61 955,00
RWEYQ - T9.OU		34	64 840,00
RWEYQ - T9.OU		36	66 552,50
RWEYQ - T9.OU		38	69 435,00
RWEYQ - T9.OU		40	72 320,00
RWEYQ - T9.OU		42	75 205,00
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)		240,00
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)		505,00
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)		455,00
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)		975,00
EKPCCAB4	VRV configurator		547,50
KRC19-26	Cool/heat selector (switch)		112,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit		295,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)		777,50
KJB111A	Cool/heat selector (fixing box)		55,00
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)		1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)		1 265,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------


VRV 4 INDOOR UNITS

Round flow Cassette


	FXFQ-B	20	2 125,00
	FXFQ-B	25	2 197,50
	FXFQ-B	32	2 330,00
	FXFQ-B	40	2 562,50
	FXFQ-B	50	2 697,50
	FXFQ-B	63	2 792,50
	FXFQ-B	80	3 520,00
	FXFQ-B	100	3 695,00
	FXFQ-B	125	3 875,00
	FXFQ-B + BYCQ140E	20	2 665,00
	FXFQ-B + BYCQ140E	25	2 737,50
	FXFQ-B + BYCQ140E	32	2 870,00
	FXFQ-B + BYCQ140E	40	3 102,50
	FXFQ-B + BYCQ140E	50	3 237,50
	FXFQ-B + BYCQ140E	63	3 332,50
	FXFQ-B + BYCQ140E	80	4 060,00
	FXFQ-B + BYCQ140E	100	4 235,00
	FXFQ-B + BYCQ140E	125	4 415,00

Accessories

BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	382,50
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	342,50
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	345,00
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	345,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел	305,00
BYCQ140E	Standart Dec. panel	540,00
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)	760,00
BYCQ140EGF	Selfclean Dec. Panel	980,00
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)	1 197,50
BYCQ140EW	FULL WHITE Dec. Panel	610,00
BYCQ140EP	New Designer panel in white (RAL 9010)	832,50
BYCQ140EPB	New Designer panel in black (RAL 9005)	1 265,00
SB.KDDP55	Fresh air intake for max 20% fresh air	940,00
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge	277,50
KAF5511D160	Replacement long life filter FXFA/FXFQ	252,50
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB	102,50
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW	1 215,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024	
Fully flat Cassette			
	FXZQ-A	15	2 135,00
	FXZQ-A	20	2 190,00
	FXZQ-A	25	2 222,50
	FXZQ-A	32	2 360,00
	FXZQ-A	40	2 615,00
	FXZQ-A	50	2 660,00
	FXZQ-A + BYFQ60CW	15	2 655,00
	FXZQ-A + BYFQ60CW	20	2 710,00
	FXZQ-A + BYFQ60CW	25	2 742,50
	FXZQ-A + BYFQ60CW	32	2 880,00
	FXZQ-A + BYFQ60CW	40	3 135,00
	FXZQ-A + BYFQ60CW	50	3 180,00
Accessories			
BRC7F530W	Infra-red wireless remote controller for BYFQ60C2W1W - Note: no individual flap control possible	382,50	
BRC7F530S	Infra-red wireless remote controller for BYFQ60C2W1S - Note: no individual flap control possible	382,50	
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	452,50	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00	
BRYQ60AW	Presence & Floor sensors for BYFQ60CW - Note: must be combined with the BRC1H52W/S/K	305,00	
BRYQ60AS	Presence & Floor sensors for BYFQ60CS - Note: must be combined with the BRC1H52W/S/K	305,00	
BYFQ60CW	Standart Dec. Panel	520,00	
BYFQ60CS	Silver Dec. Panel	555,00	
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	212,50	
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	960,00	
KDDQ44XA60	Fresh air intake - flange duct	322,50	
KAF441C60	Replacement long life filter	247,50	
VRV Ceiling mounted cassette (2-way blow)			
	FXCQ-A	20	2 090,00
	FXCQ-A	25	2 115,00
	FXCQ-A	32	2 180,00
	FXCQ-A	40	2 360,00
	FXCQ-A	50	2 440,00
	FXCQ-A	63	2 475,00
	FXCQ-A	80	3 305,00
	FXCQ-A	125	4 030,00
	FXCQ-M8 + BYBCQ40H	20	3 310,00
	FXCQ-M8 + BYBCQ40H	25	3 335,00
	FXCQ-M8 + BYBCQ40H	32	3 402,50
	FXCQ-M8 + BYBCQ40H	40	3 580,00
FXCQ-M8 + BYBCQ63H	50	3 840,00	
FXCQ-M8 + BYBCQ63H	63	3 877,50	
FXCQ-M8 + BYBCQ125H	80	4 707,50	
FXCQ-M8 + BYBCQ125H	125	5 630,00	
Accessories			
BRC7C52	Infra-red wireless remote controller - Note: no individual flap control	475,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00	
BYBCQ40H	Dec. panel FXCQ 20-40	1 220,00	
BYBCQ63H	Dec. panel FXCQ 50-63	1 402,50	
BYBCQ125H	Dec. panel FXCQ 80-125	1 600,00	

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
VRV Ceiling mounted cassette (1-way blow)		
	FXKQ-A 20	1 920,00
	FXKQ-A 25	1 940,00
	FXKQ-A 32	1 960,00
	FXKQ-A 40	2 095,00
	FXKQ-A 50	2 152,50
	FXKQ-A 63	2 210,00
	FXKQ-A + BYK32G 20	2 565,00
	FXKQ-A + BYK32G 25	2 585,00
	FXKQ-A + BYK32G 32	2 605,00
	FXKQ-A + BYK63G 40	2 715,00
	FXKQ-A + BYK63G 50	2 772,50
	FXKQ-A + BYK63G 63	2 830,00
Accessories		
BRC4C61	Infra-red wireless remote controller	640,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BYK32G	Standart Dec. Pan	645,00
BYK63G	Standart Dec. Pan	620,00
VRV 4-way blow ceiling suspended unit		
	FXUQ-A 71	4 455,00
	FXUQ-A 100	5 025,00
Accessories		
BRC7C58	Wireless control heat pump	530,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
KDBHP49B140	Sealing member of air discharge outlet	465,00
KDBTP49B140	Decoration panel for air discharge	722,50
KAFP551K160	Long life replacement filter	172,50
VRV ceiling suspended unit		
	FXHQ-A 32	2 987,50
	FXHQ-A 63	3 287,50
	FXHQ-A 100	3 750,00
Accessories		
BRC7GA53-9	Wireless control heat pump	530,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
KAF501B56	Long life replacement filter FXHA/FXHQ32	377,50
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	377,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024	
VRV wall mounted unit			
	FXAQ-A	15	1 665,00
	FXAQ-A	20	1 717,50
	FXAQ-A	25	1 752,50
	FXAQ-A	32	1 792,50
	FXAQ-A	40	1 905,00
	FXAQ-A	50	1 985,00
	FXAQ-A	63	2 035,00
Accessories			
BRC7EA628	Infra-red wireless remote controller	365,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00	
K-KDU572EVE	External drain pump kit H=1000mm	760,00	
VRV concealed ceiling unit (slim)			
	FXDQ-A3	15	1 665,00
	FXDQ-A3	20	1 717,50
	FXDQ-A3	25	1 830,00
	FXDQ-A3	32	1 937,50
	FXDQ-A3	40	2 060,00
	FXDQ-A3	50	2 190,00
	FXDQ-A3	63	2 320,00
Accessories			
BAE20A62	Auto cleaning filter for FXDA15-32A	820,00	
BAE20A82	Auto cleaning filter for FXDA40-50A	865,00	
BAE20A102	Auto cleaning filter for FXDA63A	917,50	
VRV concealed ceiling unit (large)			
	FXMQ-A	200	6 397,50
	FXMQ-A	250	6 565,00
VRV concealed ceiling unit (standard)			
	FXSQ-A	15	1 960,00
	FXSQ-A	20	2 060,00
	FXSQ-A	25	2 157,50
	FXSQ-A	32	2 180,00
	FXSQ-A	40	2 315,00
	FXSQ-A	50	2 420,00
	FXSQ-A	63	2 470,00
	FXSQ-A	80	3 127,50
	FXSQ-A	100	3 250,00
	FXSQ-A	125	3 305,00
	FXSQ-A	140	3 635,00
Accessories			
BAFL502A250	Long life replacement filter FXMA200/250	517,50	
BDD500B250	Filter chamber FXMA/FXMQ 200-250	577,50	
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	875,00	
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	920,00	

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
VRV concealed ceiling unit (high ESP)		
	FXMQ-P7 50	2 537,50
	FXMQ-P7 63	2 595,00
	FXMQ-P7 80	3 282,50
	FXMQ-P7 100	3 402,50
	FXMQ-P7 125	3 472,50
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
Air discharge for FXSQ-A		
KDAP25A36A	Air discharge adaptor for round duct - for units 15-32	215,00
KDAP25A56A	Air discharge adaptor for round duct - for FXSQ40~50A	247,50
KDAP25A71A	Air discharge adaptor for round duct - for FXSQ63~80A	510,00
KDAP25A140A	Air discharge adaptor for round duct - for FXSQ100~125A	790,00
Air discharge for FXMQ-P7		
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	510,00
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	882,50
VRV floor standing unit		
	FXLQ-P 20	2 562,50
	FXLQ-P 25	2 647,50
	FXLQ-P 32	2 725,00
	FXLQ-P 40	2 802,50
	FXLQ-P 50	2 970,00
	FXLQ-P 63	3 150,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
EKRDP25 (rear panel)	20 + 25	225,00
EKRDP40 (rear panel)	32 + 40	275,00
EKRDP63 (rear panel)	50 + 63	322,50
VRV concealed floor standing unit		
	FXNQ-A 20	2 180,00
	FXNQ-A 25	2 265,00
	FXNQ-A 32	2 342,50
	FXNQ-A 40	2 407,50
	FXNQ-A 50	2 557,50
	FXNQ-A 63	2 715,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	325,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
VRV Hydroboxes		
	HXY080A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX 4 897,50
	HXY125A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX 6 855,00
EKHBPC2	Optional drain pan (required for cooling operation) HXY-A	287,50
EKBUHA6V3	6kW external back-up heater, 1-phase (230V) power supply	1 185,00
EKBUHA6W1	6kW external back-up heater, 3-phase (400V) power supply	1 185,00
VRV heat recovery High temperature heating only hydrobox ONLY COMBINABLE WITH REYQ-T		
	HXHD125A8	HT Hydrobox = 14 kW nominal Heating 8 887,50
	HXHD200A8	HT Hydrobox = 22,4 kW nominal Heating 13 330,00
EKRP1HBA - Digital I/O PCB	Digital I/O PCB	272,50
EKRPIAHT	Demand PCB - Required to be able to connect Room thermostat	277,50
EKRUAHTB	Remote user interface - Same controller as supplied with hydrobox unit can be mounted parallel or in another location.	402,50
EKRTWA	Wired Room thermostat - Requires Demand PCB EKRPIAHT	257,50
EKRTR	Wireless Room thermostat - Requires Demand PCB EKRPIAHT	505,00
EKRTETS	Remote sensor for Room thermostat - Requires Demand PCB EKRPIAHT	30,00
RTD-W	Modbus and advanced controp adaptor	692,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

VRV Air Handling Unit Connection Kit		
EKEACB	Pair/Multi/Mix VRV/ERQ connection (X-Control): 0~10V direct capacity control (5V = maintain capacity, >5V colder air wanted, <5V warmer air wanted) (YControl): Fixed evaporation/condensation temperature control (W-Control): 0~10V linear capacity control (0V = 0% capacity, 10V = 100% capacity)	2 165,00
EKEXVA50	Expansion Valve Unit	287,50
EKEXVA63	Expansion Valve Unit	392,50
EKEXVA80	Expansion Valve Unit	425,00
EKEXVA100	Expansion Valve Unit	440,00
EKEXVA125	Expansion Valve Unit	470,00
EKEXVA140	Expansion Valve Unit	480,00
EKEXVA200	Expansion Valve Unit	517,50
EKEXVA250	Expansion Valve Unit	557,50
EKEXVA300	Expansion Valve Unit	432,50
EKEXVA350	Expansion Valve Unit	445,00
EKEXVA400	Expansion Valve Unit	460,00
EKEXVA450	Expansion Valve Unit	485,00
EKEXVA500	Expansion Valve Unit	507,50

Detailed combination table

Range	Outdoor Unit	Control box EKEACBVE	Expansion valve kits EKEKVA***												
			50	63	80	100	125	140	200	250	300	350	400	450	500
ERQ	ERQ100A7V1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ125A7V1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ140A7V1B	P	-	-	P	P	P	-	-	-	-	-	-	-	-
	ERQ125A7W1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ200A7W1B	P	-	-	-	P	P	P	P	P	-	-	-	-	-
	ERQ250A7W1B	P	-	-	-	-	P	P	P	P	-	-	-	-	-
	H/P (RYYQ, RXYQ, RXYSQ, RXYTQ, RXYLQ, RXYSC/Q, RWEYQ (H/P))	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	VRV-i (RXYQ)	P ⁽²⁾ /M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	H/R (REYQ, RWEYQ (H/R))	M ⁽³⁾	Multi ⁽³⁾ : 65%(1) < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	H/P (RXYSA, RXYA)	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	H/R REYA	M ⁽³⁾	Multi ⁽³⁾ : 65%(1) < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												

P: Pair layout - One or more outdoor units connected to an (interlaced) coil of one AHU.

M: Mix or multi layout - Combination of (multiple) AHU(s) with (mix combination) or without (multi combination) VRV DX indoor(s). Only Z or Z' control possible (no interlaced coils).

(1): For 65%<CR<75% please refer to the specifically required coil size

(2): Only Z or Z' control possible (no interlaced coils)

(3): Technically is possible to connect H/R in pair combination, but there's no benefit to do it

Integration with 3rd party Air Handling Units

EKEXVA Class	Allowed heat exchanger cooling capacity (kW)			Allowed heat exchanger capacity (kW)			Allowed heat exchanger volume (dm ³)		
	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum		Maximum
							General Limits	(65%<CR<75%) Only for pair and multi layout	
50	5,0	5,6	6,2	5,6	6,3	7,0	0,95	1,09	1,65
63	6,3	7,1	7,8	7,1	8,0	8,8	1,02	1,18	2,08
80	7,9	9,0	9,9	8,9	10,0	11,1	1,42	1,64	2,64
100	10,0	11,2	12,3	11,2	12,5	13,8	1,51	1,74	3,30
125	12,4	14,0	15,4	13,9	16,0	17,3	1,98	2,29	4,12
140	15,5	16,0	17,6	17,4	18,0	19,8	2,54	2,94	4,62
200	17,7	22,4	24,6	19,9	25,0	27,7	3,02	3,49	6,60
250	24,7	28,0	30,8	27,8	31,5	34,7	3,97	4,58	8,25
NEW 300	30,9	33,5	36,9	34,8	37,5	41,5	4,53	5,25	9,9
NEW 350	37,0	40,0	44,0	41,6	45,0	49,5	5,48	6,32	11,55
400	44,1	45,0	49,5	49,6	50,0	55,7	6,04	6,97	13,2
NEW 450	49,6	50,4	55,4	55,8	56,5	62,4	6,99	8,07	14,5
500	55,5	56,0	61,6	62,5	63,0	69,3	7,55	8,72	16,5

Cooling: Saturated evaporating temperature: +46°C, Air temperature: +27°C DB / +19°C WB
Heating: Saturated evaporating temperature: +46°C, Air temperature: +20°C DB

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
HEAT RECLAIM VENTILATION (HRV) UNITS		
VAM - FC9	150	2 480,00
VAM - FC9	250	2 700,00
VAM - J8	350	3 115,00
VAM - J8	500	3 352,50
VAM - J8	650	4 357,50
VAM - J8	800	4 862,50
VAM - J8	1000	5 882,50
VAM - J8	1500	8 790,00
VAM - J8	2000	11 075,00
Filters VAM		
EKAFVJ50F6	M6-class high efficiency filter - for VAM350~500J units	385,00
EKAFVJ65F6	M6-class high efficiency filter - for VAM650 units	427,50
EKAFVJ100F6	M6-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	515,00
EKAFVJ50F7	F7-class high efficiency filter - for VAM350~500J units	420,00
EKAFVJ65F7	F7-class high efficiency filter - for VAM650 units	470,00
EKAFVJ100F7	F7-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	565,00
EKAFVJ50F8	F8-class high efficiency filter - for VAM350~500J units	470,00
EKAFVJ65F8	F8-class high efficiency filter - for VAM650 units	522,50
EKAFVJ100F8	F8-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	627,50
EKPLEN200	Plenum for VAM1500-2000J units- contains 1 plenum for half side	305,00
ELECTRICAL HEATERS GSIEKA FOR USE WITH VAM UNITS		
GSIEKA 10009	VAM150FC9	1 565,00
GSIEKA 15018	VAM250FC9	1 580,00
GSIEKA 20024	VAM350J-500J	1 590,00
GSIEKA 25030	VAM650J,800J,1000J	1 702,50
GSIEKA 35530	VAM1500J-2000J	1 722,50
VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL and humidifier		
VKM - GBM	50	6 270,00
VKM - GBM	80	8 590,00
VKM - GBM	100	9 667,50
Filters VKM		
KAF241H80M	Replacement filter for VKM50GBM	467,50
KAF241H100M	Replacement filter for VKM80-100GBM	660,00
Accessories		
BRC301B61	Wired remote for HRV	365,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
RTD-10	universal control adaptor	747,50
EKMBPP1	modbus adaptor	560,00
RTD-20	advanced VAM control CO2	895,00
BRP4A50	3rd party el. heater or humidifier control VAM-FC and heater for VAM-J	312,50
KRP2A51	Wiring adaptor for electrical appendices	625,00
BRYMA65	CO2 sensor VAM350~650	1 127,50
BRYMA100	CO2 sensor VAM800~1000	1 127,50
BRYMA200	CO2 sensor VAM1500~2000	1 127,50
KDDM24B50	Silencer for 200mm round duct VKM50	1 320,00
KDDM24B100	Silencer for 250mm round duct VKM80-100	1 320,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
DX Coil for air processing		
EKVDX-A	32	2 615,00
EKVDX-A	50	2 900,00
EKVDX-A	80	3 217,50
EKVDX-A	100	4 715,00
Accessories		
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	215,00
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	275,00
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	570,00
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	882,50
ALB-R/LB(S) Compact L Pro & Smart		
<i>Premium efficiency heat recovery ventilation unit</i>		
ALB-R/LB	02	11 245,00
ALB-R/LB	03	13 257,50
ALB-R/LB	04	17 400,00
ALB-R/LB	05	19 440,00
ALB-R/LB	06	24 885,00
ALB-R/LB	07	26 485,00
ALB-R/LBS (Smart)	02	9 927,50
ALB-R/LBS (Smart)	03	11 965,00
ALB-R/LBS (Smart)	04	16 080,00
ALB-R/LBS (Smart)	05	18 160,00
ALB-R/LBS (Smart)	06	23 615,00
ALB-R/LBS (Smart)	07	25 250,00
Electrical heater for Modular L Smart		
ALD02HEFB	1,5 kW, 1ph	3 930,00
ALD03HEFB	3 kW, 1ph	4 135,00
ALD05HEFB	7,5 kW, 3ph	5 575,00
ALD07HEFB	15 kW, 3ph	7 405,00
Accessories		
ALC00822A	ROOM THERMOSTAT	415,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
ALC00902A	MODBUS INTERFACE	627,50
ALC00908A	BACNET INTERFACE	970,00
ALP00COA	ALB/Modular T CO2 Probe	1 832,50
ALP00HUA	ALB/Modular T %RH Probe	1 052,50
ALP00TEA	ALB/Modular T Temperature Probe	217,50
ALF02F9A	F9 Compact filter ALB02	245,00
ALF03F9A	F9 Compact filter ALB03	335,00
ALF05F9A	F9 Compact filter ALB04-05	442,50
ALF07F9A	F9 Compact filter ALB06-07	515,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
Compact T Pro & Smart - ATB-R/LB (S)		
<i>Top connected heat recovery unit</i>		
	ATB-R/LA 03	21 195,00
	ATB-R/LA 04	22 940,00
	ATB-R/LA 05	28 770,00
	ATB-R/LA 06	33 707,50
	ATB-R/LA 07	39 705,00
	ATB-R/LAS (Smart) 03	18 460,00
	ATB-R/LAS (Smart) 04	20 280,00
	ATB-R/LAS (Smart) 05	26 572,50
	ATB-R/LAS (Smart) 06	31 380,00
	ATB-R/LAS (Smart) 07	37 512,50
Accessories		
ALC00822A	ROOM THERMOSTAT	415,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
ALC00902A	MODBUS INTERFACE	627,50
ALC00908A	BACNET INTERFACE	970,00
ATF03F9A	F9 Compact filter ATB03	222,50
ATF04F9A	F9 Compact filter ATB04	240,00
ATF05F9A	F9 Compact filter ATB05	260,00
ATF06F9A	F9 Compact filter ATB06	285,00
ATF07F9A	F9 Compact filter ATB07	327,50
ALP00COA	ALB/Modular T CO2 Probe	1 832,50
ALP00HUA	ALB/Modular T %RH Probe	1 052,50
ALP00TEA	ALB/Modular T Temperature Probe	217,50
BIDDLE ERQ/VRV-Pair R32 / R410 FREE HANGING AIR CURTAIN		
до 230 см височина		
CYAS100DK80FB/S	80	9 290,00
CYAS150DK80FB/S	80	11 830,00
CYAS200DK100FB/S	100	14 302,50
CYAS250DK140FB/S	140	15 957,50
до 250 см. височина		
CYAM100DK80FB/S	80	10 625,00
CYAM150DK80FB/S	80	13 612,50
CYAM200DK100FB/S	100	16 867,50
CYAM250DK140FB/S	140	19 200,00
до 300 см. височина		
CYAL100DK125FB/S	125	13 537,50
CYAL150DK200FB/S	200	18 010,00
CYAL200DK250FB/S	250	22 177,50
CYAL250DK250FB/S	250	25 757,50
BIDDLE ERQ/VRV-Pair R32 / R410 CASSETTE AIR CURTAIN		
до 230 см височина		
CYAS100DK80CB/S	80	9 230,00
CYAS150DK80CB/S	80	11 720,00
CYAS200DK100CB/S	100	14 187,50
CYAS250DK140CB/S	140	15 842,50
до 250 см. височина		
CYAM100DK80CB/S	80	11 432,50
CYAM150DK80CB/S	80	13 502,50
CYAM200DK100CB/S	100	16 755,00
CYAM250DK140CB/S	140	19 085,00
до 300 см. височина		
CYAL100DK125CB/S	125	13 400,00
CYAL150DK200CB/S	200	17 935,00
CYAL200DK250CB/S	250	22 037,50
CYAL250DK250CB/S	250	25 617,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
BIDDLE VRV-Pair RECESSED CYV-DK-R		
до 230 см височина		
CYAS100DK80RB/S	80	9 622,50
CYAS150DK80RB/S	80	12 370,00
CYAS200DK100RB/S	100	15 327,50
CYAS250DK140RB/S	140	17 095,00
до 250 см. височина		
CYAM100DK80RB/S	80	11 775,00
CYAM150DK80RB/S	80	14 097,50
CYAM200DK100RB/S	100	17 892,50
CYAM250DK140RB/S	140	20 312,50
до 300 см. височина		
CYAL100DK125RB/S	125	13 810,00
CYAL150DK200RB/S	200	18 470,00
CYAL200DK250RB/S	250	23 142,50
CYAL250DK250RB/S	250	26 977,50
CE.B_2-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 100, 150, 200cm units	582,50
CE.B_3-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 250cm units	790,00
CE.B_2-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 100, 150, 200cm units	670,00
CE.B_3-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 250cm units	927,50
CE.B_2-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 100, 150, 200cm units	812,50
CE.B_3-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 250cm units	1 142,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
REFNET JOINTS 2-PIPE		
KHRQ22M20TA	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 200	202,50
KHRQ22M29T9	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 201-290	282,50
KHRQ22M64T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index 291-640	345,00
KHRA22M65T	2 PIPE REFNET JOINT - IMPERIAL, VRV 5 index 291-640	212,50
KHRQ22M75T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index >640	420,00
KHRQM22M20T	2 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index up to 200	210,00
KHRQM22M29T	2 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 201-290	282,50
KHRQM22M64T	2 PIPE REFNET JOINT - METRIC, VRV 4 index 291-640	342,50
KHRAM22M65T	2 PIPE REFNET JOINT - METRIC, VRV 5 index 291-640	312,50
KHRQM22M75T	2 PIPE REFNET JOINT - METRIC, VRV 4 index >640	420,00
REFNET HEADERS 2-PIPE		
KHRQ22M29H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 290	397,50
KHRQ22M64H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index 291-640	492,50
KHRA22M65H	2 PIPE REFNET HEADER - IMPERIAL, VRV 5 index 291-640	860,00
KHRQ22M75H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index >640	642,50
KHRQM22M29H	Refnet Header	397,50
KHRQM22M64H	2 PIPE REFNET HEADER - METRIC, VRV 4 index 291-640	492,50
KHRAM22M65H	2 PIPE REFNET HEADER - METRIC, VRV 5 index 291-640	565,00
KHRQM22M75H	2 PIPE REFNET HEADER - METRIC, VRV 4 index >640	642,50
REFNET JOINTS 3-PIPE		
KHRQ23M20T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 300	275,00
KHRQ23M29T9	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 301-390	312,50
KHRQ23M64T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 391-640	507,50
KHRQ23M75T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index >640	710,00
KHRQM23M20T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index up to 300	275,00
KHRQM23M29T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 301-390	312,50
KHRQM23M64T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 391-640	507,50
KHRQM23M75T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index >640	710,00
REFNET HEADERS 3-PIPE		
KHRQ23M29H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 390	557,50
KHRQ23M64H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index 391-640	675,00
KHRQ23M75H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index >640	955,00
KHRQM23M29H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index up to 390	557,50
KHRQM23M64H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index 391-640	675,00
KHRQM23M75H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index >640	952,50
Multi-module connection kit		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	240,00
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	505,00
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	455,00
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	975,00
Branch Provider Boxes (VRV 4-S & VRV 4)		
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00
Compact Single-port Branch Selector Box (VRV 4 Heat recovery)		
BS1Q 10A	15-100	1 275,00
BS1Q 16A	101-160	2 010,00
BS1Q 25A	161-250	2 310,00
Compact Multi-port Branch Selector Box (VRV 4 Heat recovery)		
BS4Q 14A	4x 15-140	4 515,00
BS6Q 14A	6x 15-140	6 187,50
BS8Q 14A	8x 15-140	8 135,00
BS10Q 14A	10x 15-140	9 780,00
BS12Q 14A	12x 15-140	11 530,00
BS16Q 14A	16x 15-140	14 595,00
Compact Multi-port Branch Selector Box (VRV 5 Heat recovery)		
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 515,00
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 187,50
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 135,00
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	9 780,00
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 530,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

CENTRALIZED Control Systems

Simple Centralized Control

KRP2A* series	KRP2A* series Wiring Adaptor for Electrical Appendices – for operation/error monitoring, on/off control and setpoint control (0-140 Ω) of entire F1/F2 line by dry contacts. An installation box or mounting plate may be necessary. KRP2A51 (0.5m cable) – for FXCQ, FXKQ, FXSQ, FXLQ, FXNQ, FXMQ, FXDQ-M9, FXAQ and BSVQ units KRP2A52 (1.3m cable) – for FXFQ, FXZQ and FXHQ KRP2A61 (2m cable) – for FXDQ-P7 units	625,00
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	345,00

Intelligent Touch Manager

DCM601B51	ITM Main unit for advanced control of up to 64 addresses (groups/units)	10 852,50
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 097,50
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 590,00
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	345,00
DCM002A51	Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System	3 787,50
DCM008A51	Energy Navigator Software Option - provides advanced energy consumption analyses and provides means to limit the energy consumption of the VRV system	8 045,00
DCM009A51	BACnet Server Option - allows to use the ITM to monitor and/or control external devices connected using the BACnet/IP protocol.	3 490,00
DCM007A51	HTTP option defines interface to monitor/operate Daikin units from an external application via ITM.	2 655,00

Intelligent Tablet Controller with Local & Cloud connection

DCC601A51	Centralised touch controller with cloud connection for Split, Sky Air, VRV, ventilation, air curtains and hot water (up to 32 indoors)	1 732,50
AL-CCD07-VESA-1	Optional screen for local control (wired option which can be mounted on the wall)	2 092,50

HOBO Daikin Cloud Plus


DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 630,00
DGE602A51	Max 64 units via Daikin Cloud Plus	3 600,00
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 097,50
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 590,00
Daikin Cloud Plus Control & Monitoring		по запитване
Daikin Cloud Plus Remote Support & Diagnostic		по запитване
Daikin Cloud Plus Advice & Optimization		по запитване

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

Daikin Cloud Plus

Cloud-based remote control and monitoring solution for Daikin commercial HVAC installations.

Composition



VRV 04.2024 - REV 01		Описание			Цена лв. без ДДС 04.2024
		Available for Edge & Edge Lite			
		1 CONTROL & MONITORING	2 REMOTE SUPPORT & DIAGNOSTIC*	3 ADVICE & OPTIMIZATION*	
Daikin Cloud Plus Features	Remote Control, Demand Control & Scheduling	✓	✓	✓	
	Energy Monitoring	✓	✓	✓	
	Interlocking	✓	✓	✓	
	Multi-site Management	✓	✓	✓	
	Building Integration	✓	✓	✓	
	Alarm History & Email Notification	✓	✓	✓	
	Power Consumption Distribution	✓	✓	✓	
	Remote Field Settings	✓	✓	✓	
	Site History	✗	✓	✓	
	Prediction & Email Notification	✗	✓	✓	
Daikin Service	Operational Data Access	✗	✓	✓	
	Indoor and Outdoor Units Analysis	✗	✓	✓	
	Periodical Analysis & Optimisation Advice by Daikin	✗	✓	✓	
	Remote Diagnostic & Support by Daikin	✗	✗	✓	
	Combinable with Maintenance Contract: - Technical Inspection - Preventive Maintenance - Comprehensive Maintenance	Complementary	Complementary	Mandatory	

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

Building Management System (BMS) & Standard protocol interfaces

for individual control

EKMBPP1	Modbus adaptor – provides a communication interface to the Modbus protocol for 1 P1/P2 group of VRV or SkyAir indoor units (up to 16 indoors – control is simultaneous for entire group, monitoring is individual for every unit of the group). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	560,00
RTD-10	Universal control adaptor – provides for external monitoring/control via 0-10kΩ resistance or 0-10VDC input signals and dry contact output signals (operation or defrost signal, error status signal), and provides a communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	747,50
RTD-20	Advanced control adaptor for retail and office applications – provides advanced control and energy saving functionality for multiple shop floor and user control zones, control of VAM units based on CO2 sensor input, control of Air Curtains based on outdoor air conditions, intelligent control of units installed in rooms with movable walls, etc. For installation outside of the indoor unit.	895,00
RTD-HO	Intelligent hotel room adaptor – provides intelligent unit control based on inputs from key card and window contacts and communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	747,50
KLIC-DI	KNX Adaptor – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	540,00

for central control

DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 630,00
DGE602A51	Max 64 units via Daikin Cloud Plus	3 600,00
EKMBDXB	Modbus interface *1 gateway for max. 64 indoor unit(s) (groups) & 10 outdoors	5 847,50
DCM010A51	Daikin PMS interface - 1 interface for up to 2500 indoor units	11 722,50
DAM411B51	Expansion adaptor for control of an additional 128 addresses	3 092,50
DAM412B51	Proportional Power Distribution (PPD) Option	1 575,00
DMS504B51	Main unit for LonWorks® interface for up to 64 addresses (1 F1/F2 port)	4 047,50

Wiring and sensors

K.RSS	External wireless air temperature sensor – allows temperature measurement exactly in the location of room occupants without the need of running extra wiring. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	270,00
KRCS01-	External wired air temperature sensor – allows temperature measurement exactly in the location of room occupants. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	в зависимост от модела на вътрешното тяло
KRCS01-4	For FXZQ / FXCQ / FXDQ / FXSQ / FXMQ50-80 / FXHQ / FXUQ / FXNQ	170,00
KRCS01-5B	For FXFA / FXFQ	170,00
KRCS01-6B	For FXZA / FXDA / FXSA / FXMA / FXHA / FXUA / FXAA / FXMQ 200-250	292,50

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

WAGO interfaces for connection to intelligent Touch Manager WAGO REQUIRED COMPONENTS

WGDCMCLR2	REQUIRED for each Wago node. Modbus Coupler - interface between the iTM and Wago modules, obligatory when Wago interface modules should be used	1 105,00
787-712	REQUIRED for each Wago node Main Power Supply for node	407,50
750-960	REQUIRED for each Wago node PROFIBUS fieldbus connector for node	82,50
750-600	REQUIRED for each Wago node End module for node	47,50
750-613	Internal booster power supply module. Required after each 32 contacts or after every group of digital output / analogue input modules if it is followed by any digital input modules.	420,00
750-400	2-channel digital input module	75,00
750-432	4-channel digital input module	102,50
750-430	8-channel digital input module	155,00
750-513/000-001	2-channel relay output module with 230 VAC or 30 VDC output	165,00
750-504	4-channel relay output module (max. 2A, 230VAC or 30VDC load)	107,50
750-454	2-channel analog input module for 4~20 mA signal	675,00
750-455	4-channel analog input module for 4~20 mA signal	557,50
750-479	2-channel analog input module for -10~+10 VDC signal	727,50
750-459	4-channel analog input module for -10~+10 VDC signal	480,00
750-461/020-000	2-channel analog input module for 20 kOhm NTC temperature sensors	727,50
750-461	2-channel analog input module for Pt100 temperature sensors	650,00
750-460	4-channel analog input module for Pt100 temperature sensors	752,50
750-461/000-003	2-channel analog input module for Pt100 temperature sensors	650,00
750-460/000-003	4-channel analog input module for Pt100 temperature sensors	752,50
750-461/000-004	2-channel analog input module for Ni100 temperature sensors	650,00
750-461/000-005	2-channel analog input module for Ni100 temperature sensors	650,00
750-460/000-005	4-channel analog input module for Ni100 temperature sensors	752,50
750-554	2-channel analog output module: 4~20 mA	602,50
750-555	4-channel analog output module: 4~20 mA	542,50
750-560	2-channel analog output module: 0~10 VDC	535,00
750-559	4-channel analog output module: 0~10 VDC	480,00
750-638	2 channel: Up/Down Counter 24 V DC, 500 Hz (pulse input module – not for PPD1)	240,00

Adaptor accessories for VRV indoor units

BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	375,00
BRC2E52C	Simplified wired remote controller with back-light for hotel use	272,50
BRC3E52C	Simplified wired remote controller with back-light w/o mode change	272,50
BRP7A51	OPTION ADAPTOR - Window contact + Key card (only in connection with BRC1H)	175,00
KRP4A*	Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-1400. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device	267,50
EKRP1B2	Wiring adaptor with 4 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status, Auxiliary heater signal, Humidifier signal. Connects to the indoor unit's PCB. FXCQ-A / FXDQ-M9 / FXSQ-A / FXMQ-P7	297,50
EKRP1C12	Wiring adaptor with 4 output signals - (as above) за FXFQ-A - with standard panel	157,50
KRP1B61	Wiring adaptor with 4 output signals - (as above) за FXKQ-MA / FXMQ-MB / FXLQ-P	327,50
KRP1B*	Wiring adaptor with 2 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status. Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit. Type and price depends on indoor unit type	
KRP1B54	както по-горе - за FXHQ-A	360,00
KRP1B57	както по-горе - за FXZQ-A with standard panel	290,00
KRP1B56	както по-горе - за FXDQ-A3, FXNQ-A	312,50
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	310,00
EKMTAC	Kit for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). This kit contains equipment for 10 indoor units.	50,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	777,50
KRC19-26	Mechanical cool/heat selector – allows to switch an entire Heat Pump system, or one BS-box of Heat Recovery system between cooling, heating and fan only. Connects to the A-B-C terminals of the outdoor unit / BS-box.	112,50
KJB111A	Fixing box for mechanical cool/heat selector	55,00

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
BRP2A81	A-B-C contact PCB for switching between cooling and heating from the outdoor unit	295,00
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	927,50
EKPCCAB4	VRV Configurator	547,50
EKBPH012TA	Optional bottom plate heater for VRV IV 8 ~ 12 HP outdoor units	1 115,00
EKBPH020TA	Optional bottom plate heater for VRV IV 14 ~ 20 HP outdoor units	1 162,50
KKS26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	130,00
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	157,50
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	207,50
Service Checker Type IV		
999176T	задължително проверете за актуални цени и наличности	
	SERVICE CHECKER TYPE 4	По запитване
Service Tools		
RS-SE	задължително проверете за актуални цени и наличности	
	Service tool for checking connection of K.RSS external wireless air temperature sensor	227,50
99S0038	Magnet for manual operation of expansion valves, 17.5 mm ID	По запитване
999133T	Magnet for manual operation of expansion valves, 22.0 mm ID	По запитване
999134T	Magnet for manual operation of expansion valves, 24.0 mm ID	По запитване
999132T	Magnet for manual operation of expansion valves, 24.5 mm ID	По запитване



VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

Options & accessories - **VRV** indoor

BLUEEVOLUTION

		Ceiling mounted cassette units		
		Round flow (800x800)	4-way (600x600)	Corner (1-way)
		FXFA-A	FXZA-A	FXKA-A
Panels	Standard panels: BYCQ140E (white) / BYCQ140EW (full white)(3) / BYCQ140EB (black) Auto cleaning (5)(6): BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)		BYFQ60C4WIW (white panel) (19) BYFQ60C4WTS (grey panel) (19) BYFQ60B3WI (standard panel) (20)	20-32: BYK32G 40-63: BYK63G
	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)			
	Panel spacer for reducing required installation height		KDBQ44B60 (Standard panel)	
	Sealing kit for 3- or 2-directional air discharge	KDBHQ56B140 (7)	BD8HQ44C60 (white & grey panel)	
Individual control systems	Sensor kit	BRYQ140B (white panels) BRYQ140BB (black panels) BRYQ140C (white designer panel) BRYQ140CB (black designer panel) BRC7FA53ZF (white panels) (7)(15) BRC7FA53ZFB (black panels) (7)(15) BRC7FB53ZF (white designer panel) (7)(15) BRC7FB53ZFB (black designer panel) (7)(15)	BRYQ60A3W (white) BRYQ60A3S (grey)	
	Infrared remote control (incl. receiver)		BRC7F530W (9) (10) (white panel) BRC7F530S (9) (10) (grey panel) BRC7E530W (9) (10) (standard panel)	
	BRP069CS1 - Onecta app			
	Madoka BRCH452W (White) / BRCH452S (Silver) / BRCH452K (Black) User-friendly wired remote controller with premium design. BRCE53A/B/C - Wired remote control with full-text interface and back-light			
Centralised control systems	BRCID52 (4) - Standard wired remote control with weekly timer			
	DC601AS1 - intelligent Tablet Controller			
	DC601CS1 (12) - intelligent Touch Controller			
	DCS302CS1 (12) - Central remote controller			
Building Management System & Standard protocol interfaces for individual control	DCS301BS1 (12) (13) - Unified ON/OFF controller			
	EKMBPPI - Modbus interface for monitoring and control (check compatibility)			
	RTD-10 - Modbus interface for infrastructure cooling			
	RTD-20 - Modbus interface for retail			
Building Management System & Standard protocol interfaces for central control	RTD-HO - Modbus interface for hotel			
	KLIC-DL V2 - KNX Interface			
	DCM601BS1 - intelligent Touch Manager			
	DGE601AS1 - Edge adapter for connection to Daikin Cloud Plus			
Filters	DGE602AS1 - Edge lite adapter for connection to Daikin Cloud Plus			
	EKMBDXB - Modbus interface			
	DCM010AS1 - Daikin PMS interface			
	DMSS02AS1 - BACnet Interface			
Wiring and sensors	DMSS04BS1 - LonWorks Interface			
	Auto cleaning filter	see decoration panel		
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit BAEF125AWB (22) BAF55A12S		
	High efficiency filter	ePM10 60% BAF552AA160 (23) (BAF552AA160-S: box of 5 filters) (BAF552AA160-10 (box of 10 filter)		
Adapters	Replacement long life filter, non-woven type	KAF5511D160	KAF441C60	
	Pre-filter			
	Filter chamber			
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-6B	KRCS01-6B
Others	K.RSS - External wireless temperature sensor	SB.K.RSS_RFC (EKEWTSC-2 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)
	Adapter with 2 output signals (Compressor / Error, Fan output)	KRP1BA58 (2)(7)	ERP02A50 (2)	ERP02A50 (2)
	Adapter with 4 output signals (Compressor / Error, Fan, Aux, heater, Humidifier output)	EKRPICT2 (2)(7)	EKRPICT4 (2)	EKRPICT4 (2)
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-140Q (for dedicated indoor)	KRP4A53 (2)(7)	KRP4A53 (2)	KRP4A53 (2)
Others	Adapter for external central monitoring/control (controls 1 entire system)	KRP2A52	KRP2A52	KRP2A52
	Adapter for keypad and/or window contact connection (2)(1)	BRP7A53	BRP7A53 (2)	BRP7A53 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)	DTA114A61	DTA114A61	DTA114A61
	External control adapter for outdoor unit (installation on indoor unit)			
Others	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)	KRPIH08A (7) KRPIBC101	KRPIBC101	KRPIBC101 / KRPIB93
	Wiring kit for Remote ON/OFF or Forced OFF	Standard	Standard	Standard
	Relay PCB for output signal of refrigerant sensor	ERP01A51 (2)	ERP01A50 (2)	ERP01A50 (2)
	Drain pump kit	Standard	Standard	Standard
Others	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)			
	Fresh air intake kit (direct installation type)	KDDP55C160-1 + KDDP55D160-2 (7)(8)	KDDQ44XA60	
	Air discharge adapter for round duct			
	L-type piping kit			
Others	Insulation kit for high humidity			

(1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt.
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (B) the controller BRCE1* or BRCE1* is needed

(6) The BYCQ140EGF (B) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (B)
(8) Both parts of the fresh air intake are needed for each unit
(9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available
(11) Only possible in combination with BRCE1* / BRCE1*
(12) When fixing box is required, use KJB202A, KJB311A or KJB411A depending on the size of the controller

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

Concealed ceiling units (duct units)			Ceiling suspended units		Wall mounted units
Slim	Medium ESP	High ESP	1-way blow	4-way blow	
FXDA-A	FXSA-A	FXMA-A	FXHA-A	FXUA-A	FXAA-A
				KDBHP49B140 + KDBTP49B140	
				BRE49B2F	
BRC4C65	BRC4C65	BRC4C65	BRC7GA53-9	BRC7C58	BRC7EA630
•	•	•	•	•	•
• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
15-32: BAE20A62 40-50: BAE20A82 63: BAE20A102					
		Replacement filters for 200~250: BAFM503A250 (65%) (Z1) BAFH504A250 (90%) (Z1)			
		200~250: BAF1502A250 (Z1)	32: KAF501B56 50~63: KAF501B80 71~100: KAF501B160	KAFPS51K160	
		200~250: BAF1501A250 (Z1)			
		200~250: BDD500B250			
KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B
SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)
ERP02A50 (2)	EKRPI14 (2)	EKRPI14 (2)	KRP1B458	EKRPI14 (2)	ERP02A50 (2)
KRP4A54-9 (2)	KRP4A52(2)	50~125: KRP4A52 200~250: KRP4A51	KRP4A52 (2)	KRP4A53 (2)	KRP4A51 (2)
KRP2A53 (2)	KRP2A51(2)	KRP2A51	KRP2A62		KRP2A61(2)
BRP7A54	BRP7A51	BRP7A51	BRP7A52 (2)	BRP7A53	BRP7A51 (2)
DTA114A61	DTA114A61	DTA114A61	DTA114A61-9	DTA114A61-9	DTA114A61
DTA104A53	DTA104A61 (2)	DTA104A61 (2)	DTA104A61	DTA104A61	DTA104A51(2) / DTA104A61(2)
KRP1BC101	KRP1BC101	KRP1BC101	KRP1D93A/KRP4B93	KRP1B97 / KRP1C97	KRP4A93
Standard	Standard	Standard	standard	standard	Standard
ERP01A51 (2)	ERP01A50 (2)	ERP01A50	ERP01A51 (2)	ERP01A51 (2)	ERP01A51 (2)
Standard	Standard	200~250: BDU510B250VM	32-50-63: KDU50R63 100: KDU50R160		K-KDU572KVE
	15~32: KDAP25A36A 40~50: KDAP25A56A 63~80: KDAP25A71A 100~125: KDAP25A140A 140~	50~80: KDAJ25K71 100~125: KDAJ25K140 200~250: -			
			32: KHFP5M35 50~63: KHFP5N63 71~100: KHFP5N160		

- KDT25N32 / KDT25N50 / KDT25N63

(13) Option KEK26-1A (Noise filter) is required when installing DCS301B51
(14) Wire harness EKEWTSC is necessary
(15) The active airflow circulation function is not available for this controller.
(16) Up to 2 adaptor PCBs can be installed per installation box
(17) Only one installation box can be installed per indoor unit
(18) VRV R-32 indoor units cannot be connected to this controller
(19) The BYT Q60CA* R-32 panels can be connected to R-410A indoor units with wire harness EKRS22
- (20) Wire harness EKRS23 is necessary
(21) Filter chamber needed
(22) Only possible in combination with BYCQ140E and BYCQ140EW. Cannot be combined with other filters, chambers, fresh air intake kits or air discharge outlet sealing member kit
(23) Only possible in combination with BYCQ140E/EW/EB. Cannot be combined with other filters, chambers, fresh air intake kits or discharge outlet sealing member kit

VRV 04.2024 - REV 01	Описание	Цена лв. без ДДС 04.2024
----------------------	----------	-----------------------------

Options & accessories -

VRV indoor & hot water **R-410A** **LCOP**

		Ceiling mounted cassette units			
		Round flow (800x800)	4-way (600x600)	2-way blow	Corner (1-way blow)
		FXFQ-B	FXZQ-A	FXCQ-A	FXKQ-A
Panels	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)	Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) Auto cleaning (5/6): BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C2W1W (white panel) BYFQ60C2W1S (grey panel) BYFQ60B3W1 (standard panel)	20-40: BYBCQ40H 50-63: BYBCQ63H 80-125: BYBCQ125H	20-32: BYK32G 40-63: BYK63G
	Panel spacer for reducing required installation height		KDBQ44860 (Standard panel)		
	Sealing kit for 3- or 2-directional air discharge	KDBHQ568140 (7)	BDBHQ44C60 (white & grey panel)		
	Sensor kit	BRYQ140B (white panels) BRYQ140EB (black panels) BRYQ140C (white designer panel) BRYQ140CB (black designer panel) BRC7FA53ZF (white panels) (7)/(15) BRC7FA53ZFB (black panels) (7)/(15) BRC7FB53ZF (white designer panel) (7)/(15) BRC7FB53ZFB (black designer panel) (7)/(15)	BRYQ60A2W (white) BRYQ60A2S (grey)		
Individual control systems	Infrared remote control including receiver		BRC7F530W (9) (10) (white panel) BRC7F530S (9) (10) (grey panel) BRC7B530W (9) (10) (standard panel)	BRC7C52	
	BRP069C51 - Onecta app				
	Madoka BRCH52W (White) / BRCH52S (Silver) / BRCH52K (Black) User-friendly wired remote controller with premium design	•	•	•	•
	BRCE53A/B/C - Wired remote control with full-text interface and back-light	•	•	•	•
Centralized control systems	BRICD52 (4) - Standard wired remote control with weekly timer	• (15)	•	•	•
	DC601A51 - Intelligent Tablet Controller	•	•	•	•
	DCS601C51 (12) - intelligent Touch Controller	•	•	•	•
	DCS302C51 (12) - Central remote control	•	•	•	•
Building Management Systems & Standard protocol interfaces for individual control	DCS301B51 (12) (13) - Unified ON/OFF control	•	•	•	•
	EKM8P91 - Modbus interface for monitoring and control	•	•	•	•
	RTD-10 - Modbus interface for infrastructure cooling	•	•	•	•
	RTD-20 - Modbus interface for retail	•	•	•	•
	RTD-H0 - Modbus interface for hotel	•	•	•	•
	KLIC-DI_V2 - KNX Interface	•	•	•	•
	DCM601B51 - intelligent Touch Manager	•	•	•	•
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus	•	•	•	•
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus	•	•	•	•
	EKM8D8B - Modbus interface	•	•	•	•
	DCM010A51 - Daikin PMS interface	•	•	•	•
	DMS502A51 - BACnet Interface	•	•	•	•
	DMS504B51 - LonWorks Interface	•	•	•	•
Filters	Auto cleaning filter	see decoration panel			
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit Replacement filter	BAEF125AWB (22) BAF55A125 BAF552AA160 ePM10 60% (26) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: box of 10 filter)		
	High efficiency filter				
	Replacement long life filter, non-woven type	KAF5511D160	KAF441C60	20-40: KAF531C50 50-63: KAF531C80 80-125: KAF531C160	
Wiring and sensors	Pre-filter				
	Filter chamber				
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-4	KRCS01-4	KRCS01-6B
	K.RSS - External wireless temperature sensor	K.RSS	K.RSS	•	SB, K.RSS, FDA (EKEWTSC1 + K.RSS)
Adapters	Adapter with 2 output signals (Compressor / Error, Fan output)	KRP1B5A8 (2)/(7)	KRP1B57 (2)		
	Adapter with 4 output signals (Compressor / Error, Fan, Aux, heater, Humidifier output)	EKRPIB2 (2)	EKRPIB2 (2)	EKRPIB2 (2)	EKRPIB2 (2)
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-1400 (for dedicated indoor)	KRP4A53 (2)/(7)	KRP4A53 (2)	KRP4A51 (2)	KRP4A53 (2)
	Adapter for external central monitoring/control (controls 1 entire system)		KRP2A52	KRP2A51 (2)	KRP2A52
	Adapter for keycard and/or window contact connection (2x11)	BRP7A53	BRP7A53 (2)	BRP7A51	BRP7A51 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)	DTA114A61	DTA114A61	DTA114A61-9	DTA114A61
	External control adapter for outdoor unit (installation on indoor unit)			DTA104A61 (2)	
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)	KRP1H08A (7) KRP1B1C101 Standard	KRP1B1C101 Standard	KRP1C96 (16) (17)	KRP1B1C101 / KRP4B93
Others	Wiring kit for Remote ON/OFF or Forced OFF				
	Relay PCB for output signal of refrigerant sensor				
	Drain pump kit	Standard	Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)				
	Fresh air intake kit (direct installation type)	KDDP55C160-1 + KDDP55D160-2 (7)/(8)	KDDQ44XA60		
	Air discharge adapter for round duct				
	L-type piping kit				
	Filter chamber for bottom suction			20-40: KDDFP53B50 50-63: KDDFP53B80 80-125: KDDFP53B160	
	Insulation kit for high humidity				

- (1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (B) the controller BRCE or BRCH1* is needed
(6) The BYCQ140EGF (B) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (B)
(8) Both parts of the fresh air intake are needed for each unit

- (9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available.
(11) Only possible in combination with BRCH1* / BRCE1*
(12) When fixing box is required, use KJB272A, KJB311A or KJB411A depending on the size of the controller
(13) Option KRC16-1A (Noise filter) is required when installing DCS301B51
(14) Wire harness EKEWTSC1 is necessary
(15) The active airflow circulation function is not available for this controller.
(16) Up to 2 adaptor PCBs can be installed per installation box
(17) Only one installation box can be installed per indoor unit
(18) VRV R-32 indoor units cannot be connected to this controller

[illegible]