



FANCOIL FOR RECESSED INSTALLATION, DUCTABLE
DUCTO



Product Name	Code	Type	ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
For connection with Smart Touch series remote controls (modulating speed)				
Ducto	FASN04R01II-OP00	SLC 400	1320,00	1584,00
Ducto	FASN06R01II-OP00	SLC 600	1460,00	1752,00
Ducto	FASN08R01II-OP00	SLC 800	1752,50	2103,00
Ducto	FASN10R01II-OP00	SLC 1000	1880,00	2256,00
Ducto	FASN12R01II-OP00	SLC 1200	2372,50	2847,00
			ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
For 0-10 V connection (modulating speed)				
Ducto	FASN04R01II-OJ00	SLC 400	1202,50	1443,00
Ducto	FASN06R01II-OJ00	SLC 600	1342,50	1611,00
Ducto	FASN08R01II-OJ00	SLC 800	1657,50	1989,00
Ducto	FASN10R01II-OJ00	SLC 1000	1835,00	2202,00
Ducto	FASN12R01II-OJ00	SLC 1200	2280,00	2736,00

• For versions with hydraulic connections on the left (available on all models) the seventh letter of the code will be "O" (specify when ordering)

DUCTO THIN



For connection with M7 series remote controls (modulating speed)			ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
DUCTO THIN	FATN04R01II-OR00	SLC THIN 400	1202,50	1443,00
DUCTO THIN	FATN06R01II-OR00	SLC THIN 600	1342,50	1611,00
DUCTO THIN	FATN08R01II-OR00	SLC THIN 800	1705,00	2046,00
DUCTO THIN	FATN10R01II-OR00	SLC THIN 1000	1822,50	2187,00
DUCTO THIN	FATN12R01II-OR00	SLC THIN 1200	2315,00	2778,00
Per collegamento 0-10 V (Velocità modulante)				
DUCTO THIN	FATN04R01II-OJ00	SLC THIN 400	1107,50	1329,00
DUCTO THIN	FATN06R01II-OJ00	SLC THIN 600	1237,50	1485,00
DUCTO THIN	FATN08R01II-OJ00	SLC THIN 800	1635,00	1962,00
DUCTO THIN	FATN10R01II-OJ00	SLC THIN 1000	1775,00	2130,00
DUCTO THIN	FATN12R01II-OJ00	SLC THIN 1200	2267,50	2721,00

ACCESSORIES AND CONTROLS FOR DUCTO / DUCTO THIN FANCOILS

Accessory Type	Code	СЪВМЕСТИМ	ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
EEB749II	LED electronic control panel with touch interface, wall-mounted complete	All	222,50	267,00
EFB749II	LED electronic control panel with touch interface, wall-mounted complete	All	265,00	318,00
BB0646II	Hydraulic connection reversal kit	All	72,50	87,00
AHRD0431II	Air outlet plenum with 2 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 400	95,00	114,00
AHRD0432II	Air outlet plenum with 3 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 600	117,50	141,00
AHRD0433II	Air outlet plenum with 4 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 800	140,00	168,00
AHRD0434II	Air outlet plenum with 6 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 1000	170,00	204,00
AHRD0435II	Air outlet plenum with 7 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 1200	195,00	234,00
AHRD0461II	Air intake plenum with 2 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 400	222,50	267,00
AHRD0462II	Air intake plenum with 3 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 600	230,00	276,00
AHRD0463II	Air intake plenum with 4 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 800	282,50	339,00
AHRD0464II	Air intake plenum with 6 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 1000	292,50	351,00
AHRD0465II	Air intake plenum with 7 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC 1200	335,00	402,00
AHRD0561II	Air outlet plenum with 2 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 400	87,50	105,00
AHRD0562II	Air outlet plenum with 3 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 600	112,50	135,00
AHRD0563II	Air outlet plenum with 4 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 800	135,00	162,00
AHRD0564II	Air outlet plenum with 6 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 1000	160,00	192,00
AHRD0565II	Air outlet plenum with 7 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 1200	182,50	219,00
AHRD0566II	Air intake plenum with 2 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 400	205,00	246,00
AHRD0567II	Air intake plenum with 3 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 600	217,50	261,00
AHRD0568II	Air intake plenum with 4 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 800	265,00	318,00
AHRD0569II	Air intake plenum with 6 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 1000	275,00	330,00
AHRD0570II	Air intake plenum with 7 circular connections, DN 160 mm, Nipples with M/M couplings supplied	SLC THIN 1200	310,00	372,00
AHRD0491II	Spare filter kit	SLC 400, SLC THIN 400	70,00	84,00
AHRD0492II	Spare filter kit	SLC 600, SLC THIN 600	82,50	99,00
AHRD0493II	Spare filter kit	SLC 800, SLC THIN 800	100,00	120,00
AHRD0494II	Spare filter kit	SLC 1000, SLC THIN 1000	117,50	141,00
AHRD0495II	Spare filter kit	SLC 1200, SLC THIN 1200	122,50	147,00
AHRD0521II	90° recovery plenum, Dimensions: 486x253x217 mm	SLC 400	130,00	156,00
AHRD0522II	90° recovery plenum, Dimensions: 686x253x217 mm	SLC 600	147,50	177,00
AHRD0523II	90° recovery plenum, Dimensions: 886x253x217 mm	SLC 800	165,00	198,00
AHRD0524II	90° recovery plenum, Dimensions: 1086x253x217 mm	SLC 1000	187,50	225,00
AHRD0525II	90° recovery plenum, Dimensions: 1376x253x217 mm	SLC 1200	212,50	255,00
AHRD0576II	90° recovery plenum	SLC THIN 400	122,50	147,00
AHRD0577II	90° recovery plenum	SLC THIN 600	147,50	177,00
AHRD0578II	90° recovery plenum	SLC THIN 800	165,00	198,00
AHRD0579II	90° recovery plenum	SLC THIN 1000	187,50	225,00
AHRD0580II	90° recovery plenum	SLC THIN 1200	212,50	255,00
AHRD0531II	Telescopic kit, Dimensions (bxh): 445x182 mm, minimum extension from 153 mm to 270 mm.	SLC 400	200,00	240,00
AHRD0532II	Telescopic kit, Dimensions (bxh): 645x182 mm, minimum extension from 153 mm to 270 mm.	SLC 600	212,50	255,00
AHRD0533II	Telescopic kit, Dimensions (bxh): 845x182 mm, minimum extension from 153 mm to 270 mm.	SLC 800	247,50	297,00
AHRD0534II	Telescopic kit, Dimensions (bxh): 1045x182 mm, minimum extension from 153 mm to 270 mm.	SLC 1000	265,00	318,00

AHRD0535II	Telescopic kit, Dimensions (bxh): 1335x182 mm, minimum extension from 153 mm to 270 mm.	SLC 1200	282,50	339,00
AHRD0581II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC THIN 400	200,00	240,00
AHRD0582II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC THIN 600	212,50	255,00
AHRD0583II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC THIN 800	247,50	297,00
AHRD0584II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC THIN 1000	265,00	318,00
AHRD0585II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC THIN 1200	282,50	339,00
AHRD0541II	Grid for telescopic kit. Dimensions: 473x211x25 mm	SLC 400	212,50	255,00
AHRD0542II	Grid for telescopic kit. Dimensions: 673x211x25 mm	SLC 600	247,50	297,00
AHRD0543II	Grid for telescopic kit. Dimensions: 873x211x25 mm	SLC 800	270,00	324,00
AHRD0544II	Grid for telescopic kit. Dimensions: 1073x211x25 mm	SLC 1000	292,50	351,00
AHRD0545II	Grid for telescopic kit. Dimensions: 1363x211x25 mm	SLC 1200	322,50	387,00
AHRD0586II	Grid for telescopic kit	SLC THIN 400	212,50	255,00
AHRD0587II	Grid for telescopic kit	SLC THIN 600	247,50	297,00
AHRD0588II	Grid for telescopic kit	SLC THIN 800	270,00	324,00
AHRD0589II	Grid for telescopic kit	SLC THIN 1000	292,50	351,00
AHRD0590II	Grid for telescopic kit	SLC THIN 1200	322,50	387,00
AHRD0639II	Plenum box kit for external air connection with recirculation air damper	SLC 400	522,50	627,00
AHRD0640II	Plenum box kit for external air connection with recirculation air damper	SLC 600	580,00	696,00
AHRD0641II	Plenum box kit for external air connection with recirculation air damper	SLC 800	662,50	795,00
AHRD0642II	Plenum box kit for external air connection with recirculation air damper	SLC 1000	745,00	894,00
AHRD0643II	Plenum box kit for external air connection with recirculation air damper	SLC 1200	850,00	1020,00
AHRD0571II	Plenum box kit for external air connection with recirculation air damper	SLC THIN 400	497,50	597,00
AHRD0572II	Plenum box kit for external air connection with recirculation air damper	SLC THIN 600	545,00	654,00
AHRD0573II	Plenum box kit for external air connection with recirculation air damper	SLC THIN 800	637,50	765,00
AHRD0574II	Plenum box kit for external air connection with recirculation air damper	SLC THIN 1000	710,00	852,00
AHRD0575II	Plenum box kit for external air connection with recirculation air damper	SLC THIN 1200	815,00	978,00
AHRD0651II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC 400	87,50	105,00
AHRD0652II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC 600	112,50	135,00
AHRD0653II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC 800	135,00	162,00
AHRD0654II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC 1000	160,00	192,00
AHRD0655II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC 1200	182,50	219,00
AHRD0611II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC THIN 400	87,50	105,00
AHRD0612II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC THIN 600	112,50	135,00
AHRD0613II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC THIN 800	135,00	162,00
AHRD0614II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC THIN 1000	160,00	192,00

AHRD0615II	Duct plate Plenum box kit for external air connection with damper. Female connections with M/M couplings supplied	SLC THIN 1200	182,50	219,00
AHRD0656II	90° Plenum for external air connection kit with damper	SLC 400	135,00	162,00
AHRD0657II	90° Plenum for external air connection kit with damper	SLC 600	160,00	192,00
AHRD0658II	90° Plenum for external air connection kit with damper	SLC 800	170,00	204,00
AHRD0659II	90° Plenum for external air connection kit with damper	SLC 1000	195,00	234,00
AHRD0660II	90° Plenum for external air connection kit with damper	SLC 1200	230,00	276,00
AHRD0616II	90° Plenum for external air connection kit with damper	SLC THIN 400	122,50	147,00
AHRD0617II	90° Plenum for external air connection kit with damper	SLC THIN 600	147,50	177,00
AHRD0618II	90° Plenum for external air connection kit with damper	SLC THIN 800	170,00	204,00
AHRD0619II	90° Plenum for external air connection kit with damper	SLC THIN 1000	195,00	234,00
AHRD0620II	90° Plenum for external air connection kit with damper	SLC THIN 1200	217,50	261,00
AHRD0661II	Telescopic plenum kit for outside air connection with damper	SLC 400	217,50	261,00
AHRD0662II	Telescopic plenum kit for outside air connection with damper	SLC 600	230,00	276,00
AHRD0663II	Telescopic plenum kit for outside air connection with damper	SLC 800	265,00	318,00
AHRD0664II	Telescopic plenum kit for outside air connection with damper	SLC 1000	287,50	345,00
AHRD0665II	Telescopic plenum kit for outside air connection with damper	SLC 1200	300,00	360,00
AHRD0621II	Telescopic plenum kit for outside air connection with damper	SLC THIN 400	205,00	246,00
AHRD0622II	Telescopic plenum kit for outside air connection with damper	SLC THIN 600	217,50	261,00
AHRD0623II	Telescopic plenum kit for outside air connection with damper	SLC THIN 800	252,50	303,00
AHRD0624II	Telescopic plenum kit for outside air connection with damper	SLC THIN 1000	275,00	330,00
AHRD0625II	Telescopic plenum kit for outside air connection with damper	SLC THIN 1200	287,50	345,00
AHRD0666II	Grille for outside air connection plenum kit with damper	SLC 400	230,00	276,00
AHRD0667II	Grille for outside air connection plenum kit with damper	SLC 600	265,00	318,00
AHRD0668II	Grille for outside air connection plenum kit with damper	SLC 800	287,50	345,00
AHRD0669II	Grille for outside air connection plenum kit with damper	SLC 1000	310,00	372,00
AHRD0670II	Grille for outside air connection plenum kit with damper	SLC 1200	345,00	414,00
AHRD0626II	Grille for outside air connection plenum kit with damper	SLC THIN 400	217,50	261,00
AHRD0627II	Grille for outside air connection plenum kit with damper	SLC THIN 600	252,50	303,00
AHRD0628II	Grille for outside air connection plenum kit with damper	SLC THIN 800	275,00	330,00
AHRD0629II	Grille for outside air connection plenum kit with damper	SLC THIN 1000	300,00	360,00
AHRD0630II	Grille for outside air connection plenum kit with damper	SLC THIN 1200	335,00	402,00
I20205II	Manual 2-way valve unit	All	117,50	141,00
V20139II	2-way valve unit (inlet valve and lockshield) with thermoelectric motor	All	217,50	261,00
V30361II	3-way diverter valve unit with thermoelectric motor (complete with 3-way inlet valve and lockshield)	All	257,50	309,00
AHRA0709II	Aluminium outlet grill with double row of adjustable flaps. Dimensions: 450x225 mm	All	240,00	288,00
AHRA0710II	Aluminium intake grill with removable filter. Dimensions: 450x225 mm	All	240,00	288,00
AHRA0708II	Insulated plenum for supply/return with 2 inlets DN 160 mm, 1 plug DN 160 and grid connection. Dimensions: 420x200x200 mm	All	170,00	204,00
SCE316010II	Alufonic insulated hose DN 160 mm. Supplied in 10 m reels, price in €/m	All	52,50	63,00

FANCOIL FOR BUILT-IN INSTALLATION, DUCTABLE, MULTI-ZONE
DUCTO MULTI



Product Name	Code	Type	ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
For connection with Smart Touch series remote controls (modulating speed)				
Ducto Multi	FASQ06R01II-OP00	SLC+ 600	1927,50	2313,00
Ducto Multi	FASQ08R01II-OP00	SLC+ 800	2852,50	3423,00
Ducto Multi	FASQ10R01II-OP00	SLC+ 1000	3192,50	3831,00
Ducto Multi	FASQ12R01II-OP00	SLC+ 1200	4375,00	5250,00
For 0-10 V connection (modulating speed)				
Ducto Multi	FASQ06R01II-OJ00	SLC+ 600	1657,50	1989,00
Ducto Multi	FASQ08R01II-OJ00	SLC+ 800	2432,50	2919,00
Ducto Multi	FASQ10R01II-OJ00	SLC+ 1000	2690,00	3228,00
Ducto Multi	FASQ12R01II-OJ00	SLC+ 1200	3777,50	4533,00

• For versions with hydraulic connections on the left (available on all models) the seventh letter of the code will be "O" (specify when ordering)

DUCTO MULTI THIN

For connection with M7 series remote controls (modulating speed)			ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
Ducto Multi Thin	FATQ06R01II-OR00	SLC+ THIN 600	1870,00	2244,00
Ducto Multi Thin	FATQ08R01II-OR00	SLC+ THIN 800	2795,00	3354,00
Ducto Multi Thin	FATQ10R01II-OR00	SLC+ THIN 1000	3132,50	3759,00
Ducto Multi Thin	FATQ12R01II-OR00	SLC+ THIN 1200	4305,00	5166,00
For 0-10 V connection (modulating speed)				
Ducto Multi Thin	FATQ06R01II-OJ00	SLC+ THIN 600	1600,00	1920,00
Ducto Multi Thin	FATQ08R01II-OJ00	SLC+ THIN 800	2372,50	2847,00
Ducto Multi Thin	FATQ10R01II-OJ00	SLC+ THIN 1000	2630,00	3156,00
Ducto Multi Thin	FATQ12R01II-OJ00	SLC+ THIN 1200	3720,00	4464,00

Provide as many 0-10 V inputs as there are zones to be managed (no temperature probe)

For versions with hydraulic connections on the left (available on all models) the seventh letter of the code will be "O" (specify in the order).

ACCESSORIES AND CONTROLS FOR DUCTO MULTI/ DUCTO MULTI THIN FANCOILS

Accessory Type	Code	СЪВМЕСТИМ	ЦЕНА БЕЗ ДДС	ЦЕНА С ДДС
EEB749II	SMART TOUCH wall control panel with thermostat and room temperature and relative humidity probe, Colour black	All	222,50	267,00
EFB749II	SMART TOUCH wall control panel with thermostat and room temperature and relative humidity probe, Colour white	All	265,00	318,00
BB0646II	Hydraulic connection reversal kit	All	72,50	87,00
AHRD0492II	Spare filter kit	SLC+ 600, SLC+ THIN 600	82,50	99,00
AHRD0493II	Spare filter kit	SLC+ 800, SLC+ THIN 800	100,00	120,00
AHRD0494II	Spare filter kit	SLC+ 1000, SLC+ THIN 1000	117,50	141,00
AHRD0495II	Spare filter kit	SLC+ 1200, SLC+ THIN 1200	122,50	147,00
AHRD0466II	Air outlet plenum with 2 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ 600	230,00	276,00
AHRD0467II	Air outlet plenum with 3 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ 800	282,50	339,00
AHRD0468II	Air outlet plenum with 4 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ 1000	292,50	351,00
AHRD0469II	Air outlet plenum with 5 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ 1200	335,00	402,00
AHRD0682II	Air outlet plenum with 2 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ THIN 600	217,50	261,00
AHRD0683II	Air outlet plenum with 3 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ THIN 800	265,00	318,00
AHRD0684II	Air outlet plenum with 4 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ THIN 1000	85,00	102,00
AHRD0685II	Air outlet plenum with 5 circular connections, DN 160 mm, Female couplings with M/M couplings included	SLC+ THIN 1200	310,00	372,00
AHRD0522II	90° recovery plenum, Dimensions: 686x253x217 mm	SLC+ 600	225,00	270,00

AHRD0523II	90° recovery plenum, Dimensions: 886x253x217 mm	SLC+ 800	165,00	198,00
AHRD0524II	90° recovery plenum, Dimensions: 1086x253x217 mm	SLC+ 1000	187,50	225,00
AHRD0525II	90° recovery plenum, Dimensions: 1376x253x217 mm	SLC+ 1200	212,50	255,00
AHRD0577II	90° recovery plenum	SLC+ THIN 600	147,50	177,00
AHRD0578II	90° recovery plenum	SLC+ THIN 800	165,00	198,00
AHRD0579II	90° recovery plenum	SLC+ THIN 1000	187,50	225,00
AHRD0580II	90° recovery plenum	SLC+ THIN 1200	212,50	255,00
AHRD0532II	Telescopic kit, Dimensions (bxh): 645x182 mm, minimum extension from 153 mm to 270 mm.	SLC+ 600	212,50	255,00
AHRD0533II	Telescopic kit, Dimensions (bxh): 845x182 mm, minimum extension from 153 mm to 270 mm.	SLC+ 800	247,50	297,00
AHRD0534II	Telescopic kit, Dimensions (bxh): 1045x182 mm, minimum extension from 153 mm to 270 mm.	SLC+ 1000	265,00	318,00
AHRD0535II	Telescopic kit, Dimensions (bxh): 1335x182 mm, minimum extension from 153 mm to 270 mm.	SLC+ 1200	282,50	339,00
AHRD0582II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC+ THIN 600	212,50	255,00
AHRD0583II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC+ THIN 800	247,50	297,00
AHRD0584II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC+ THIN 1000	265,00	318,00
AHRD0585II	Telescopic kit. Minimum extension 153 mm, maximum extension 270 mm	SLC+ THIN 1200	282,50	339,00
AHRD0542II	Grill for telescopic kit, Dimensions: 673x211x25 mm	SLC+ 600	247,50	297,00
AHRD0543II	Grill for telescopic kit, Dimensions: 873x211x25 mm	SLC+ 800	270,00	324,00
AHRD0544II	Grill for telescopic kit, Dimensions: 1073x211x25 mm	SLC+ 1000	292,50	351,00
AHRD0545II	Grill for telescopic kit, Dimensions: 1363x211x25 mm	SLC+ 1200	322,50	387,00
AHRD0587II	Telescopic kit grills	SLC+ THIN 600	247,50	297,00
AHRD0588II	Telescopic kit grills	SLC+ THIN 800	270,00	324,00
AHRD0589II	Telescopic kit grills	SLC+ THIN 1000	292,50	351,00
AHRD0590II	Telescopic kit grills	SLC+ THIN 1200	322,50	387,00
AHRD0519II	Non-return gate valve	All	187,50	225,00
AHRD0640II	Plenum kit for external air connection with recirculation damper	SLC+ 600	580,00	696,00
AHRD0641II	Plenum kit for external air connection with recirculation damper	SLC+ 800	662,50	795,00
AHRD0642II	Plenum kit for external air connection with recirculation damper	SLC+ 1000	745,00	894,00
AHRD0643II	Plenum kit for external air connection with recirculation damper	SLC+ 1200	850,00	1020,00
AHRD0572II	Plenum kit for external air connection with recirculation damper	SLC+ THIN 600	545,00	654,00
AHRD0573II	Plenum kit for external air connection with recirculation damper	SLC+ THIN 800	637,50	765,00
AHRD0574II	Plenum kit for external air connection with recirculation damper	SLC+ THIN 1000	710,00	852,00
AHRD0575II	Plenum kit for external air connection with recirculation damper	SLC+ THIN 1200	815,00	978,00
AHRD0652II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ 600	112,50	135,00
AHRD0653II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ 800	135,00	162,00
AHRD0654II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ 1000	160,00	192,00
AHRD0655II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ 1200	182,50	219,00
AHRD0612II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ THIN 600	112,50	135,00
AHRD0613II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ THIN 800	135,00	162,00
AHRD0614II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ THIN 1000	160,00	192,00
AHRD0615II	Ducting plate Plenum kit for external air connection with damper. Female connections with M/M couplings supplied	SLC+ THIN 1200	182,50	219,00
AHRD0657II	90° Plenum Kit for external air connection with damper	SLC+ 600	160,00	192,00
AHRD0658II	91° Plenum Kit for external air connection with damper	SLC+ 800	170,00	204,00
AHRD0659II	92° Plenum Kit for external air connection with damper	SLC+ 1000	195,00	234,00
AHRD0660II	93° Plenum Kit for external air connection with damper	SLC+ 1200	230,00	276,00

AHRD0617II	94° Plenum Kit for external air connection with damper	SLC+ THIN 600	147,50	177,00
AHRD0618II	95° Plenum Kit for external air connection with damper	SLC+ THIN 800	170,00	204,00
AHRD0619II	96° Plenum Kit for external air connection with damper	SLC+ THIN 1000	195,00	234,00
AHRD0620II	97° Plenum Kit for external air connection with damper	SLC+ THIN 1200	217,50	261,00
AHRD0662II	Telescopic plenum kit for outside air connection with damper	SLC+ 600	230,00	276,00
AHRD0663II	Telescopic plenum kit for outside air connection with damper	SLC+ 800	265,00	318,00
AHRD0664II	Telescopic plenum kit for outside air connection with damper	SLC+ 1000	287,50	345,00
AHRD0665II	Telescopic plenum kit for outside air connection with damper	SLC+ 1200	300,00	360,00
AHRD0622II	Telescopic plenum kit for outside air connection with damper	SLC+ THIN 600	217,50	261,00
AHRD0623II	Telescopic plenum kit for outside air connection with damper	SLC+ THIN 800	252,50	303,00
AHRD0624II	Telescopic plenum kit for outside air connection with damper	SLC+ THIN 1000	275,00	330,00
AHRD0625II	Telescopic plenum kit for outside air connection with damper	SLC+ THIN 1200	287,50	345,00
AHRD0667II	Grille for outside air connection plenum kit with damper	SLC+ 600	265,00	318,00
AHRD0668II	Grille for outside air connection plenum kit with damper	SLC+ 800	287,50	345,00
AHRD0669II	Grille for outside air connection plenum kit with damper	SLC+ 1000	310,00	372,00
AHRD0670II	Grille for outside air connection plenum kit with damper	SLC+ 1200	345,00	414,00
AHRD0627II	Grille for outside air connection plenum kit with damper	SLC+ THIN 600	252,50	303,00
AHRD0628II	Grille for outside air connection plenum kit with damper	SLC+ THIN 800	275,00	330,00
AHRD0629II	Grille for outside air connection plenum kit with damper	SLC+ THIN 1000	300,00	360,00
AHRD0630II	Grille for outside air connection plenum kit with damper	SLC+ THIN 1200	335,00	402,00
I20205II	Manual 2-way valve unit	All	117,50	141,00
V20139II	2-way valve unit (inlet valve and lockshield) with thermoelectric motor	All	217,50	261,00
V30361II	3-way diverter valve unit with thermoelectric motor (complete with 3-way inlet valve and lockshield)	All	257,50	309,00
AHRA0709II	Aluminium outlet grill with double row of adjustable flaps. Dimensions: 450x225 mm	All	240,00	288,00
AHRA0710II	Aluminium intake grill with removable filter. Dimensions: 450x225 mm	All	240,00	288,00
SCE316010II	Flexible pipe DN 160 mm with aluminium/polyester/aluminium wall complete with: helicoidal harmonic steel wire helix, polyester fibre heat insulating coating (25 mm thick, 16 kg/m ²) to prevent dispersion of microfibres and external protection in aluminised film (flame retardant). Operating temperature: -30/+140°C. Curve range: min. 800 mm, supplied in 10 m reels, price in €/m	All	52,50	63,00
AHRA0708II	Insulated plenum for supply/return with 2 inlets DN 160 mm, 1 plug DN 160 and grid connection. Dimensions: 420x200x200 mm	All	170,00	204,00