

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

VRV 5 Outdoor Units

VRV 5 Heat Pump

RXYA-A	8	20 370,00
RXYA-A	10	22 285,00
RXYA-A	12	26 740,00
RXYA-A	14	31 200,00
RXYA-A	16	35 752,50
RXYA-A	18	42 660,00
RXYA-A	20	46 922,50



Каталожни комбинации (включва BHF22P1007)

RXYA-A (RYMASA + RYMASA)	10	36 850,00
RXYA-A (RYMASA + RXYA8A)	13	38 997,50
RXYA-A (RXYA8A+RXYA8A)	16	41 145,00
RXYA-A (8+10)	18	25 365,00
RXYA-A (8+12)	20	47 515,00

RYMASA не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.

Общият капацитет на система не може да надвишава 20HP.

Accessories

BHFA22P1007	Multi-module connection kit for 2 module systems (2 Pipe systems)	285,00
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 147,50
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 197,50
KRC19-26	Cool/heat selector (switch)	115,00
EKBRP2A81	Cool/heat selector PCB (required to connect KRC19-26)	297,50
KJB111A	Cool/heat selector (fixing box)	57,50
DTA104A61	Demand adaptor kit (RXYA14, 16, 18, 20 require EKSB26B2)	802,50
EKSB26B2	Demand PCB mounting plate	157,50
SV1A25A	Shut off valve box, 1 port, 5 indoor units, index 250	1 945,00
SV4A14A	Shut off valve box, 4 ports, 20 indoor units, index 400	3 255,00
SV6A14A	Shut off valve box, 6 ports, 30 indoor units, index 600	4 460,00
SV8A14A	Shut off valve box, 8 ports, 40 indoor units, index 650	5 867,50
EKBSJK	Joint kit	690,00
K-KDU303KVE	External drain pump	927,50
EKBSDCK	Optional duct connection for series connection	80,00

VRV 5 Heat Recovery

REYA-A9	8	26 030,00
REYA-A9	10	26 865,00
REYA-A9	12	32 225,00
REYA-A9	14	38 537,50
REYA-A9	16	44 035,00
REYA-A9	18	50 640,00
REYA-A9	20	55 702,50



Каталожни комбинации (включва BHFQ23P907A)

REYA-A (REMASA + REMASA)	10	37 092,50
REYA-A (REMASA + REYA8A)	13	44 900,00
REYA-A (8+8)	16	52 710,00
REYA-A (8+10)	18	53 542,50
REYA-A (8+12)	20	58 902,50
REYA-A (10+12)	22	59 087,50
REYA-A (8+16)	24	70 712,50
REYA-A (12+14)	26	71 410,00
REYA-A (12+16)	28	76 905,00

REMASA не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.



VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
Accessories		
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50
EKBPH012T	Bottom plate heater 5/8-12HP Units	1 147,50
EKBPH020T	Bottom plate heater 14-20HP Units	1 197,50
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 650,00
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 372,50
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 380,00
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	10 075,00
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 875,00
EKBSJK	Joint kit	690,00
EKBSDCK	Optional duct connection for series connection	80,00
K-KDU303KVE	External drain pump	927,50
VRV 5 S-Series		
RXYSA-AV1	4	10 342,50
RXYSA-AV1	5	11 492,50
RXYSA-AV1	6	12 830,00
RXYSA-AY1	4	10 342,50
RXYSA-AY1	5	11 492,50
RXYSA-AY1	6	12 830,00
RXYSA-A	8	12 830,00
RXYSA-A	10	14 200,00
RXYSA-A	12	17 227,50
Accessories		
KHRQM22M29H	Refnet Header	477,50
KHRQM22M20T	Refnet Joint	217,50
EKBPH250D	Bottom plate heater	457,50
KRC19-26	Cool/heat selector (switch)	115,00
KJB111A	Cool/heat selector (fixing box)	57,50
EKPCCAB4	VRV configurator	582,50



VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

VRV 5 Indoor Units

Round flow cassette			
	FXFA-A	20	2 392,50
	FXFA-A	25	2 477,50
	FXFA-A	32	2 627,50
	FXFA-A	40	2 887,50
	FXFA-A	50	3 040,00
	FXFA-A	63	3 147,50
	FXFA-A	80	3 970,00
	FXFA-A	100	4 170,00
	FXFA-A	125	4 370,00
FXFA-A + BYCQ140E	20	2 950,00	
FXFA-A + BYCQ140E	25	3 035,00	
FXFA-A + BYCQ140E	32	3 185,00	
FXFA-A + BYCQ140E	40	3 445,00	
FXFA-A + BYCQ140E	50	3 597,50	
FXFA-A + BYCQ140E	63	3 705,00	
FXFA-A + BYCQ140E	80	4 527,50	
FXFA-A + BYCQ140E	100	4 727,50	
FXFA-A + BYCQ140E	125	4 927,50	
Accessories			
BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		392,50
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		350,00
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел		315,00
BYCQ140E	Standart Dec. panel		557,50
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)		782,50
BYCQ140EGF	Selfclean Dec. Panel		1 010,00
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)		1 232,50
BYCQ140EW	FULL WHITE Dec. Panel		627,50
BYCQ140EP	New Designer panel in white (RAL 9010)		857,50
BYCQ140EPB	New Designer panel in black (RAL 9005)		1 302,50
SB.KDDP55	Fresh air intake for max 20% fresh air		970,00
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge		285,00
KAF5511D160	Replacement long life filter FXFA/FXFQ		260,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)		130,00
ERP01A51	Relay PCB (requires installation box)		190,00
KRP1BC101	Installation box for adaptor PCB		45,00
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB		105,00
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW		1 252,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025	
Fully flat cassette			
	FXZA-A	15	2 402,50
	FXZA-A	20	2 465,00
	FXZA-A	25	2 505,00
	FXZA-A	32	2 660,00
	FXZA-A	40	2 950,00
	FXZA-A	50	3 000,00
FXZA-A + BYFQ60C4W	15	2 882,50	
FXZA-A + BYFQ60C4W	20	2 945,00	
FXZA-A + BYFQ60C4W	25	2 985,00	
FXZA-A + BYFQ60C4W	32	3 140,00	
FXZA-A + BYFQ60C4W	40	3 430,00	
FXZA-A + BYFQ60C4W	50	3 480,00	
Accessories			
BRC7F530W/S	Infra-red wireless remote controller for BYFQ60CW/S	352,50	
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	465,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BRYQ60A3W	Presence & Floor sensors for BYFQ60C4W	270,00	
BRYQ60A3S	Presence & Floor sensors for BYFQ60C4S	280,00	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	
ERP01A50	Relay PCB (requires installation box KRP1BC101)	175,00	
KRP1BC101	Installation box for adaptor PCB	45,00	
BYFQ60C4W	White decoration panel	480,00	
BYFQ60C4S	Silver-white decoration panel	697,50	
EKRS23	Conversion wire harness for standard panel	32,50	
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	220,00	
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	990,00	
KDDQ44XA60	Fresh air intake - flange duct	330,00	
Concealed floor standing unit			
	FXNA-A	20	2 290,00
	FXNA-A	25	2 375,00
	FXNA-A	32	2 457,50
	FXNA-A	40	2 532,50
	FXNA-A	50	2 685,00
	FXNA-A	63	2 852,50
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	
ERP01A51	Relay PCB (requires installation box)	190,00	
Wall mounted unit			
	FXAA-A	15	1 875,00
	FXAA-A	20	1 937,50
	FXAA-A	25	1 975,00
	FXAA-A	32	2 017,50
	FXAA-A	40	2 152,50
	FXAA-A	50	2 240,00
FXAA-A	63	2 292,50	
Accessories			
BRC7EA630	Infra red wireless remote controller	380,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	
ERP01A51	Relay PCB (requires installation box)	190,00	
KRP4A93	Installation box for adaptor PCB	275,00	
K-KDU572KVE	Drain pump kit	1 095,00	

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
Slim concealed ceiling unit		
FXDA-A	10	1 710,00
FXDA-A	15	1 875,00
FXDA-A	20	1 937,50
FXDA-A	25	2 060,00
FXDA-A	32	2 185,00
FXDA-A	40	2 320,00
FXDA-A	50	2 465,00
FXDA-A	63	2 615,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
BAE20A62	Auto cleaning filter for FXDA15-32A	845,00
BAE20A82	Auto cleaning filter for FXDA40-50A	892,50
BAE20A102	Auto cleaning filter for FXDA63A	945,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00
ERP01A51	Relay PCB (requires installation box)	190,00
KRP1BC101	Installation box for adaptor PCB	45,00
Concealed ceiling unit		
FXSA-A	15	2 210,00
FXSA-A	20	2 322,50
FXSA-A	25	2 435,00
FXSA-A	32	2 457,50
FXSA-A	40	2 612,50
FXSA-A	50	2 730,00
FXSA-A	63	2 782,50
FXSA-A	80	3 525,00
FXSA-A	100	3 660,00
FXSA-A	125	3 725,00
FXSA-A	140	4 095,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00
ERP01A51	Relay PCB (requires installation box)	190,00
KRP1BC101	Installation box for adaptor PCB	45,00
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	222,50
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	282,50
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	587,50
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	907,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
Concealed ceiling unit (High ESP)		
FXMA-A	50	2 917,50
FXMA-A	63	2 985,00
FXMA-A	80	3 775,00
FXMA-A	100	3 912,50
FXMA-A	125	3 995,00
FXMA-A	200	6 397,50
FXMA-A	250	6 565,00
Accessories		
BRC4C65	Infra red wireless remote controller with external receiver	332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
ERP01A50	Relay PCB (requires installation box KRP1BC101)	175,00
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	525,00
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	907,50
BAFL502A250	Long life replacement filter FXMA200/250	532,50
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	900,00
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	947,50
BDD500B250	Filter chamber FXMA/FXMQ 200-250	595,00
BDU510B250VM	Optional drain pump FXMA/FXMQ 200-250	1 670,00
Ceiling suspended unit		
FXHA-A	32	3 435,00
FXHA-A	50	3 610,00
FXHA-A	63	3 782,50
FXHA-A	100	4 312,50
Accessories		
BRC7GA53-9	Wireless control heat pump	545,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
ERP01A51	Relay PCB (requires installation box)	190,00
KRP4B93	Installation box for relay PCB	247,50
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00
KAF501B56	Long life replacement filter FXHA/FXHQ32	387,50
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	387,50
KAF501B160	Long life replacement filter FXHA100	510,00
KDU50R63	Drain pump	2 000,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
4-way blow ceiling suspended unit		
FXUA-A	50	4 725,00
FXUA-A	71	5 120,00
FXUA-A	100	5 780,00
		
Accessories		
BRC7C58	Wireless control heat pump	545,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
ERP01A51	Relay PCB (requires installation box)	190,00
KRP1BA97	0	по запитване
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00
KDBHP49B140	Sealing member of air discharge outlet	477,50
KDBTP49B140	Decoration panel for air discharge	745,00
BRE49B2F	Sensor kit	250,00
4-way blow ceiling suspended unit (не включва дек. панел)		
FXKA-A	20	2 207,50
FXKA-A	25	2 230,00
FXKA-A	32	2 252,50
FXKA-A	40	2 410,00
FXKA-A	50	2 475,00
FXKA-A	63	2 542,50
		
Accessories		
BYK32G	Standart Dec. Pan FXKA20-32	700,00
BYK63G	Standart Dec. Pan FXKA40-63	760,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00
KRP4B93	Installation box for relay PCB	247,50
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
VRV 4 Outdoor Units		
VRV IV+ Inverter HP <u>with</u> continuous heating		
	RYYQ-U 8	22 195,00
	RYYQ-U 10	24 275,00
	RYYQ-U 12	29 137,50
	RYYQ-U 14	33 995,00
	RYYQ-U 16	38 952,50
	RYYQ-U 18	46 475,00
	RYYQ-U 20	51 127,50
VRV IV Inverter HP with cont. heating (MULTI-module combinations)		
RYMQ-U 8		21 182,50
RYMQ-U 10		23 180,00
RYMQ-U 12		27 812,50
RYMQ-U 14		32 445,00
RYMQ-U 16		37 177,50
RYMQ-U 18		44 360,00
RYMQ-U 20		48 805,00
Каталожни комбинации (включва BHFQ-)		
RYMQ-U (10 + 12)	22	51 240,00
RYMQ-U (8 + 16)	24	58 607,50
RYMQ-U (12 + 14)	26	60 505,00
RYMQ-U (12 + 16)	28	65 237,50
RYMQ-U (12 + 18)	30	72 420,00
RYMQ-U (16 + 16)	32	74 602,50
RYMQ-U (16 + 18)	34	81 785,00
RYMQ-U (16 + 20)	36	86 230,00
RYMQ-U (8 + 10 + 20)	38	93 687,50
RYMQ-U (10 + 12 + 18)	40	95 872,50
RYMQ-U (10 + 16 + 16)	42	98 055,00
RYMQ-U (12 + 16 + 16)	44	102 687,50
RYMQ-U (14 + 16 + 16)	46	107 320,00
RYMQ-U (16 + 16 + 16)	48	112 052,50
RYMQ-U (16 + 16 + 18)	50	119 235,00
RYMQ-U (16 + 18 + 18)	52	126 417,50
RYMQ-U (18 + 18 + 18)	54	133 600,00
Свободни комбинации (включва BHFQ-)		
RYMQ-U (10 + 10)	20	46 607,50
RYMQ-U (10 + 12)	22	51 240,00
RYMQ-U (12 + 12)	24	55 872,50
RYMQ-U (12 + 14)	26	60 505,00
RYMQ-U (14 + 14)	28	65 137,50
RYMQ-U (16 + 14)	30	69 870,00
RYMQ-U (16 + 16)	32	74 602,50
RYMQ-U (10 + 12 + 12)	34	79 325,00
RYMQ-U (12 + 12 + 12)	36	83 957,50
RYMQ-U (10 + 14 + 14)	38	88 590,00
RYMQ-U (12 + 14 + 14)	40	93 222,50
RYMQ-U (14 + 14 + 14)	42	97 855,00
RYMQ-U (14 + 14 + 16)	44	102 587,50
RYMQ-U (14 + 16 + 16)	46	107 320,00
RYMQ-U (16 + 16 + 16)	48	112 052,50
RYMQ-U (16 + 16 + 18)	50	119 235,00
RYMQ-U (16 + 18 + 18)	52	126 417,50
RYMQ-U (18 + 18 + 18)	54	133 600,00

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
VRV IV+ Inverter HP <u>without</u> continuous heating			
RXYQ-U		8	20 177,50
RXYQ-U		10	22 075,00
RXYQ-U		12	26 485,00
RXYQ-U		14	30 900,00
RXYQ-U		16	35 410,00
RXYQ-U		18	42 252,50
RXYQ-U		20	46 475,00
Каталожни комбинации (включва BHFQ-)			
RXYQ-U (10 + 12)		22	48 807,50
RXYQ-U (8 + 16)		24	55 835,00
RXYQ-U (12 + 14)		26	57 632,50
RXYQ-U (12 + 16)		28	62 142,50
RXYQ-U (12 + 18)		30	68 985,00
RXYQ-U (16 + 16)		32	71 067,50
RXYQ-U (16 + 18)		34	77 910,00
RXYQ-U (16 + 20)		36	82 132,50
RXYQ-U (8 + 10 + 20)		38	89 247,50
RXYQ-U (10 + 12 + 18)		40	91 332,50
RXYQ-U (10 + 16 + 16)		42	93 415,00
RXYQ-U (12 + 16 + 16)		44	97 825,00
RXYQ-U (14 + 16 + 16)		46	102 240,00
RXYQ-U (16 + 16 + 16)		48	106 750,00
RXYQ-U (16 + 16 + 18)		50	113 592,50
RXYQ-U (16 + 18 + 18)		52	120 435,00
RXYQ-U (18 + 18 + 18)		54	127 277,50
Свободни комбинации (включва BHFQ-)			
RXYQ-U (10 + 10)		20	44 397,50
RXYQ-U (10 + 12)		22	48 807,50
RXYQ-U (12 + 12)		24	53 217,50
RXYQ-U (12 + 14)		26	57 632,50
RXYQ-U (14 + 14)		28	62 047,50
RXYQ-U (16 + 14)		30	66 557,50
RXYQ-U (16 + 16)		32	71 067,50
RXYQ-U (10 + 12 + 12)		34	75 565,00
RXYQ-U (12 + 12 + 12)		36	79 975,00
RXYQ-U (10 + 14 + 14)		38	84 395,00
RXYQ-U (12 + 14 + 14)		40	88 805,00
RXYQ-U (14 + 14 + 14)		42	93 220,00
RXYQ-U (14 + 14 + 16)		44	97 730,00
RXYQ-U (14 + 16 + 16)		46	102 240,00
RXYQ-U (16 + 16 + 16)		48	106 750,00
RXYQ-U (16 + 16 + 18)		50	113 592,50
RXYQ-U (16 + 18 + 18)		52	120 435,00
RXYQ-U (18 + 18 + 18)		54	127 277,50
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)		247,50
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)		520,00
EKPCAB4	VRV configurator		582,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit		305,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)		802,50
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units		1 147,50
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units		1 197,50
KRC19-26	Cool/heat selector (switch)		115,00
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units		162,50
KKS26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.		135,00
KJB111A	Cool/heat selector (fixing box)		57,50
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)		1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)		1 265,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
VRV IV+ Inverter HP OPTIMIZED FOR HEATING		
RXYLQ-T	10	25 490,00
RXYLQ-T	12	30 595,00
RXYLQ-T	14	35 695,00
VRV IV Inverter HP optimized for heating (MULTI)		
RXMLQ-T	8	21 082,50
Каталожни комбинации (включва BHFQ-)		
RXYLQ-T (8+8)	16	42 412,50
RXYLQ-T (10+8)	18	46 820,00
RXYLQ-T (10+10)	20	51 227,50
RXYLQ-T (10+12)	22	56 332,50
RXYLQ-T (12+12)	24	61 437,50
RXYLQ-T (12+14)	26	66 537,50
RXYLQ-T (14+14)	28	71 637,50
RXYLQ-T (10+10+10)	30	76 990,00
RXYLQ-T (10+10+12)	32	82 095,00
RXYLQ-T (10+12+12)	34	87 200,00
RXYLQ-T (12+12+12)	36	92 305,00
RXYLQ-T (12+12+14)	38	97 405,00
RXYLQ-T (12+14+14)	40	102 505,00
RXYLQ-T (14+14+14)	42	107 605,00
Accessories		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00
EKPCCAB4	VRV configurator	582,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00
KRC19-26	Cool/heat selector (switch)	115,00
KJB111A	Cool/heat selector (fixing box)	57,50
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00
MINI VRV IV - S Series Compact		
RXYSCQ-TV1	4	9 822,50
RXYSCQ-TV1	5	10 912,50
RXYSCQ-TV1	6	12 007,50
MINI VRV IV - S Series		
RXYSQ-TV1	4	9 822,50
RXYSQ-TV1	5	10 910,00
RXYSQ-TV1	6	12 185,00
RXYSQ-TY1	4	9 822,50
RXYSQ-TY1	5	10 910,00
RXYSQ-TY1	6	12 185,00
RXYSQ-TY1	8	12 597,50
RXYSQ-TY1	10	14 770,00
RXYSQ-TY1	12	17 915,00
Accessories		
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	215,00
KRC19-26	Cool/heat selector (switch)	115,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00
KJB111A	Cool/heat selector (fixing box)	57,50
EKCHSC	Cool/heat selector cable (required to connect KRC19-26) for RXYSQ4-6TY9	50,00
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
VRV IV - HEAT PUMP FOR INDOOR INSTALLATION			
	SB.RKXYQ5T	5	19 212,50
	RKXYQ5T	compressor unit	8 260,00
	RDXYQ5T	heat exchanger unit	10 952,50
	EKDPH1RDX	Drain pan heater	222,50
	SB.RKXYQ8T	8	21 017,50
	RKXYQ8T	compressor unit	11 980,00
	RDXYQ8T	heat exchanger unit	9 037,50
	EKDPH1RDX	Drain pan heater	222,50
Accessories			
EKPCAB4	VRV configurator	582,50	
KRC19-26	Cool/heat selector (switch)	115,00	
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	
KJB111A	Cool/heat selector (fixing box)	57,50	
EKDPH1RDX	Drain pan heater	222,50	
VRV IV+ Heat Recovery SF			
	REYQ-U	8	25 782,50
	REYQ-U	10	26 605,00
	REYQ-U	12	31 917,50
	REYQ-U	14	38 172,50
	REYQ-U	16	43 615,00
	REYQ-U	18	50 157,50
	REYQ-U	20	55 170,00
Каталожни комбинации (включва BHFQ-)			
M-REYQ-U.OU (5+5)	10	36 765,00	
M-REYQ-T.OU (5+8)	13	44 500,00	
M-REYQ-U.OU (8+8)	16	52 032,50	
M-REYQ-U.OU (8+10)	18	52 855,00	
M-REYQ-U.OU (8+12)	20	58 167,50	
REYQ-U.OU (10+12)	22	58 990,00	
REYQ-U.OU (8+16)	24	69 865,00	
REYQ-U.OU (12+14)	26	70 557,50	
REYQ-U.OU (12+16)	28	76 000,00	
REYQ-U.OU (12+18)	30	82 542,50	
REYQ-U.OU (16+16)	32	87 697,50	
REYQ-U.OU (16+18)	34	94 240,00	
REYQ-U.OU (16+20)	36	99 252,50	
REYQ-U.OU (8+12+18)	38	108 862,50	
REYQ-U.OU (10+12+18)	40	109 685,00	
REYQ-U.OU (10+16+16)	42	114 840,00	
REYQ-U.OU (12+16+16)	44	120 152,50	
REYQ-U.OU (14+16+16)	46	126 407,50	
REYQ-U.OU (16+16+16)	48	131 850,00	
REYQ-U.OU (16+16+18)	50	138 392,50	
REYQ-U.OU (16+18+18)	52	144 935,00	
REYQ-U.OU (18+18+18)	54	151 477,50	
Accessories			
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50	
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00	
EKPCAB4	VRV configurator	582,50	
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 147,50	
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 197,50	
EKBSVQLNP	Sound reduction kit (sound insulation)	295,00	
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00	
KDDN26A4	Sound reduction kit for BS4Q14AV1	2 680,00	
KDDN26A8	Sound reduction kit for BS6Q14AV1 and BS8Q14AV1	3 170,00	
KDDN26A12	Sound reduction kit for BS10Q14AV1 and BS12Q14AV1	4 265,00	
KDDN26A16	Sound reduction kit for BS16Q14AV1	4 840,00	
KHFP26A100C	Closed pipe kit	140,00	

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
REPLACEMENT VRV IV+ Q-Series		
	HP	
RXYQQ-U	8	26 230,00
RXYQQ-U	10	28 690,00
RXYQQ-U	12	34 435,00
RXYQQ-U	14	40 180,00
RXYQQ-U	16	46 035,00
RXYQQ-U	18	56 165,00
RXYQQ-U	20	58 967,50
Каталожни комбинации (включва BHFQ-)		
RXYQQ-U.OU (10+12)	22	63 372,50
RXYQQ-U.OU (8+16)	24	72 512,50
RXYQQ-U.OU (12+14)	26	74 862,50
RXYQQ-U.OU (12+16)	28	80 717,50
RXYQQ-U.OU (12+18)	30	90 847,50
RXYQQ-U.OU (16+16)	32	92 317,50
RXYQQ-U.OU (16+18)	34	102 447,50
RXYQQ-U.OU (16+20)	36	105 250,00
RXYQQ-U.OU (8+10+20)	38	114 407,50
RXYQQ-U.OU (10+12+18)	40	119 810,00
RXYQQ-U.OU (10+16+16)	42	121 280,00
Accessories		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00
EKPCCB4	VRV configurator	582,50
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00
KRC19-26	Cool/heat selector (switch)	115,00
KJB111A	Cool/heat selector (fixing box)	57,50
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50
REPLACEMENT VRV III Q-Series HR		
RQCEQ280P3.OU	10 (RQEQ140P3+RQEQ140P3+BHFP26P36C)	37 907,50
RQCEQ460P3.OU	16 (RQEQ140P3+RQEQ140P3+RQEQ180P3+BHFP26P63C)	64 712,50
RQCEQ500P3.OU	18 (RQEQ140P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	72 132,50
RQCEQ540P3.OU	20 (RQEQ180P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	79 550,00
RQCEQ712P3.OU	24 (RQEQ140P3+RQEQ180P3+RQEQ180P3+RQEQ212P3+BHFP26P84C)	103 595,00
RQCEQ744P3.OU	26 (RQEQ140P3+RQEQ180P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	108 545,00
RQCEQ816P3.OU	28 (RQEQ180P3+RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	120 912,50
Accessories		
BHFP26P36C	Multi-module connection kit for 2-module systems	562,50
BHFP26P63C	Multi-module connection kit for 3-module systems	1 147,50
BHFP26P84C	Multi-module connection kit for 4-module systems	1 527,50
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	955,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
Water cooled VRV IV-W+ for standard and geothermal applications /HP/HR			
RWEYQ - T9		8	18 290,00
RWEYQ - T9		10	20 415,00
RWEYQ - T9		12	23 070,00
RWEYQ - T9		14	26 072,50
Каталожни комбинации (не включва BHFQ-)			
RWEYQ - T9.OU		16	36 580,00
RWEYQ - T9.OU		18	38 707,50
RWEYQ - T9.OU		20	41 360,00
RWEYQ - T9.OU		22	43 487,50
RWEYQ - T9.OU		24	54 872,50
RWEYQ - T9.OU		26	49 142,50
RWEYQ - T9.OU		28	52 142,50
RWEYQ - T9.OU		30	61 777,50
RWEYQ - T9.OU		32	64 432,50
RWEYQ - T9.OU		34	67 432,50
RWEYQ - T9.OU		36	69 212,50
RWEYQ - T9.OU		38	72 212,50
RWEYQ - T9.OU		40	75 212,50
RWEYQ - T9.OU		42	78 215,00
Accessories			
BHFQ22P1007		Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50
BHFQ22P1517		Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00
BHFQ23P907A		Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50
BHFQ23P1357		Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00
EKPCCAB4		VRV configurator	582,50
KRC19-26		Cool/heat selector (switch)	115,00
BRP2A81		A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00
DTA104A53/61/62		External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50
KJB111A		Cool/heat selector (fixing box)	57,50
BPMKS967A2		Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3		Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------


VRV 4 INDOOR UNITS

Round flow Cassette

	FXFQ-B	20	2 210,00
	FXFQ-B	25	2 285,00
	FXFQ-B	32	2 422,50
	FXFQ-B	40	2 665,00
	FXFQ-B	50	2 805,00
	FXFQ-B	63	2 905,00
	FXFQ-B	80	3 662,50
	FXFQ-B	100	3 842,50
	FXFQ-B	125	4 030,00
	FXFQ-B + BYCQ140E	20	2 767,50
	FXFQ-B + BYCQ140E	25	2 842,50
	FXFQ-B + BYCQ140E	32	2 980,00
	FXFQ-B + BYCQ140E	40	3 222,50
	FXFQ-B + BYCQ140E	50	3 362,50
	FXFQ-B + BYCQ140E	63	3 462,50
	FXFQ-B + BYCQ140E	80	4 220,00
	FXFQ-B + BYCQ140E	100	4 400,00
	FXFQ-B + BYCQ140E	125	4 587,50

Accessories

BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	392,50
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	350,00
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	357,50
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	357,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел	315,00
BYCQ140E	Standart Dec. panel	557,50
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)	782,50
BYCQ140EGF	Selfclean Dec. Panel	1 010,00
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)	1 232,50
BYCQ140EW	FULL WHITE Dec. Panel	627,50
BYCQ140EP	New Designer panel in white (RAL 9010)	857,50
BYCQ140EPB	New Designer panel in black (RAL 9005)	1 302,50
SB.KDDP55	Fresh air intake for max 20% fresh air	970,00
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge	285,00
KAF5511D160	Replacement long life filter FXFA/FXFQ	260,00
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB	105,00
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW	1 252,50

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
Fully flat Cassette			
	FXZQ-A	15	2 217,50
	FXZQ-A	20	2 277,50
	FXZQ-A	25	2 310,00
	FXZQ-A	32	2 455,00
	FXZQ-A	40	2 720,00
	FXZQ-A	50	2 765,00
	FXZQ-A + BYFQ60CW	15	2 755,00
	FXZQ-A + BYFQ60CW	20	2 815,00
	FXZQ-A + BYFQ60CW	25	2 847,50
	FXZQ-A + BYFQ60CW	32	2 992,50
	FXZQ-A + BYFQ60CW	40	3 257,50
	FXZQ-A + BYFQ60CW	50	3 302,50
Accessories			
BRC7F530W	Infra-red wireless remote controller for BYFQ60C2W1W - Note: no individual flap control possible	392,50	
BRC7F530S	Infra-red wireless remote controller for BYFQ60C2W1S - Note: no individual flap control possible	392,50	
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	465,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BRYQ60AW	Presence & Floor sensors for BYFQ60CW - Note: must be combined with the BRC1H52W/S/K	315,00	
BRYQ60AS	Presence & Floor sensors for BYFQ60CS - Note: must be combined with the BRC1H52W/S/K	315,00	
BYFQ60CW	Standart Dec. Panel	537,50	
BYFQ60CS	Silver Dec. Panel	572,50	
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	220,00	
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	990,00	
KDDQ44XA60	Fresh air intake - flange duct	330,00	
VRV Ceiling mounted cassette (2-way blow)			
	FXCQ-A	20	2 170,00
	FXCQ-A	25	2 200,00
	FXCQ-A	32	2 267,50
	FXCQ-A	40	2 455,00
	FXCQ-A	50	2 537,50
	FXCQ-A	63	2 575,00
	FXCQ-A	80	3 435,00
	FXCQ-A	125	4 192,50
FXCQ-M8 + BYBCQ40H	20	3 430,00	
FXCQ-M8 + BYBCQ40H	25	3 457,50	
FXCQ-M8 + BYBCQ40H	32	3 525,00	
FXCQ-M8 + BYBCQ40H	40	3 712,50	
FXCQ-M8 + BYBCQ63H	50	3 980,00	
FXCQ-M8 + BYBCQ63H	63	4 017,50	
FXCQ-M8 + BYBCQ125H	80	4 880,00	
FXCQ-M8 + BYBCQ125H	125	5 840,00	
Accessories			
BRC7C52	Infra-red wireless remote controller - Note: no individual flap control	490,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BYBCQ40H	Dec. panel FXCQ 20-40	1 260,00	
BYBCQ63H	Dec. panel FXCQ 50-63	1 445,00	
BYBCQ125H	Dec. panel FXCQ 80-125	1 647,50	

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025	
VRV Ceiling mounted cassette (1-way blow)			
	FXKQ-A	20	1 995,00
	FXKQ-A	25	2 015,00
	FXKQ-A	32	2 037,50
	FXKQ-A	40	2 180,00
	FXKQ-A	50	2 237,50
	FXKQ-A	63	2 300,00
FXKQ-A + BYK32G	20	2 695,00	
FXKQ-A + BYK32G	25	2 715,00	
FXKQ-A + BYK32G	32	2 737,50	
FXKQ-A + BYK63G	40	2 940,00	
FXKQ-A + BYK63G	50	2 997,50	
FXKQ-A + BYK63G	63	3 060,00	
Accessories			
BRC4C61	Infra-red wireless remote controller	660,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
BYK32G	Standart Dec. Pan FXKA20-32	700,00	
BYK63G	Standart Dec. Pan FXKA40-63	760,00	
VRV 4-way blow ceiling suspended unit			
	FXUQ-A	71	4 632,50
	FXUQ-A	100	5 225,00
Accessories			
BRC7C58	Wireless control heat pump	545,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
KDBHP49B140	Sealing member of air discharge outlet	477,50	
KDBTP49B140	Decoration panel for air discharge	745,00	
VRV ceiling suspended unit			
	FXHQ-A	32	3 107,50
	FXHQ-A	63	3 420,00
	FXHQ-A	100	3 900,00
Accessories			
BRC7GA53-9	Wireless control heat pump	545,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
KAF501B56	Long life replacement filter FXHA/FXHQ32	387,50	
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	387,50	

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
VRV wall mounted unit			
	FXAQ-A	15	1 730,00
	FXAQ-A	20	1 785,00
	FXAQ-A	25	1 822,50
	FXAQ-A	32	1 862,50
	FXAQ-A	40	1 982,50
	FXAQ-A	50	2 065,00
	FXAQ-A	63	2 115,00
Accessories			
BRC7EA628	Infra-red wireless remote controller	375,00	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	
K-KDU572EVE	External drain pump kit H=1000mm	785,00	
VRV concealed ceiling unit (slim)			
	FXDQ-A3	15	1 732,50
	FXDQ-A3	20	1 785,00
	FXDQ-A3	25	1 902,50
	FXDQ-A3	32	2 015,00
	FXDQ-A3	40	2 142,50
	FXDQ-A3	50	2 277,50
	FXDQ-A3	63	2 410,00
Accessories			
BAE20A62	Auto cleaning filter for FXDA15-32A	845,00	
BAE20A82	Auto cleaning filter for FXDA40-50A	892,50	
BAE20A102	Auto cleaning filter for FXDA63A	945,00	
VRV concealed ceiling unit (large)			
	FXMQ-A	200	6 652,50
	FXMQ-A	250	6 827,50
VRV concealed ceiling unit (standard)			
	FXSQ-A	15	2 040,00
	FXSQ-A	20	2 145,00
	FXSQ-A	25	2 245,00
	FXSQ-A	32	2 267,50
	FXSQ-A	40	2 407,50
	FXSQ-A	50	2 517,50
	FXSQ-A	63	2 567,50
	FXSQ-A	80	3 252,50
	FXSQ-A	100	3 380,00
	FXSQ-A	125	3 435,00
	FXSQ-A	140	3 780,00
Accessories			
BAFL502A250	Long life replacement filter FXMA200/250	532,50	
BDD500B250	Filter chamber FXMA/FXMQ 200-250	595,00	
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	900,00	
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	947,50	

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
VRV concealed ceiling unit (high ESP)			
	FXMQ-P7	50	2 640,00
	FXMQ-P7	63	2 700,00
	FXMQ-P7	80	3 415,00
	FXMQ-P7	100	3 537,50
	FXMQ-P7	125	3 612,50
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver		332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00
	Air discharge for FXSQ-A		
KDAP25A36A	Air discharge adaptor for round duct - for units 15-32		222,50
KDAP25A56A	Air discharge adaptor for round duct - for FXSQ40~50A		255,00
KDAP25A71A	Air discharge adaptor for round duct - for FXSQ63~80A		525,00
KDAP25A140A	Air discharge adaptor for round duct - for FXSQ100~125A		815,00
	Air discharge for FXMQ-P7		
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80		525,00
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125		907,50
VRV floor standing unit			
	FXLQ-P	20	2 665,00
	FXLQ-P	25	2 752,50
	FXLQ-P	32	2 832,50
	FXLQ-P	40	2 915,00
	FXLQ-P	50	3 087,50
	FXLQ-P	63	3 275,00
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver		332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00
EKRDP25 (rear panel)	20 + 25		232,50
EKRDP40 (rear panel)	32 + 40		282,50
EKRDP63 (rear panel)	50 + 63		332,50
VRV concealed floor standing unit			
	FXNQ-A	20	2 267,50
	FXNQ-A	25	2 355,00
	FXNQ-A	32	2 437,50
	FXNQ-A	40	2 505,00
	FXNQ-A	50	2 660,00
	FXNQ-A	63	2 822,50
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver		332,50
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00
VRV Hydroboxes			
	HXY080A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	5 092,50
	HXY125A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	7 127,50
	EKHBPC2	Optional drain pan (required for cooling operation) HXY-A	320,00
	EKBUHA6V3	6kW external back-up heater, 1-phase (230V) power supply	1 215,00
	EKBUHA6W1	6kW external back-up heater, 3-phase (400V) power supply	1 215,00
VRV heat recovery High temperature heating only hydrobox ONLY COMBINABLE WITH REYQ-T			
	HXHD125A8	HT Hydrobox = 14 kW nominal Heating	9 245,00
	HXHD200A8	HT Hydrobox = 22,4 kW nominal Heating	13 862,50
EKRP1HBA - Digital I/O PCB	Digital I/O PCB		330,00
EKRP1AHT	Demand PCB - Required to be able to connect Room thermostat		280,00
EKRUAHTB	Remote user interface - Same controller as supplied with hydrobox unit can be mounted parallel or in another location.		427,50
EKRTWA	Wired Room thermostat - Requires Demand PCB EKRP1AHT		267,50
EKRTR	Wireless Room thermostat - Requires Demand PCB EKRP1AHT		537,50
EKRTEFS	Remote sensor for Room thermostat - Requires Demand PCB EKRP1AHT		32,50
RTD-W	Modbus and advanced controp adaptor		712,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

VRV Air Handling Unit Connection Kit

EKEACB	Pair/Multi/Mix VRV/ERQ connection (X-Control): 0~10V direct capacity control (SV = maintain capacity, >5V colder air wanted, <5V warmer air wanted) (YControl): Fixed evaporation/condensation temperature control (W-Control): 0~10V linear capacity control (0V = 0% capacity, 10V = 100% capacity)	2 082,50
EKEVA50	Expansion Valve Unit	295,00
EKEVA63	Expansion Valve Unit	305,00
EKEVA80	Expansion Valve Unit	330,00
EKEVA100	Expansion Valve Unit	340,00
EKEVA125	Expansion Valve Unit	365,00
EKEVA140	Expansion Valve Unit	375,00
EKEVA200	Expansion Valve Unit	400,00
EKEVA250	Expansion Valve Unit	430,00
EKEVA300	Expansion Valve Unit	445,00
EKEVA350	Expansion Valve Unit	460,00
EKEVA400	Expansion Valve Unit	472,50
EKEVA450	Expansion Valve Unit	500,00
EKEVA500	Expansion Valve Unit	522,50

Detailed combination table

Range	Outdoor Unit	Control box EKEACBVE	Expansion valve kits EKEVA***													
			50	63	80	100	125	140	200	250	300	350	400	450	500	
ERQ	ERQ100A7V1B	P	-	P	P	P	P	P	-	-	-	-	-	-	-	
	ERQ125A7V1B	P	-	P	P	P	P	P	-	-	-	-	-	-	-	
	ERQ140A7V1B	P	-	-	P	P	P	P	-	-	-	-	-	-	-	
	ERQ125A7W1B	P	-	P	P	P	P	P	-	-	-	-	-	-	-	
	ERQ200A7W1B	P	-	-	-	P	P	P	P	P	-	-	-	-	-	
	ERQ250A7W1B	P	-	-	-	-	P	P	P	P	P	-	-	-	-	
	H/P (RYYQ, RXYQ, RXYSQ, RXYTQ, RXYLQ, RXYSCQ, RWEYQ (H/P))	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%													
	VRV-i (RKXYQ)	P ⁽²⁾ /M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%													
	H/R (REYQ, RWEYQ (H/R))	M ⁽³⁾	Multi ⁽¹⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%													
	H/P (RXYSA, RXYA)	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%													
	H/R REYA	M ⁽³⁾	Multi ⁽¹⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%													
																

P: Pair layout - One or more outdoor units connected to an (interlaced) coil of one AHU.

M: Mix or multi layout - Combination of (multiple) AHU(s) with (mix combination) or without (multi combination) VRV DX indoor(s). Only Z or Z' control possible (no interlaced coils).

(1): For 65%<CR<75% please refer to the specifically required coil size

(2): Only Z or Z' control possible (no interlaced coils)

(3): Technically is possible to connect H/R in pair combination, but there's no benefit to do it

Integration with 3rd party Air Handling Units

EKEVA Class	Allowed heat exchanger cooling capacity (kW)			Allowed heat exchanger capacity (kW)			Allowed heat exchanger volume (dm ³)		
	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum		Maximum
							General Limits	(65%<CR<75%) Only for pair and multi layout	
50	5,0	5,6	6,2	5,6	6,3	7,0	0,95	1,09	1,65
63	6,3	7,1	7,8	7,1	8,0	8,8	1,02	1,18	2,08
80	7,9	9,0	9,9	8,9	10,0	11,1	1,42	1,64	2,64
100	10,0	11,2	12,3	11,2	12,5	13,8	1,51	1,74	3,30
125	12,4	14,0	15,4	13,9	16,0	17,3	1,98	2,29	4,12
140	15,5	16,0	17,6	17,4	18,0	19,8	2,54	2,94	4,62
200	17,7	22,4	24,6	19,9	25,0	27,7	3,02	3,49	6,60
250	24,7	28,0	30,8	27,8	31,5	34,7	3,97	4,58	8,25
NEW 300	30,9	33,5	36,9	34,8	37,5	41,5	4,53	5,25	9,9
NEW 350	37,0	40,0	44,0	41,6	45,0	49,5	5,48	6,32	11,55
400	44,1	45,0	49,5	49,6	50,0	55,7	6,04	6,97	13,2
NEW 450	49,6	50,4	55,4	55,8	56,5	62,4	6,99	8,07	14,5
500	55,5	56,0	61,6	62,5	63,0	69,3	7,55	8,72	16,5

Cooling: Saturated evaporating temperature: +6°C, Air temperature: +27°C DB / +19°C WB

Heating: Saturated evaporating temperature: +46°C, Air temperature: +20°C DB

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

HEAT RECLAIM VENTILATION (HRV) UNITS

VAM - FC9	150	2 555,00
VAM - FC9	250	2 780,00
VAM - J8	350	3 207,50
VAM - J8	500	3 452,50
VAM - J8	650	4 487,50
VAM - J8	800	5 007,50
VAM - J8	1000	6 057,50
VAM - J8	1500	9 052,50
VAM - J8	2000	11 407,50



Filters VAM

EKAFVJ50F6	M6-class high efficiency filter - for VAM350~500J units	397,50
EKAFVJ65F6	M6-class high efficiency filter - for VAM650 units	440,00
EKAFVJ100F6	M6-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	530,00
EKAFVJ50F7	F7-class high efficiency filter - for VAM350~500J units	432,50
EKAFVJ65F7	F7-class high efficiency filter - for VAM650 units	485,00
EKAFVJ100F7	F7-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	580,00
EKAFVJ50F8	F8-class high efficiency filter - for VAM350~500J units	485,00
EKAFVJ65F8	F8-class high efficiency filter - for VAM650 units	537,50
EKAFVJ100F8	F8-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	645,00
EKPLEN200	Plenum for VAM1500-2000J units- contains 1 plenum for half side	315,00

ELECTRICAL HEATERS GSIEKA FOR USE WITH VAM UNITS

GSIEKA 10009	VAM150FC9	1 612,50
GSIEKA 15018	VAM250FC9	1 627,50
GSIEKA 20024	VAM350J-500J	1 637,50
GSIEKA 25030	VAM650J,800J,1000J	1 755,00
GSIEKA 35530	VAM1500J-2000J	1 775,00



VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL and humidifier

VKM - GBM	50	6 460,00
VKM - GBM	80	8 847,50
VKM - GBM	100	9 957,50




Filters VKM

KAF241H80M	Replacement filter for VKM50GBM	480,00
KAF241H100M	Replacement filter for VKM80-100GBM	680,00

Accessories



BRC301B61	Wired remote for HRV	375,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
RTD-10	universal control adaptor	770,00
EKMBPP1	modbus adaptor	577,50
RTD-20	advanced VAM control CO2	920,00
BRP4A50	3rd party el. heater or humidifier control VAM-FC and heater for VAM-J	320,00
KRP2A51	Wiring adaptor for electrical appendices	645,00
BRYMA65	CO2 sensor VAM350~650	1 160,00
BRYMA100	CO2 sensor VAM800~1000	1 160,00
BRYMA200	CO2 sensor VAM1500~2000	1 160,00
KDDM24B50	Silencer for 200mm round duct VKM50	1 360,00
KDDM24B100	Silencer for 250mm round duct VKM80-100	1 360,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
DX Coil for air processing		
EKVDX-A	32	2 695,00
EKVDX-A	50	2 985,00
EKVDX-A	80	3 315,00
EKVDX-A	100	4 857,50
		
Accessories		
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	222,50
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	282,50
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	587,50
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	907,50
ALB-R/LCM(S) Compact L Pro & Smart		
Premium efficiency heat recovery ventilation unit		
ALB-R/LCM (Pro)	02	11 582,50
ALB-R/LCM (Pro)	03	13 655,00
ALB-R/LCM (Pro)	04	17 920,00
ALB-R/LCM (Pro)	05	20 022,50
ALB-R/LCM (Pro)	06	24 387,50
ALB-R/LCM (Pro)	07	25 955,00
		
ALB-R/LCS (Smart)	02	10 225,00
ALB-R/LCS (Smart)	03	12 325,00
ALB-R/LCS (Smart)	04	16 562,50
ALB-R/LCS (Smart)	05	18 705,00
ALB-R/LCS (Smart)	06	23 142,50
ALB-R/LCS (Smart)	07	24 745,00
Electrical heater for Modular L Smart		
ALD02HEFB	1,5 kW, 1ph	4 050,00
ALD03HEFB	3 kW, 1ph	4 260,00
ALD05HEFB	7,5 kW, 3ph	5 740,00
ALD07HEFB	15 kW, 3ph	6 712,50
Accessories		
ALC00822A	ROOM THERMOSTAT	270,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
ALC00902A	MODBUS INTERFACE	707,50
ALC00908A	BACNET INTERFACE	625,00
ALP00COA	ALB/Modular T CO2 Probe	1 182,50
ALP00HUA	ALB/Modular T %RH Probe	682,50
ALP00TEA	ALB/Modular T Temperature Probe	140,00
ALF02F9A	F9 Compact filter ALB02	160,00
ALF03F9A	F9 Compact filter ALB03	217,50
ALF05F9A	F9 Compact filter ALB04-05	287,50
ALF07F9A	F9 Compact filter ALB06-07	332,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
Compact T Pro & Smart - ATB-R/LB (S)		
<i>Top connected heat recovery unit</i>		
	ATB-R/LBS (Smart)	03 21 832,50
	ATB-R/LBS (Smart)	04 23 627,50
	ATB-R/LBS (Smart)	05 29 635,00
	ATB-R/LBS (Smart)	06 34 720,00
	ATB-R/LBS (Smart)	07 40 895,00
	ATB-R/LBM (Pro)	03 19 012,50
	ATB-R/LBM (Pro)	04 20 890,00
	ATB-R/LBM (Pro)	05 27 370,00
	ATB-R/LBM (Pro)	06 32 320,00
	ATB-R/LBM (Pro)	07 38 637,50
Accessories		
ALC00822A	ROOM THERMOSTAT	270,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
ALC00902A	MODBUS INTERFACE	707,50
ALC00908A	BACNET INTERFACE	625,00
ATF03F9A	F9 Compact filter ATB03	220,00
ATF04F9A	F9 Compact filter ATB04	232,50
ATF05F9A	F9 Compact filter ATB05	252,50
ATF06F9A	F9 Compact filter ATB06	277,50
ATF07F9A	F9 Compact filter ATB07	322,50
ALP00COA	ALB/Modular T CO2 Probe	1 182,50
ALP00HUA	ALB/Modular T %RH Probe	682,50
ALP00TEA	ALB/Modular T Temperature Probe	140,00
BIDDLE ERQ/VRV-Pair R32 / R410 FREE HANGING AIR CURTAIN		
<i>до 230 см височина</i>		
CYAS100DK80FB/S	80	9 567,50
CYAS150DK80FB/S	80	12 185,00
CYAS200DK100FB/S	100	14 732,50
CYAS250DK140FB/S	140	16 435,00
<i>до 250 см. височина</i>		
CYAM100DK80FB/S	80	10 945,00
CYAM150DK80FB/S	80	14 022,50
CYAM200DK100FB/S	100	17 372,50
CYAM250DK140FB/S	140	19 775,00
<i>до 300 см. височина</i>		
CYAL100DK125FB/S	125	13 942,50
CYAL150DK200FB/S	200	18 552,50
CYAL200DK250FB/S	250	22 842,50
CYAL250DK250FB/S	250	26 530,00
BIDDLE ERQ/VRV-Pair R32 / R410 CASSETTE AIR CURTAIN		
<i>до 230 см височина</i>		
CYAS100DK80CB/S	80	9 507,50
CYAS150DK80CB/S	80	12 070,00
CYAS200DK100CB/S	100	14 612,50
CYAS250DK140CB/S	140	16 317,50
<i>до 250 см. височина</i>		
CYAM100DK80CB/S	80	11 775,00
CYAM150DK80CB/S	80	13 905,00
CYAM200DK100CB/S	100	17 255,00
CYAM250DK140CB/S	140	19 657,50
<i>до 300 см. височина</i>		
CYAL100DK125CB/S	125	13 802,50
CYAL150DK200CB/S	200	18 472,50
CYAL200DK250CB/S	250	22 697,50
CYAL250DK250CB/S	250	26 385,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
BIDDLE VRV-Pair RECESSED CYV-DK-R		
до 230 см височина		
CYAS100DK80RB/S	80	9 912,50
CYAS150DK80RB/S	80	12 740,00
CYAS200DK100RB/S	100	15 787,50
CYAS250DK140RB/S	140	17 607,50
до 250 см. височина		
CYAM100DK80RB/S	80	12 130,00
CYAM150DK80RB/S	80	14 520,00
CYAM200DK100RB/S	100	18 430,00
CYAM250DK140RB/S	140	20 922,50
до 300 см. височина		
CYAL100DK125RB/S	125	14 222,50
CYAL150DK200RB/S	200	19 025,00
CYAL200DK250RB/S	250	23 837,50
CYAL250DK250RB/S	250	27 787,50
CE.B_2-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 100, 150, 200cm units	600,00
CE.B_3-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 250cm units	812,50
CE.B_2-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 100, 150, 200cm units	670,00
CE.B_3-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 250cm units	927,50
CE.B_2-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 100, 150, 200cm units	812,50
CE.B_3-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 250cm units	1 142,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
REFNET JOINTS 2-PIPE		
KHRQ22M20TA	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 200	210,00
KHRQ22M29T9	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 201-290	250,00
KHRQ22M64T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index 291-640	257,50
KHRA22M65T	2 PIPE REFNET JOINT - IMPERIAL, VRV 5 index 291-640	257,50
KHRQ22M75T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index >640	380,00
KHRQM22M20T	Refnet Joint	217,50
KHRQM22M29T	2 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 201-290	250,00
KHRQM22M64T	2 PIPE REFNET JOINT - METRIC, VRV 4 index 291-640	257,50
KHRAM22M65T	2 PIPE REFNET JOINT - METRIC, VRV 5 index 291-640	257,50
KHRQM22M75T	2 PIPE REFNET JOINT - METRIC, VRV 4 index >640	380,00
REFNET HEADERS 2-PIPE		
KHRQ22M29H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 290	477,50
KHRQ22M64H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index 291-640	540,00
KHRA22M65H	2 PIPE REFNET HEADER - IMPERIAL, VRV 5 index 291-640	502,50
KHRQ22M75H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index >640	660,00
KHRQM22M29H	Refnet Header	477,50
KHRQM22M64H	2 PIPE REFNET HEADER - METRIC, VRV 4 index 291-640	540,00
KHRAM22M65H	2 PIPE REFNET HEADER - METRIC, VRV 5 index 291-640	502,50
KHRQM22M75H	2 PIPE REFNET HEADER - METRIC, VRV 4 index >640	660,00
REFNET JOINTS 3-PIPE		
KHRQ23M20T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 300	280,00
KHRQ23M29T9	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 301-390	320,00
KHRQ23M64T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 391-640	432,50
KHRQ23M75T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index >640	727,50
KHRQM23M20T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index up to 300	280,00
KHRQM23M29T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 301-390	320,00
KHRQM23M64T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 391-640	432,50
KHRQM23M75T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index >640	727,50
REFNET HEADERS 3-PIPE		
KHRQ23M29H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 390	575,00
KHRQ23M64H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index 391-640	690,00
KHRQ23M75H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index >640	975,00
KHRQM23M29H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index up to 390	575,00
KHRQM23M64H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index 391-640	690,00
KHRQM23M75H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index >640	975,00
Multi-module connection kit		
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00
Branch Provider Boxes (VRV 4-S & VRV 4)		
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00
Compact Single-port Branch Selector Box (VRV 4 Heat recovery)		
BS1Q 10A	15-100	1 315,00
BS1Q 16A	101-160	2 070,00
BS1Q 25A	161-250	2 380,00
Compact Multi-port Branch Selector Box (VRV 4 Heat recovery)		
BS4Q 14A	4x 15-140	4 650,00
BS6Q 14A	6x 15-140	6 372,50
BS8Q 14A	8x 15-140	8 380,00
BS10Q 14A	10x 15-140	10 075,00
BS12Q 14A	12x 15-140	11 875,00
BS16Q 14A	16x 15-140	15 035,00

VRV 04.2025 - REV 01		Описание	Цена лв. без ДДС 04.2025
Compact Multi-port Branch Selector Box (VRV 5 Heat recovery)			
BS4A14AV1B		Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 650,00
BS6A14AV1B		Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 372,50
BS8A14AV1B		Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 380,00
BS10A14AV1B		Branch selector box VRV 5 H/R, 10 indoor units, index 750	10 075,00
BS12A14AV1B		Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 875,00
Optional Shut off valve Box (SV) (VRV 5 Heat pump)			
SV1A25A		Shut off valve box, 1 port, 5 indoor units, index 250	1 945,00
SV4A14A		Shut off valve box, 4 ports, 20 indoor units, index 400	3 255,00
SV6A14A		Shut off valve box, 6 ports, 30 indoor units, index 600	4 460,00
SV8A14A		Shut off valve box, 8 ports, 40 indoor units, index 650	5 867,50
EKBSJK		Joint kit	690,00
K-KDU303KVE		External drain pump	927,50
EKBSDCK		Optional duct connection for series connection	80,00
Tightfit - fireless copper pipe connector			
<i>Standard joints (same size piping on each side)</i>			
SDGTC06_B		Tightfit 6,35mm - 100 pcs	2 522,50
SDGTC09_B		Tightfit 9,52mm - 90 pcs	2 745,00
SDGTC12_B		Tightfit 12,7mm - 70 pcs	2 792,50
SDGTC15_B		Tightfit 15,9mm - 50 pcs	2 677,50
SDGTC19_B		Tightfit 19,1mm - 45 pcs	2 665,00
SDGTC22_B		Tightfit 22,2mm - 30 pcs	2 075,00
SDGTC28_B		Tightfit 28,6mm - 24 pcs	2 012,50
SDGTC34_B		Tightfit 34,9mm - 20 pcs	4 202,50
SDGTC41_B		Tightfit 41,3mm - 16 pcs	4 742,50
<i>Asymmetric joints (different size piping on each side)</i>			
SDGTC0906_B		Tightfit 6,35-9,52mm - 90 pcs	3 802,50
SDGTC1209_B		Tightfit 9,52-12,7mm - 70 pcs	3 490,00
SDGTC1512_B		Tightfit 12,7-15,9mm - 60 pcs	3 132,50
SDGTC1915_B		Tightfit 15,9-19,1mm - 45 pcs	2 985,00
SDGTC2219_B		Tightfit 19,1-22,2mm - 30 pcs	2 325,00
SDGTC2522_B		Tightfit 22,2-25,4mm - 30 pcs	2 570,00
SDGTC2825_B		Tightfit 25,4-28,6mm - 24 pcs	2 250,00
SDGTC3428_B		Tightfit 28,6-24,9mm - 20 pcs	2 865,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

CENTRALIZED Control Systems

Simple Centralized Control

KRP2A* series	KRP2A* series Wiring Adaptor for Electrical Appendices – for operation/error monitoring, on/off control and setpoint control (0-140 Q) of entire F1/F2 line by dry contacts. An installation box or mounting plate may be necessary. KRP2A51 (0.5m cable) – for FXCQ, FXKQ, FXSQ, FXLQ, FXNQ, FXMQ, FXDQ-M9, FXAQ and BSVQ units KRP2A52 (1.3m cable) – for FXFQ, FXZQ and FXHQ KRP2A61 (2m cable) – for FXDQ-P7 units	645,00
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	357,50

Intelligent Touch Manager

DCM601B51	ITM Main unit for advanced control of up to 64 addresses (groups/units)	11 180,00
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 160,00
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 640,00
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	357,50
DCM002A51	Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System	3 902,50
DCM008A51	Energy Navigator Software Option - provides advanced energy consumption analyses and provides means to limit the energy consumption of the VRV system	8 285,00
DCM009A51	BACnet Server Option - allows to use the ITM to monitor and/or control external devices connected using the BACnet/IP protocol.	3 595,00
DCM007A51	HTTP option defines interface to monitor/operate Daikin units from an external application via ITM.	2 735,00

Intelligent Tablet Controller with Local & Cloud connection

DCC601A51	Centralised touch controller with cloud connection for Split, Sky Air, VRV, ventilation, air curtains and hot water (up to 32 indoors)	1 785,00
AL-CCD07-VESA-1	Optional screen for local control (wired option which can be mounted on the wall)	2 155,00


HOBO Daikin Cloud Plus

DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 770,00
DGE602A51	Max 64 units via Daikin Cloud Plus	3 707,50
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 160,00
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 640,00
Daikin Cloud Plus Control & Monitoring		по запитване
Daikin Cloud Plus Remote Support & Diagnostic		по запитване
Daikin Cloud Plus Advice & Optimization		по запитване

Daikin Cloud Plus

Cloud-based remote control and monitoring solution for Daikin commercial HVAC installations.

Composition



VRV 04.2025 - REV 01		Описание			Цена лв. без ДДС 04.2025
		Available for Edge & Edge Lite			
		1 CONTROL & MONITORING	2 REMOTE SUPPORT & DIAGNOSTIC*	3 ADVICE & OPTIMIZATION*	
Daikin Cloud Plus Features	Remote Control, Demand Control & Scheduling	✓	✓	✓	
	Energy Monitoring	✓	✓	✓	
	Interlocking	✓	✓	✓	
	Multi-site Management	✓	✓	✓	
	Building Integration	✓	✓	✓	
	Alarm History & Email Notification	✓	✓	✓	
	Power Consumption Distribution	✓	✓	✓	
	Remote Field Settings	✓	✓	✓	
	Site History	✗	✓	✓	
	Prediction & Email Notification	✗	✓	✓	
	Operational Data Access	✗	✓	✓	
	Indoor and Outdoor Units Analysis	✗	✓	✓	
Daikin Service	Periodical Analysis & Optimisation Advice by Daikin	✗	✓	✓	
	Remote Diagnostic & Support by Daikin	✗	✗	✓	
	Combinable with Maintenance Contract: - Technical Inspection - Preventive Maintenance - Comprehensive Maintenance	Complementary	Complementary	Mandatory	

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
Building Management System (BMS) & Standard protocol interfaces		
<i>for individual control</i>		
EKMBPP1	Modbus adaptor – provides a communication interface to the Modbus protocol for 1 P1/P2 group of VRV or SkyAir indoor units (up to 16 indoors – control is simultaneous for entire group, monitoring is individual for every unit of the group). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	577,50
RTD-10	Universal control adaptor – provides for external monitoring/control via 0-10kΩ resistance or 0-10VDC input signals and dry contact output signals (operation or defrost signal, error status signal), and provides a communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	770,00
RTD-20	Advanced control adaptor for retail and office applications – provides advanced control and energy saving functionality for multiple shop floor and user control zones, control of VAM units based on CO2 sensor input, control of Air Curtains based on outdoor air conditions, intelligent control of units installed in rooms with movable walls, etc. For installation outside of the indoor unit.	920,00
RTD-HO	Intelligent hotel room adaptor – provides intelligent unit control based on inputs from key card and window contacts and communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	770,00
KLIC-DI	KNX Adaptor – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	557,50
<i>for central control</i>		
DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 770,00
DGE602A51	Max 64 units via Daikin Cloud Plus	3 707,50
EKMBOXB	Modbus interface *1 gateway for max. 64 indoor unit(s) (groups) & 10 outdoors	6 022,50
DCM010A51	Daikin PMS interface - 1 interface for up to 2500 indoor units	12 075,00
DAM411B51	Expansion adaptor for control of an additional 128 addresses	3 185,00
DAM412B51	Proportional Power Distribution (PPD) Option	1 620,00
DMS504B51	Main unit for LonWorks® interface for up to 64 addresses (1 F1/F2 port)	4 167,50
DMS502A51	Module Bacnet Interface	15 320,00
Wiring and sensors		
K.RSS	External wireless air temperature sensor – allows temperature measurement exactly in the location of room occupants without the need of running extra wiring. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	277,50
KRCS01-	External wired air temperature sensor – allows temperature measurement exactly in the location of room occupants. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	в зависимост от модела на вътрешното тяло
KRCS01-4	For FXZQ / FXCQ / FXDQ / FXSQ / FXMQ50-80 / FXHQ / FXUQ / FXNQ	172,50
KRCS01-5B	For FXFA / FXFQ	172,50
KRCS01-6B	For FXZA / FXDA / FXSA / FXMA / FXHA / FXUA / FXAA / FXMQ 200-250	302,50

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
WAGO interfaces for connection to intelligent Touch Manager WAGO REQUIRED COMPONENTS		
WGDCMCPLR2	REQUIRED for each Wago node. Modbus Coupler - interface between the ITM and Wago modules, obligatory when Wago interface modules should be used	1 140,00
787-712	REQUIRED for each Wago node Main Power Supply for node	420,00
750-960	REQUIRED for each Wago node PROFIBUS fieldbus connector for node	85,00
750-600	REQUIRED for each Wago node End module for node	50,00
750-613	Internal booster power supply module. Required after each 32 contacts or after every group of digital output / analogue input modules if it is followed by any digital input modules.	432,50
750-400	2-channel digital input module	80,00
750-432	4-channel digital input module	105,00
750-430	8-channel digital input module	160,00
750-513/000-001	2-channel relay output module with 230 VAC or 30 VDC output	170,00
750-504	4-channel relay output module (max. 2A, 230VAC or 30VDC load)	110,00
750-454	2-channel analog input module for 4~20 mA signal	695,00
750-455	4-channel analog input module for 4~20 mA signal	572,50
750-479	2-channel analog input module for -10~+10 VDC signal	750,00
750-459	4-channel analog input module for -10~+10 VDC signal	495,00
750-461/020-000	2-channel analog input module for 20 kOhm NTC temperature sensors	750,00
750-461	2-channel analog input module for Pt100 temperature sensors	667,50
750-460	4-channel analog input module for Pt100 temperature sensors	775,00
750-461/000-003	2-channel analog input module for Pt100 temperature sensors	667,50
750-460/000-003	4-channel analog input module for Pt100 temperature sensors	775,00
750-461/000-004	2-channel analog input module for Ni100 temperature sensors	667,50
750-461/000-005	2-channel analog input module for Ni100 temperature sensors	667,50
750-460/000-005	4-channel analog input module for Ni100 temperature sensors	775,00
750-554	2-channel analog output module: 4~20 mA	620,00
750-555	4-channel analog output module: 4~20 mA	560,00
750-560	2-channel analog output module: 0~10 VDC	552,50
750-559	4-channel analog output module: 0~10 VDC	495,00
750-638	2 channel: Up/Down Counter 24 V DC, 500 Hz (pulse input module – not for PPD1)	247,50
Adaptor accessories for VRV indoor units		
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00
BRP7A51	OPTION ADAPTOR - Window contact + Key card (only in connection with BRC1H)	180,00
KRP4A*	Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-140Ω. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device	275,00
EKRP1B2	Wiring adaptor with 4 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status, Auxiliary heater signal, Humidifier signal. Connects to the indoor unit's PCB. FXCQ-A / FXDQ-M9 / FXSQ-A / FXMQ-P7	307,50
EKRP1C12	Wiring adaptor with 4 output signals - (as above) за FXFQ-A - with standard panel	162,50
KRP1B61	Wiring adaptor with 4 output signals - (as above) за FXKQ-MA / FXMQ-MB / FXLQ-P	337,50
KRP1B*	Wiring adaptor with 2 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status. Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit. Type and price depends on indoor unit type	
KRP1B54	както по-горе - за FXHQ-A	370,00
KRP1B57	както по-горе - за FXZQ-A with standard panel	297,50
KRP1B56	както по-горе - за FXDQ-A3, FXNQ-A	322,50
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00
EKMTAC	Kit for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). This kit contains equipment for 10 indoor units.	50,00
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50
KRC19-26	Mechanical cool/heat selector – allows to switch an entire Heat Pump system, or one BS-box of Heat Recovery system between cooling, heating and fan only. Connects to the A-B-C terminals of the outdoor unit / BS-box.	115,00
KJB111A	Fixing box for mechanical cool/heat selector	57,50
BRP2A81	A-B-C contact PCB for switching between cooling and heating from the outdoor unit	305,00
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	955,00

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
EKPCCAB4	VRV Configurator	582,50
EKBPH012TA	Optional bottom plate heater for VRV IV 8 ~ 12 HP outdoor units	1 147,50
EKBPH020TA	Optional bottom plate heater for VRV IV 14 ~ 20 HP outdoor units	1 197,50
KKSB26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	135,00
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	162,50
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	215,00
Service Checker Type IV		
999176T	SERVICE CHECKER TYPE 4	По запитване
Service Tools		
RS-SE	Service tool for checking connection of K.RSS external wireless air temperature sensor	235,00
99S0038	Magnet for manual operation of expansion valves, 17.5 mm ID	По запитване
999133T	Magnet for manual operation of expansion valves, 22.0 mm ID	По запитване
999134T	Magnet for manual operation of expansion valves, 24.0 mm ID	По запитване
999132T	Magnet for manual operation of expansion valves, 24.5 mm ID	По запитване



VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

Options & accessories - **VRV indoor**

I-32 BLUEEVOLUTION

		Ceiling mounted cassette units		
		Round flow (800x800)	4-way (600x600)	Corner (1-way)
		FXFA-A	FXZA-A	FXKA-A
Panels	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)	Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) Auto cleaning (5) (6) / BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C4WTW (white panel) (19) BYFQ60C4WT5 (grey panel) (19) BYFQ60B3W1 (standard panel) (20)	20-32: BYK32G 40-63: BYK63G
	Panel spacer for reducing required installation height		KDBQ44B60 (Standard panel)	
	Sealing kit for 3- or 2-directional air discharge	KDBHQ56B140 (7)	BDBHQ44C60 (white & grey panel)	
	Sensor kit	KBYQ140B (white panels) KBYQ140BB (black panels) KBYQ140C (white designer panel) KBYQ140CB (black designer panel) KBR7FA532F (white panels) (7) (15) KBR7FA532FB (black panels) (7) (15) KBR7FB532F (white designer panel) (7) (15) KBR7FB532FB (black designer panel) (7) (15)	KBYQ60A3W (white) KBYQ60A3S (grey)	
Individual control systems	Infrared remote control (incl. receiver)		KBR7F530W (9) (10) (white panel) KBR7F530S (9) (10) (grey panel) KBR7E530W (9) (10) (standard panel)	
	BRP069CS1 - Onecta app	•	•	•
	Madoka KRC1H52W (White) / KRC1H52S (Silver) / KRC1H52K (Black) User-friendly wired remote controller with premium design KRC1E53A/B/C - Wired remote control with full-text interface and back-light KRC1D52 (4) - Standard wired remote control with weekly timer	• (mandatory)	• (mandatory)	• (mandatory)
Centralised control systems	DCC601A51 - intelligent Tablet Controller	•	•	•
	DCS601CS1 (12) - intelligent Touch Controller	•	•	•
	DCS302CS1 (12) - Central remote controller	•	•	•
	DCS301BS1 (12) (13) - Unified ON/OFF controller	•	•	•
Building Management System & Standard protocol interfaces	EKMBPPI - Modbus interface for monitoring and control (check compatibility)	•	•	•
	RTD-10 - Modbus interface for infrastructure cooling	•	•	•
	RTD-20 - Modbus interface for retail	•	•	•
	RTD-HO - Modbus interface for hotel	•	•	•
	KLIC-DI_V2 - KNX Interface	•	•	•
	DCM601BS1 - intelligent Touch Manager	•	•	•
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus	•	•	•
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus	•	•	•
	EKMBDXB - Modbus interface	•	•	•
	DCM010A51 - Daikin PMS interface	•	•	•
	DMS502A51 - BACnet Interface	•	•	•
	DMS504B51 - LonWorks Interface	•	•	•
Filters	Auto cleaning filter	see decoration panel		
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit BAEF125A1WB (22) Replacement filter BAF55A1Z5		
	High efficiency filter	ePM10 60% BAF552AA160 (23) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: box of 10 filter)		
	Replacement long life filter, non-woven type	KAF5511D160	KAF441C60	
Wiring and sensors	Pre-filter Filter chamber			
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-6B	KRCS01-6B
	K.RSS - External wireless temperature sensor	SB.K.RSS_RFC (EKEWT5C-2 + K.RSS)	SB.K.RSS_FDA (EKEWT5C-1 + K.RSS)	SB.K.RSS_FDA (EKEWT5C-1 + K.RSS)
Adapters	Adapter with 2 output signals (Compressor / Error, Fan output)	KRP1BA58 (2) (7)	ERP02A50 (2)	ERP02A50 (2)
	Adapter with 4 output signals (Compressor / Error, Fan, Aux. heater, Humidifier output)	EKRPI1C12 (2) (7)	EKRPI1C14 (2)	EKRPI1C14 (2)
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-140°C (for dedicated indoor)	KRP4A53 (2) (7)	KRP4A53 (2)	KRP4A53 (2)
	Adapter for external central monitoring/control (controls 1 entire system)		KRP2A52	KRP2A52
Others	Adapter for keycard and/or window contact connection (2) (11)	BRP7A53	BRP7A53 (2)	BRP7A51 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)	DTA11A461	DTA11A461	DTA11A461
	External control adapter for outdoor unit (installation on indoor unit)	KRP1H98A (7)		
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)	KRP1BC101	KRP1BC101	KRP1BC101 / KRP4B93
	Wiring kit for Remote ON/OFF or Forced OFF	Standard	Standard	Standard
	Relay PCB for output signal of refrigerant sensor	ERP01A51 (2)	ERP01A50 (2)	ERP01A50 (2)
	Drain pump kit	Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)			
	Fresh air intake kit (direct installation type)	KDDP55C160-1 + KDDP55D160-2 (7) (8)	KDDQ44XA60	
	Air discharge adapter for round duct			
	L-type piping kit			
	Insulation kit for high humidity			

- (1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (8) the controller BRCE or BRCEH* is needed
(6) The BYCQ140EGF (8) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (8)
(8) Both parts of the fresh air intake are needed for each unit
(9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available
(11) Only possible in combination with BRCEH* / BRCE*
(12) When fixing box is required, use KJB22A, KJB31A or KJB41A depending on the size of the controller

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

Concealed ceiling units (duct units)			Ceiling suspended units		Wall mounted units
Slim	Medium ESP	High ESP	1-way blow	4-way blow	
FXDA-A	FXSA-A	FXMA-A	FXHA-A	FXUA-A	FXAA-A
				KDBHP49B140 + KDBTP49B140	
				BRE49B2F	
BRC4C65	BRC4C65	BRC4C65	BRC7GA53-9	BRC7C58	BRC7EA630
●	●	●	●	●	●
● (mandatory)	● (mandatory)	● (mandatory)	● (mandatory)	● (mandatory)	● (mandatory)
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
15-32: BAE20A62 40-50: BAE20A82 63: BAE20A102					
		Replacement filters for 200~250: BAFMS03A250 (65%) (Z1) BAFH504A250 (90%) (Z1)			
		200~250: BAFLS02A250 (Z1) 200~250: BAFLS01A250 (Z1) 200~250: BDD500B250	32: KAF501B56 50~63: KAF501B80 71~100: KAF501B160	KAFP551K160	
KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B
SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS..FDA (EKEWTSC-1 + K.RSS)
ERP02A50 (2)	EKRPI1C14 (2)	EKRPI1C14 (2)	KRP1BA58	EKRPI1C14 (2)	ERP02A50 (2)
KRP4A54-9 (2)	KRP4A52(2)	50~125: KRPA452 200~250: KRP4A51	KRP4A52 (2)	KRP4A53 (2)	KRP4A51 (2)
KRP2A53 (2)	KRP2A51(2)	KRP2A51	KRP2A62		KRP2A61(2)
BRP7A54	BRP7A51	BRP7A51	BRP7A52 (2)	BRP7A53	BRP7A51 (2)
DTAI14A61	DTAI14A61	DTAI14A61	DTAI14A61-9	DTAI14A61-9	DTAI14A61
DTAI04A53	DTAI04A61 (2)	DTAI04A61 (2)	DTAI04A61	DTAI04A61	DTAI04A51(2) / DTAI04A61(2)
KRP1BC101	KRP1BC101	KRP1BC101	KRP1D93A/KRP4B93	KRP1B97 / KRP1C97	KRP4A93
ERP01A51 (2)	Standard ERP01A50 (2)	Standard ERP01A50	standard ERP01A51 (2)	standard ERP01A51 (2)	Standard ERP01A51 (2)
Standard	Standard	200~250: BDU510B250VM	32-50-63: KDU50R63 100: KDU50R160		K-KDU572KVE
	15-32: KDAP25A36A 40-50: KDAP25A56A 63-80: KDAP25A71A 100-125: KDAP25A140A 140: -	50-80: KDAJ25K71 100-125: KDAJ25K140 200-250: -			
			32: KHFP5M35 50-63: KHFP5N63 71-100: KHFP5N160		
KDT25N32 / KDT25N50 / KDT25N63					

- | | |
|--|--|
| (13) Option KEK26-1A (Noise filter) is required when installing DCS30TB51 | (20) Wire harness EKRS23 is necessary |
| (14) Wire harness FKEW7SC is necessary | (21) Filter chamber needed |
| (15) The active airflow circulation function is not available for this controller. | (22) Only possible in combination with BYQC140E and BYQC140EW. Cannot be combined with other filters, chambers, fresh air intake kits or air discharge outlet sealing member kit |
| (16) Up to 2 adaptor PCBs can be installed per installation box | (23) Only possible in combination with BYQC140E/EW/EB. Cannot be combined with other filters, chambers, fresh air intake kits or discharge outlet sealing member kit |
| (17) Only one installation box can be installed per indoor unit | |
| (18) VIV R-32 indoor units cannot be connected to this controller. | |
| (19) The BYF060CA R-32 panels can be connected to R-410A indoor units with wire harness EKRS22 | |

VRV 04.2025 - REV 01	Описание	Цена лв. без ДДС 04.2025
----------------------	----------	-----------------------------

Options & accessories -

VRV indoor & hot water **R-410A** **LOOP**

			Ceiling mounted cassette units			
			Round flow (800x800)	4-way (600x600)	2-way blow	Corner (1-way blow)
			FXFQ-B	FXZQ-A	FXCQ-A	FXKQ-A
Panels	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)		Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) (5) (6) / BYCQ140EGF (white) / BYCQ140EGF (black) (7) (15) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C2W1W (white panel) / BYFQ60C2W1S (grey panel) / BYFQ60B3W1 (standard panel)	20~40: BYBCQ40H 50~63: BYBCQ63H 80~125: BYBCQ125H	20~32: BYK32G 40~63: BYK63G
	Panel spacer for reducing required installation height			KDBQ44B60 (Standard panel)		
	Sealing kit for 3- or 2-directional air discharge		KDBHQ56B140 (7)	BDBHQ44C60 (white & grey panel)		
	Sensor kit		BRYQ140B (white panels) / BRYQ140BB (black panels) / BRYQ140C (white designer panel) / BRYQ140CB (black designer panel)	BRYQ60A2W (white) / BRYQ60A2S (grey)		
Individual control systems	Infrared remote control including receiver		BRC7FA532F (white panels) (7) (15) / BRC7FA532FB (black panels) (7) (15) / BRC7FB532F (white designer panel) (7) (15) / BRC7FB532FB (black designer panel) (7) (15)	BRC7F530W (9) (10) (white panel) / BRC7F530S (9) (10) (grey panel) / BRC7EB530W (9) (10) (standard panel)	BRC7C52	
	BRP069C51 - Onecta app					
	Madoka BRC1H52W (White) / BRC1H52S (Silver) / BRC1H52K (Black) User-friendly wired remote controller with premium design					
	BRC1E53A/B/C - Wired remote control with full-text interface and back-light					
Centralised control systems	BRC1D52 (4) - Standard wired remote control with weekly timer		(15)			
	DCS601A51 - Intelligent Tablet Controller					
	DCS601C51 (T2) - intelligent Touch Controller					
	DCS302C51 (T2) - Central remote control					
Building Management System & Standard protocol interfaces for individual control for central control	DCS301B51 (T2) (T3) - Unified ON/OFF control					
	EKM8BP1 - Modbus interface for monitoring and control					
	RTD-10 - Modbus interface for infrastructure cooling					
	RTD-20 - Modbus interface for retail					
	RTD-HO - Modbus interface for hotel					
	KLIC-DI_V2 - KNX Interface					
	DCM601B51 - intelligent Touch Manager					
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus					
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus					
	EKM8DXB - Modbus interface					
	DCM010A51 - Daikin PMS interface					
	DM5502A51 - BACnet Interface					
	DM5504B51 - LonWorks Interface					
	Auto cleaning filter		see decoration panel			
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit Replacement filter	BAEF125AWB (22) / BAF55A125			
Filters	High efficiency filter		BAF552AA160 ePM10 60% (26) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: box of 10 filter)			
	Replacement long life filter, non-woven type		KAF551D160	KAF441C60	20~40: KAF531C50 50~63: KAF531C80 80~125: KAF531C160	
	Pre-filter					
	Filter chamber					
Wiring and sensors	K.RCS - External wired temperature sensor		K.RCS01-5B	K.RCS01-4	K.RCS01-4	K.RCS01-6B
	K.RSS - External wireless temperature sensor		K.RSS	K.RSS		SB, K.RSS_FDA (KEWT5C-1 + K.RSS)
	Adapter with 2 output signals (Compressor / Error, Fan output)		KRP1B58 (2) (7)	KRP1B57 (2)		
	Adapter with 4 output signals (Compressor / Error, Fan, Aux, heater, Humidifier output)		EKRPICT2 (2) (7)	EKRPIB2 (2)	EKRPIB2 (2)	EKRPICT4 (2)
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-1400 (for dedicated indoor)		KRP4A53 (2) (7)	KRP4A53 (2)	KRP4A51 (2)	KRP4A53 (2)
	Adapter for external central monitoring/control (controls 1 entire system)			KRP2A52	KRP2A51 (2)	KRP2A52
	Adapter for keycard and/or window contact connection (2)(11)		BRP7A53	BRP7A53 (2)	BRP7A51	BRP7A51 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)		DTAT14A61	DTAT14A61	DTAT14A61-9	DTAT14A61
	External control adapter for outdoor unit (installation on indoor unit)				DTAT10A61 (2)	
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)		KRP1H08A (7) / KRP1B1C101	KRP1B1C101	KRP1C96 (16) (17)	KRP1B1C101 / KRP4B93
	Wiring kit for Remote ON/OFF or Forced OFF		Standard	Standard	Standard	Standard
	Relay PCB for output signal of refrigerant sensor					
Others	Drain pump kit		Standard	Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)		KDDP55C160-1 + KDDP55D160-2 (7) (8)	KDDQ44XA60		
	Fresh air intake kit (direct installation type)					
	Air discharge adapter for round duct					
	L-type piping kit					
	Filter chamber for bottom suction				20~40: KDDFP53B50 50~63: KDDFP53B80 80~125: KDDFP53B160	
	Insulation kit for high humidity					

- (1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (8) the controller BRC1E or BRC1H* is needed
(6) The BYCQ140EGF (8) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (8)
(8) Both parts of the fresh air intake are needed for each unit
(9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available
(11) Only possible in combination with BRC1H* / BRC1E*
(12) When fixing box is required, use KJB272A, KJB311A or KJB411A depending on the size of the controller
(13) Option KEK26-1A (Noise filter) is required when installing DCS301B51
(14) Wire harness KEWT5C is necessary
(15) The active airflow circulation function is not available for this controller.
(16) Up to 2 adaptor PCBs can be installed per installation box
(17) Only one installation box can be installed per indoor unit
(18) VRV R-32 indoor units cannot be connected to this controller

Concealed ceiling units (duct units)				Ceiling suspended units		Wall mounted units	Floor standing units	
Slim	Medium ESP	High ESP		1-way blow	4-way blow		Concealed	Free-standing
FXDQ-A3	FXSQ-A	FXMQ-P7	FXMQ-A	FXHQ-A	FXUQ-A	FXAQ-A	FXNQ-A	FXLQ-P
								20-25: EKRDPP25A5 32-40: EKRDPA0A5 50-63: EKRDPP63A5
					KD8HP4B8I40 + KD8TP4B8I40			
BRC4C65	BRC4C65	BRC4C65	BRC4C65	BRC7GA53-9	BRC7C58	BRC7EA629 / BRC7EA628	BRC4C65	BRC4C65
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
15-32: BAE20A62 40-50: BAE20A82 63: BAE20A102								
			Replacement filter BAFM503A250 (65%) (Z1) BAFH504A250 (90%) (Z1)					
			BAFL502A250 (Z1)	32: KAF501B56 63: KAF501B80 100: KAF501B160	KAF551ID160			20-25: KAF36IL28 32-40: KAF36IL45 50-63: KAF36IL71
			BAFL501A250 (Z1)					
			BDD500B250					
KRCS01-4	KRCS01-4	KRCS01-4	KRCS01-68	KRCS01-4	KRCS01-4	KRCS01-I	KRCS01-4	KRCS01-I
K.RSS	K.RSS	*	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	*	*	K.RSS + EKEWTSC	*	*
		KRPIC64 (Z)	KRPIC65	KRP1B54 (Z)				
KRP1B56	EKRP1B2 (Z)	EKRP1B2 (Z)	EKRP1C14 (Z)				KRP1B56	KRP1B61
KRP4A54-9 (Z)	KRP4A52 (Z)	KRP4A51 (Z)	KRP4A51	KRP4A52 (Z)	KRP4A53 (Z)	KRP4A51 (Z)	KRP4A54-9	KRP4A51
KRP2A53 (Z)	KRP2A51 (Z)	KRP2A51 (Z)	KRP2A51	KRP2A62 (Z)		KRP2A51 (Z) / KRP2A61(2)	KRP2A53	KRP2A51
BRP7A54	BRP7A51	BRP7A51	BRP7A51	BRP7A52	BRP7A53	BRP7A51 (Z)	BRP7A54	BRP7A51
DTAI14A61	DTAI14A61 (Z)	DTAI14A61 (Z)	DTAI14A61	DTAI14A61-9	DTAI14A61-9	DTAI14A61	DTAI14A61	EKMTC
DTAI10A53	DTAI10A61	DTAI10A61 (Z)	DTAI10A61	DTAI10A62-9	DTAI10A61-9	DTAI10A451 / DTAI10A461	DTAI10A53	DTAI10A61
KRP1BC101	KRP1BC101	KRP4A96		KRP1D93A (19)	KRP1B97	KRP4AA93 (16)(17)	KRP1BC101	
	Standard	Standard	Standard	EKROR04	EKROR05	Standard	Standard	Standard
Standard	Standard	Standard	BDU510B250VM	32: KDU50R63 63-100: KDU50RI60		K-KDU572KVE		
*	*							
	15-32: KDAP2SA36A 40-50: KDAP2SA56A 63-80: KDAP2SA71A 100-125: KDAP2SA140A 140:-	50-80: XDAJ2SK71 100-125: XDAJ2SK140						
				32: KHFP5N63 63-100: KHFP5NI60				
KDT2SN32 / KDT25N50 / KDT25N63								
(19) The BYQC60C4 R-32 panels can be connected to R-410A indoor units with wire harness EKRS22								
(20) Wire harness EKRS23 is necessary								
(21) Filter chamber needed								
(22) Only possible in combination with BYCQ40E and BYCQ40EW. Cannot be combined with other filters, chambers, fresh air intake kits or air discharge outlet sealing member kit								
(23) Requires demand PCB								
(24) Can only be used in combination with wireless room thermostat								
(25) If tank is NOT mounted on top of the HXH unit, then option EKFMHTB is needed to install tank as stand alone								
(26) Only possible in combination with BYCQ40E/EW/EB. Cannot be combined with other filters, chambers, fresh air intake kits or discharge outlet sealip member kit								
Hot water						HXY080-125A8	HXHD125-200A8	
Drain pan						EKH8DPCA2	-	
Digital I/O PCB						EKRPIHBAA	EKRP1HBAA	
Demand PCB - Required to connect room thermostat						EKRPIAHTA	EKRP1AHTA	
Remote user interface (remocon) - Same controller as supplied with cascade unit can be mounted parallel or on other location. If 2 controllers are installed, the installer needs to select 1 master & 1 slave						EKRUAHTB	EKRUATB	
Back-up heater						EKBUIHAA6(W1/V3)	-	
Wired room thermostat						EKRTHWA (23)	EKRTWA (23)	
Wireless room thermostat						EKRTRI (23)	EKRTRI (23)	
Remote sensor for room thermostat						EKRTEIS (24)	EKRTETS (23)	
Stainless domestic hot water tank - 200l						-	EKHTS200AC (25)	
Stainless domestic hot water tank - 260l						-	EKHTS260AC (25)	
PP domestic hot water tank - 300l						-	EKHWPP300B	
PP domestic hot water tank - 500l						-	EKHWPP500B	
Solar collector						-	EKSH26P (vertical)	
Pump station						-	EKSRPS	