

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV 5 Outdoor Units				
VRV 5 Heat Pump				
	RXYA-A	8	20 682,50	10 574,79
	RXYA-A	10	22 600,00	11 555,20
	RXYA-A	12	27 055,00	13 833,00
	RXYA-A	14	31 635,00	16 174,72
	RXYA-A	16	36 187,50	18 502,37
	RXYA-A	18	43 127,50	22 050,74
	RXYA-A	20	47 390,00	24 230,12
Каталожни комбинации (включва BHFA22P1007)				
RXYA-A (RYMA5A + RYMA5A)		10	37 477,50	19 161,94
RXYA-A (RYMA5A + RXYA8A)		13	39 625,00	20 259,94
RXYA-A (RXYA8A+RXYA8A)		16	41 772,50	21 357,94
RXYA-A (8+10)		18	43 690,00	22 338,34
RXYA-A (8+12)		20	48 142,50	24 614,87
<i>RYMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.</i>				
<i>Общият капацитет на система не може да надвишава 20HP.</i>				
Accessories				
BHFA22P1007		Multi-module connection kit for 2 module systems (2 Pipe systems)	285,00	145,72
EKBPH012TA		Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 147,50	586,71
EKBPH020TA		Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 197,50	612,27
KRC19-26		Cool/heat selector (switch)	115,00	58,80
EKBRP2A81		Cool/heat selector PCB (required to connect KRC19-26)	297,50	152,11
KJB111A		Cool/heat selector (fixing box)	57,50	29,40
DTA104A61		Demand adaptor kit (RXYA14, 16, 18, 20 require EKS826B2)	802,50	410,31
EKS826B2		Demand PCB mounting plate	157,50	80,53
SV1A25A		Shut off valve box, 1 port, 5 indoor units, index 250	1 945,00	994,46
SV4A14A		Shut off valve box, 4 ports, 20 indoor units, index 400	3 255,00	1 664,26
SV6A14A		Shut off valve box, 6 ports, 30 indoor units, index 600	4 460,00	2 280,36
SV8A14A		Shut off valve box, 8 ports, 40 indoor units, index 650	5 867,50	3 000,01
EKBSJK		Joint kit	690,00	352,79
K-KDU303KVE		External drain pump	927,50	474,22
EKBSDCK		Optional duct connection for series connection	80,00	40,90
VRV 5 Heat Recovery				
	REYA-A9	8	26 342,50	13 468,71
	REYA-A9	10	27 175,00	13 894,36
	REYA-A9	12	32 535,00	16 634,88
	REYA-A9	14	38 970,00	19 925,04
	REYA-A9	16	44 467,50	22 735,87
	REYA-A9	18	51 107,50	26 130,85
	REYA-A9	20	56 170,00	28 719,26
Каталожни комбинации (включва BHFAQ23P907A)				
REYA-A (REMA5A + REMA5A)		10	37 717,50	19 284,65
REYA-A (REMA5A + REYA8A)		13	45 525,00	23 276,56
REYA-A (8+8)		16	53 332,50	27 268,47
REYA-A (8+10)		18	54 167,50	27 695,40
REYA-A (8+12)		20	59 527,50	30 435,93
REYA-A (10+12)		22	59 712,50	30 530,52
REYA-A (8+16)		24	71 457,50	36 535,64
REYA-A (12+14)		26	72 155,00	36 892,27
REYA-A (12+16)		28	77 652,50	39 703,09
<i>REMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.</i>				

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
Accessories			
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50	239,03
EKBPH012T	Bottom plate heater 5/8-12HP Units	1 147,50	586,71
EKBPH020T	Bottom plate heater 14-20HP Units	1 197,50	612,27
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 650,00	2 377,51
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 372,50	3 258,21
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 380,00	4 284,63
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	10 075,00	5 151,27
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 875,00	6 071,59
EKBSJK	Joint kit	690,00	352,79
EKBSDCK	Optional duct connection for series connection	80,00	40,90
K-KDU303KVE	External drain pump	927,50	474,22
VRV 5 S-Series			
RXYSA-AV1	4	10 492,50	5 364,73
RXYSA-AV1	5	11 640,00	5 951,44
RXYSA-AV1	6	12 980,00	6 636,57
RXYSA-AY1	4	10 492,50	5 364,73
RXYSA-AY1	5	11 640,00	5 951,44
RXYSA-AY1	6	12 980,00	6 636,57
RXYSA-A	8	13 040,00	6 667,25
RXYSA-A	10	14 465,00	7 395,84
RXYSA-A	12	17 490,00	8 942,50
Accessories			
KHRQM22M29H	Refnet Header	477,50	244,14
KHRQM22M20T	Refnet Joint	217,50	111,21
EKBPH250D	Bottom plate heater	457,50	233,92
KRC19-26	Cool/heat selector (switch)	115,00	58,80
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
EKPCCAB4	VRV configurator	582,50	297,83



VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV 5 Indoor Units				
Round flow cassette				
	FXFA-A	20	2 420,00	1 237,33
	FXFA-A	25	2 505,00	1 280,79
	FXFA-A	32	2 655,00	1 357,48
	FXFA-A	40	2 915,00	1 490,42
	FXFA-A	50	3 070,00	1 569,67
	FXFA-A	63	3 177,50	1 624,63
	FXFA-A	80	4 005,00	2 047,72
	FXFA-A	100	4 205,00	2 149,98
	FXFA-A	125	4 407,50	2 253,52
	FXFA-A + BYCQ140E	20	2 977,50	1 522,37
	FXFA-A + BYCQ140E	25	3 062,50	1 565,83
	FXFA-A + BYCQ140E	32	3 212,50	1 642,53
	FXFA-A + BYCQ140E	40	3 472,50	1 775,46
	FXFA-A + BYCQ140E	50	3 627,50	1 854,71
	FXFA-A + BYCQ140E	63	3 735,00	1 909,68
	FXFA-A + BYCQ140E	80	4 562,50	2 332,77
	FXFA-A + BYCQ140E	100	4 762,50	2 435,03
	FXFA-A + BYCQ140E	125	4 965,00	2 538,56
Accessories				
BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		392,50	200,68
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		350,00	178,95
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50	182,79
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50	182,79
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00	196,85
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел		315,00	161,06
BYCQ140E	Standart Dec. panel		557,50	285,05
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)		782,50	400,09
BYCQ140EGF	Selfclean Dec. Panel		1 010,00	516,40
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)		1 232,50	630,17
BYCQ140EW	FULL WHITE Dec. Panel		627,50	320,84
BYCQ140EP	New Designer panel in white (RAL 9010)		857,50	438,43
BYCQ140EPB	New Designer panel in black (RAL 9005)		1 302,50	665,96
SB.KDDP55	Fresh air intake for max 20% fresh air		970,00	495,95
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge		285,00	145,72
KAF5511D160	Replacement long life filter FXFA/FXQ		260,00	132,94
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)		130,00	66,47
ERP01A51	Relay PCB (requires installation box)		190,00	97,15
KRP1BC101	Installation box for adaptor PCB		45,00	23,01
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB		105,00	53,69
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW		1 252,50	640,39

GTD 4

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
Slim concealed ceiling unit			
FXDA-A	10	1 740,00	889,65
FXDA-A	15	1 910,00	976,57
FXDA-A	20	1 970,00	1 007,25
FXDA-A	25	2 095,00	1 071,16
FXDA-A	32	2 220,00	1 135,07
FXDA-A	40	2 360,00	1 206,65
FXDA-A	50	2 505,00	1 280,79
FXDA-A	63	2 660,00	1 360,04
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
BAE20A62	Auto cleaning filter for FXDA15-32A	845,00	432,04
BAE20A82	Auto cleaning filter for FXDA40-50A	892,50	456,33
BAE20A102	Auto cleaning filter for FXDA63A	945,00	483,17
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47
ERP01A51	Relay PCB (requires installation box)	190,00	97,15
KRP1BC101	Installation box for adaptor PCB	45,00	23,01
Concealed ceiling unit			
FXSA-A	15	2 242,50	1 146,57
FXSA-A	20	2 357,50	1 205,37
FXSA-A	25	2 470,00	1 262,89
FXSA-A	32	2 495,00	1 275,67
FXSA-A	40	2 652,50	1 356,20
FXSA-A	50	2 772,50	1 417,56
FXSA-A	63	2 835,00	1 449,51
FXSA-A	80	3 580,00	1 830,42
FXSA-A	100	3 727,50	1 905,84
FXSA-A	125	3 792,50	1 939,07
FXSA-A	140	4 170,00	2 132,09
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47
ERP01A51	Relay PCB (requires installation box)	190,00	97,15
KRP1BC101	Installation box for adaptor PCB	45,00	23,01
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	222,50	113,76
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	282,50	144,44
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	587,50	300,38
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	907,50	464,00

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
Concealed ceiling unit (High ESP)			
	FXMA-A 50	2 967,50	1 517,26
	FXMA-A 63	3 037,50	1 553,05
	FXMA-A 80	3 827,50	1 956,97
	FXMA-A 100	3 980,00	2 034,94
	FXMA-A 125	4 060,00	2 075,85
	FXMA-A 200	6 550,00	3 348,96
	FXMA-A 250	6 732,50	3 442,27
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
ERP01A50	Relay PCB (requires installation box KRP1BC101)	175,00	89,48
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	525,00	268,43
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	907,50	464,00
BAFL502A250	Long life replacement filter FXMA200/250	532,50	272,26
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	900,00	460,16
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	947,50	484,45
BDD500B250	Filter chamber FXMA/FXMQ 200-250	595,00	304,22
BDU510B250VM	Optional drain pump FXMA/FXMQ 200-250	1 670,00	853,86
Ceiling suspended unit			
	FXHA-A 32	3 477,50	1 778,02
	FXHA-A 50	3 660,00	1 871,33
	FXHA-A 63	3 835,00	1 960,80
	FXHA-A 100	4 375,00	2 236,90
Accessories			
BRC7GA53-9	Wireless control heat pump	545,00	278,65
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
ERP01A51	Relay PCB (requires installation box)	190,00	97,15
KRP4B93	Installation box for relay PCB	247,50	126,54
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47
KAF501B56	Long life replacement filter FXHA/FXHQB32	387,50	198,13
KAF501B80	Long life replacement filter FXHA50-63/FXHQB61-100	387,50	198,13
KAF501B160	Long life replacement filter FXHA100	510,00	260,76
KDU50R63	Drain pump	2 000,00	1 022,58

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
4-way blow ceiling suspended unit			
	FXUA-A 50	4 765,00	2 436,31
	FXUA-A 71	5 160,00	2 638,27
	FXUA-A 100	5 820,00	2 975,72
Accessories			
BRC7CS8	Wireless control heat pump	545,00	278,65
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
ERP01A51	Relay PCB (requires installation box)	190,00	97,15
KRP1BA97	0	по запитване	по запитване
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47
KDBHP49B140	Sealing member of air discharge outlet	477,50	244,14
KDBTP49B140	Decoration panel for air discharge	745,00	380,91
BRE49B2F	Sensor kit	250,00	127,82
4-way blow ceiling suspended unit (не включва дек. панел)			
	FXKA-A 20	2 232,50	1 141,46
	FXKA-A 25	2 255,00	1 152,96
	FXKA-A 32	2 277,50	1 164,47
	FXKA-A 40	2 442,50	1 248,83
	FXKA-A 50	2 507,50	1 282,06
	FXKA-A 63	2 577,50	1 317,85
Accessories			
BYK32G	Standart Dec. Pan FXKA20-32	700,00	357,90
BYK63G	Standart Dec. Pan FXKA40-63	760,00	388,58
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00	163,61
KRP4B93	Installation box for relay PCB	247,50	126,54
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	130,00	66,47

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV 4 Outdoor Units				
VRV IV+ Inverter HP with continuous heating				
	RYYQ-U	8	22 562,50	11 536,02
	RYYQ-U	10	24 645,00	12 600,79
	RYYQ-U	12	29 505,00	15 085,67
	RYYQ-U	14	34 462,50	17 620,40
	RYYQ-U	16	39 420,00	20 155,13
	RYYQ-U	18	47 030,00	24 046,06
	RYYQ-U	20	51 682,50	26 424,84
VRV IV Inverter HP with cont. heating (MULTI-module combinations)				
	RYMQ-U	8	21 482,50	10 983,83
	RYMQ-U	10	23 477,50	12 003,86
	RYMQ-U	12	28 110,00	14 372,41
	RYMQ-U	14	32 860,00	16 801,05
	RYMQ-U	16	37 592,50	19 220,74
	RYMQ-U	18	44 830,00	22 921,22
	RYMQ-U	20	49 275,00	25 193,91
Каталожни комбинации (включва BHFQ-)				
	RYMQ-U (10 + 12)	22	51 835,00	26 502,81
	RYMQ-U (8 + 16)	24	59 322,50	30 331,11
	RYMQ-U (12 + 14)	26	61 217,50	31 300,01
	RYMQ-U (12 + 16)	28	65 950,00	33 719,70
	RYMQ-U (12+ 18)	30	73 187,50	37 420,17
	RYMQ-U (16 + 16)	32	75 432,50	38 568,02
	RYMQ-U (16 + 18)	34	82 670,00	42 268,50
	RYMQ-U (16 + 20)	36	87 115,00	44 541,19
	RYMQ-U (8 + 10 + 20)	38	94 755,00	48 447,46
	RYMQ-U (10 + 12 + 18)	40	96 937,50	49 563,36
	RYMQ-U (10 + 16 + 16)	42	99 182,50	50 711,21
	RYMQ-U (12 + 16 + 16)	44	103 815,00	53 079,77
	RYMQ-U (14 + 16 + 16)	46	108 565,00	55 508,40
	RYMQ-U (16 + 16 + 16)	48	113 297,50	57 928,09
	RYMQ-U (16 + 16 + 18)	50	120 535,00	61 628,57
	RYMQ-U (16 + 18 + 18)	52	127 772,50	65 329,04
	RYMQ-U (18 + 18 + 18)	54	135 010,00	69 029,52
Свободни комбинации (включва BHFQ-)				
	RYMQ-U (10 + 10)	20	47 202,50	24 134,26
	RYMQ-U (10 + 12)	22	51 835,00	26 502,81
	RYMQ-U (12 + 12)	24	56 467,50	28 871,37
	RYMQ-U (12 + 14)	26	61 217,50	31 300,01
	RYMQ-U (14 + 14)	28	65 967,50	33 728,65
	RYMQ-U (16 + 14)	30	70 700,00	36 148,34
	RYMQ-U (16 + 16)	32	75 432,50	38 568,02
	RYMQ-U (10 + 12 + 12)	34	80 217,50	41 014,56
	RYMQ-U (12 + 12 + 12)	36	84 850,00	43 383,12
	RYMQ-U (10 + 14 + 14)	38	89 717,50	45 871,83
	RYMQ-U (12 + 14 + 14)	40	94 350,00	48 240,39
	RYMQ-U (14 + 14 + 14)	42	99 100,00	50 669,03
	RYMQ-U (14 + 14 + 16)	44	103 832,50	53 088,71
	RYMQ-U (14 + 16 + 16)	46	108 565,00	55 508,40
	RYMQ-U (16 + 16 + 16)	48	113 297,50	57 928,09
	RYMQ-U (16 + 16 + 18)	50	120 535,00	61 628,57
	RYMQ-U (16 + 18 + 18)	52	127 772,50	65 329,04
	RYMQ-U (18 + 18 + 18)	54	135 010,00	69 029,52

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV IV+ Inverter HP without continuous heating			
	RXYQ-U 8	20 470,00	10 466,14
	RXYQ-U 10	22 367,50	11 436,32
	RXYQ-U 12	26 780,00	13 692,40
	RXYQ-U 14	31 312,50	16 009,83
	RXYQ-U 16	35 822,50	18 315,75
	RXYQ-U 18	42 712,50	21 838,55
	RXYQ-U 20	46 935,00	23 997,48
Каталожни комбинации (включва BHFQ-)			
RXYQ-U (10 + 12)	22	49 395,00	25 255,26
RXYQ-U (8 + 16)	24	56 540,00	28 908,44
RXYQ-U (12 + 14)	26	58 340,00	29 828,77
RXYQ-U (12 + 16)	28	62 850,00	32 134,69
RXYQ-U (12 + 18)	30	69 740,00	35 657,50
RXYQ-U (16 + 16)	32	71 892,50	36 758,05
RXYQ-U (16 + 18)	34	78 782,50	40 280,85
RXYQ-U (16 + 20)	36	83 005,00	42 439,78
RXYQ-U (8 + 10 + 20)	38	90 292,50	46 165,82
RXYQ-U (10 + 12 + 18)	40	92 380,00	47 233,14
RXYQ-U (10 + 16 + 16)	42	94 532,50	48 333,70
RXYQ-U (12 + 16 + 16)	44	98 945,00	50 589,78
RXYQ-U (14 + 16 + 16)	46	103 477,50	52 907,21
RXYQ-U (16 + 16 + 16)	48	107 987,50	55 213,13
RXYQ-U (16 + 16 + 18)	50	114 877,50	58 735,93
RXYQ-U (16 + 18 + 18)	52	121 767,50	62 258,73
RXYQ-U (18 + 18 + 18)	54	128 657,50	65 781,54
Свободни комбинации (включва BHFQ-)			
RXYQ-U (10 + 10)	20	44 982,50	22 999,19
RXYQ-U (10 + 12)	22	49 395,00	25 255,26
RXYQ-U (12 + 12)	24	53 807,50	27 511,34
RXYQ-U (12 + 14)	26	58 340,00	29 828,77
RXYQ-U (14 + 14)	28	62 872,50	32 146,20
RXYQ-U (16 + 14)	30	67 382,50	34 452,13
RXYQ-U (16 + 16)	32	71 892,50	36 758,05
RXYQ-U (10 + 12 + 12)	34	76 447,50	39 086,99
RXYQ-U (12 + 12 + 12)	36	80 860,00	41 343,06
RXYQ-U (10 + 14 + 14)	38	85 512,50	43 721,85
RXYQ-U (12 + 14 + 14)	40	89 925,00	45 977,92
RXYQ-U (14 + 14 + 14)	42	94 457,50	48 295,35
RXYQ-U (14 + 14 + 16)	44	98 967,50	50 601,28
RXYQ-U (14 + 16 + 16)	46	103 477,50	52 907,21
RXYQ-U (16 + 16 + 16)	48	107 987,50	55 213,13
RXYQ-U (16 + 16 + 18)	50	114 877,50	58 735,93
RXYQ-U (16 + 18 + 18)	52	121 767,50	62 258,73
RXYQ-U (18 + 18 + 18)	54	128 657,50	65 781,54
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50	126,54
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00	265,87
EKPCCAB4	VRV configurator	582,50	297,83
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 147,50	586,71
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 197,50	612,27
KRC19-26	Cool/heat selector (switch)	115,00	58,80
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	162,50	83,08
KKS26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	135,00	69,02
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50	607,16
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00	646,78

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV IV+ Inverter HP OPTIMIZED FOR HEATING			
RXYLQ-T	10	25 932,50	13 259,08
RXYLQ-T	12	31 035,00	15 867,94
RXYLQ-T	14	36 137,50	18 476,81
VRV IV Inverter HP optimized for heating (MULTI)			
RXMLQ-T	8	21 525,00	11 005,56
Каталожни комбинации (включва BHFQ-)			
RXYLQ-T (8+8)	16	43 297,50	22 137,66
RXYLQ-T (10+8)	18	47 705,00	24 391,18
RXYLQ-T (10+10)	20	52 112,50	26 644,70
RXYLQ-T (10+12)	22	57 215,00	29 253,56
RXYLQ-T (12+12)	24	62 317,50	31 862,43
RXYLQ-T (12+14)	26	67 420,00	34 471,30
RXYLQ-T (14+14)	28	72 522,50	37 080,17
RXYLQ-T (10+10+10)	30	78 317,50	40 043,10
RXYLQ-T (10+10+12)	32	83 420,00	42 651,97
RXYLQ-T (10+12+12)	34	88 522,50	45 260,84
RXYLQ-T (12+12+12)	36	93 625,00	47 869,70
RXYLQ-T (12+12+14)	38	98 727,50	50 478,57
RXYLQ-T (12+14+14)	40	103 830,00	53 087,44
RXYLQ-T (14+14+14)	42	108 932,50	55 696,30
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50	126,54
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00	265,87
EKPCCAB4	VRV configurator	582,50	297,83
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94
KRC19-26	Cool/heat selector (switch)	115,00	58,80
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50	607,16
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00	646,78
MINI VRV IV - S Series Compact			
RXYSCQ-TV1	4	9 952,50	5 088,63
RXYSCQ-TV1	5	11 045,00	5 647,22
RXYSCQ-TV1	6	12 137,50	6 205,81
MINI VRV IV - S Series			
RXYSQ-TV1	4	9 975,00	5 100,14
RXYSQ-TV1	5	11 062,50	5 656,17
RXYSQ-TV1	6	12 335,00	6 306,79
RXYSQ-TY1	4	9 975,00	5 100,14
RXYSQ-TY1	5	11 062,50	5 656,17
RXYSQ-TY1	6	12 335,00	6 306,79
RXYSQ-TY1	8	12 807,50	6 548,37
RXYSQ-TY1	10	15 025,00	7 682,16
RXYSQ-TY1	12	18 180,00	9 295,29
Accessories			
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	215,00	109,93
KRC19-26	Cool/heat selector (switch)	115,00	58,80
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
EKCHSC	Cool/heat selector cable (required to connect KRC19-26) for RXYSQ4-6TY9	50,00	25,56
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50	607,16
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00	646,78

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV IV - HEAT PUMP FOR INDOOR INSTALLATION			
SB.RKXYQ5T	5	19 467,50	9 953,57
RKXYQ5T	compressor unit	8 377,50	4 283,35
RDXYQ5T	heat exchanger unit	11 092,50	5 671,51
EKDPH1RDX	Drain pan heater	222,50	113,76
SB.RKXYQ8T	8	21 322,50	10 902,02
RKXYQ8T	compressor unit	12 135,00	6 204,53
RDXYQ8T	heat exchanger unit	9 187,50	4 697,49
EKDPH1RDX	Drain pan heater	222,50	113,76
Accessories			
EKPCCAB4	VRV configurator	582,50	297,83
KRC19-26	Cool/heat selector (switch)	115,00	58,80
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
EKDPH1RDX	Drain pan heater	222,50	113,76
VRV IV+ Heat Recovery SF			
REYQ-U	8	26 120,00	13 354,94
REYQ-U	10	26 942,50	13 775,48
REYQ-U	12	32 255,00	16 491,72
REYQ-U	14	38 632,50	19 752,48
REYQ-U	16	44 075,00	22 535,19
REYQ-U	18	50 620,00	25 881,60
REYQ-U	20	55 635,00	28 445,72
Каталожни комбинации (включва BHFQ-)			
M-REYQ-U.OU (5+5)	10	37 440,00	19 142,77
M-REYQ-T.OU (5+8)	13	45 172,50	23 096,33
M-REYQ-U.OU (8+8)	16	52 707,50	26 948,92
M-REYQ-U.OU (8+10)	18	53 530,00	27 369,45
M-REYQ-U.OU (8+12)	20	58 842,50	30 085,69
REYQ-U.OU (10+12)	22	59 665,00	30 506,23
REYQ-U.OU (8+16)	24	70 662,50	36 129,16
REYQ-U.OU (12+14)	26	71 355,00	36 483,23
REYQ-U.OU (12+16)	28	76 797,50	39 265,94
REYQ-U.OU (12+18)	30	83 342,50	42 612,34
REYQ-U.OU (16+16)	32	88 617,50	45 309,41
REYQ-U.OU (16+18)	34	95 162,50	48 655,81
REYQ-U.OU (16+20)	36	100 177,50	51 219,94
REYQ-U.OU (8+12+18)	38	110 000,00	56 242,11
REYQ-U.OU (10+12+18)	40	110 822,50	56 662,64
REYQ-U.OU (10+16+16)	42	116 097,50	59 359,71
REYQ-U.OU (12+16+16)	44	121 410,00	62 075,95
REYQ-U.OU (14+16+16)	46	127 787,50	65 336,71
REYQ-U.OU (16+16+16)	48	133 230,00	68 119,42
REYQ-U.OU (16+16+18)	50	139 775,00	71 465,82
REYQ-U.OU (16+18+18)	52	146 320,00	74 812,23
REYQ-U.OU (18+18+18)	54	152 865,00	78 158,63
Accessories			
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50	239,03
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00	513,85
EKPCCAB4	VRV configurator	582,50	297,83
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	1 147,50	586,71
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	1 197,50	612,27
EKBSVQLNP	Sound reduction kit (sound insulation)	295,00	150,83
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00	163,61
KDDN26A4	Sound reduction kit for BS4Q14AV1	2 680,00	1 370,26
KDDN26A8	Sound reduction kit for BS6Q14AV1 and BS8Q14AV1	3 170,00	1 620,80
KDDN26A12	Sound reduction kit for BS10Q14AV1 and BS12Q14AV1	4 265,00	2 180,66
KDDN26A16	Sound reduction kit for BS16Q14AV1	4 840,00	2 474,65
KHFP26A100C	Closed pipe kit	140,00	71,58

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
REPLACEMENT VRV IV+ Q-Series			
	HP		
RXYQQ-U	8	26 520,00	13 559,46
RXYQQ-U	10	28 980,00	14 817,24
RXYQQ-U	12	34 725,00	17 754,61
RXYQQ-U	14	40 582,50	20 749,50
RXYQQ-U	16	46 437,50	23 743,12
RXYQQ-U	18	56 617,50	28 948,07
RXYQQ-U	20	59 420,00	30 380,96
Каталожни комбинации (включва BHFQ-)			
RXYQQ-U.OU (10+12)	22	63 952,50	32 698,39
RXYQQ-U.OU (8+16)	24	73 205,00	37 429,12
RXYQQ-U.OU (12+14)	26	75 555,00	38 630,66
RXYQQ-U.OU (12+16)	28	81 410,00	41 624,27
RXYQQ-U.OU (12+18)	30	91 590,00	46 829,22
RXYQQ-U.OU (16+16)	32	93 122,50	47 612,78
RXYQQ-U.OU (16+18)	34	103 302,50	52 817,73
RXYQQ-U.OU (16+20)	36	106 105,00	54 250,63
RXYQQ-U.OU (8+10+20)	38	115 440,00	59 023,53
RXYQQ-U.OU (10+12+18)	40	120 842,50	61 785,79
RXYQQ-U.OU (10+16+16)	42	122 375,00	62 569,34
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50	126,54
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00	265,87
EKPCCAB4	VRV configurator	582,50	297,83
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94
KRC19-26	Cool/heat selector (switch)	115,00	58,80
KJB111A	Cool/heat selector (fixing box)	57,50	29,40
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
REPLACEMENT VRV III Q-Series HR			
RQCEQ280P3.OU	10 (RQEQ140P3+RQEQ140P3+BHFP26P36C)	38 420,00	19 643,83
RQCEQ460P3.OU	16 (RQEQ140P3+RQEQ140P3+RQEQ180P3+BHFP26P63C)	65 482,50	33 480,67
RQCEQ500P3.OU	18 (RQEQ140P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	72 900,00	37 273,18
RQCEQ540P3.OU	20 (RQEQ180P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	80 320,00	41 066,96
RQCEQ712P3.OU	24 (RQEQ140P3+RQEQ180P3+RQEQ180P3+RQEQ212P3+BHFP26P84C)	104 625,00	53 493,91
RQCEQ744P3.OU	26 (RQEQ140P3+RQEQ180P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	109 580,00	56 027,36
RQCEQ816P3.OU	28 (RQEQ180P3+RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P84C)	121 955,00	62 354,60
Accessories			
BHFP26P36C	Multi-module connection kit for 2-module systems	562,50	287,60
BHFP26P63C	Multi-module connection kit for 3-module systems	1 147,50	586,71
BHFP26P84C	Multi-module connection kit for 4-module systems	1 527,50	781,00
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	955,00	488,28
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025	
Water cooled VRV IV-W+ for standard and geothermal applications /HP/HR				
RWEYQ - T9		8	18 577,50	9 498,52
RWEYQ - T9		10	20 702,50	10 585,02
RWEYQ - T9		12	23 360,00	11 943,78
RWEYQ - T9		14	26 360,00	13 477,65
Каталожни комбинации (не включва BHFQ-)				
RWEYQ - T9.OU		16	37 152,50	18 995,77
RWEYQ - T9.OU		18	39 277,50	20 082,27
RWEYQ - T9.OU		20	41 935,00	21 441,03
RWEYQ - T9.OU		22	44 060,00	22 527,52
RWEYQ - T9.OU		24	55 730,00	28 494,30
RWEYQ - T9.OU		26	49 720,00	25 421,43
RWEYQ - T9.OU		28	52 720,00	26 955,31
RWEYQ - T9.OU		30	62 637,50	32 026,05
RWEYQ - T9.OU		32	65 295,00	33 384,80
RWEYQ - T9.OU		34	68 295,00	34 918,68
RWEYQ - T9.OU		36	70 077,50	35 830,06
RWEYQ - T9.OU		38	73 077,50	37 363,93
RWEYQ - T9.OU		40	76 080,00	38 899,09
RWEYQ - T9.OU		42	79 080,00	40 432,96
Accessories				
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50	126,54	
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00	265,87	
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50	239,03	
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00	513,85	
EKPCCAB4	VRV configurator	582,50	297,83	
KRC19-26	Cool/heat selector (switch)	115,00	58,80	
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	305,00	155,94	
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31	
KJB111A	Cool/heat selector (fixing box)	57,50	29,40	
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50	607,16	
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00	646,78	

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV 4 INDOOR UNITS				
Round flow Cassette				
	FXFQ-B	20	2 235,00	1 142,74
	FXFQ-B	25	2 312,50	1 182,36
	FXFQ-B	32	2 450,00	1 252,67
	FXFQ-B	40	2 692,50	1 376,65
	FXFQ-B	50	2 837,50	1 450,79
	FXFQ-B	63	2 935,00	1 500,64
	FXFQ-B	80	3 697,50	1 890,50
	FXFQ-B	100	3 877,50	1 982,53
	FXFQ-B	125	4 067,50	2 079,68
	FXFQ-B + BYCQ140E	20	2 792,50	1 427,78
	FXFQ-B + BYCQ140E	25	2 870,00	1 467,41
	FXFQ-B + BYCQ140E	32	3 007,50	1 537,71
	FXFQ-B + BYCQ140E	40	3 250,00	1 661,70
	FXFQ-B + BYCQ140E	50	3 395,00	1 735,84
	FXFQ-B + BYCQ140E	63	3 492,50	1 785,69
	FXFQ-B + BYCQ140E	80	4 255,00	2 175,55
	FXFQ-B + BYCQ140E	100	4 435,00	2 267,58
	FXFQ-B + BYCQ140E	125	4 625,00	2 364,72
Accessories				
BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		392,50	200,68
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control		350,00	178,95
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50	182,79
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control		357,50	182,79
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black		385,00	196,85
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел		315,00	161,06
BYCQ140E	Standart Dec. panel		557,50	285,05
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)		782,50	400,09
BYCQ140EGF	Selfclean Dec. Panel		1 010,00	516,40
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)		1 232,50	630,17
BYCQ140EW	FULL WHITE Dec. Panel		627,50	320,84
BYCQ140EP	New Designer panel in white (RAL 9010)		857,50	438,43
BYCQ140EPB	New Designer panel in black (RAL 9005)		1 302,50	665,96
SB.KDDP55	Fresh air intake for max 20% fresh air		970,00	495,95
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge		285,00	145,72
KAF5511D160	Replacement long life filter FXFA/FXFQ		260,00	132,94
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB		105,00	53,69
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW		1 252,50	640,39

GTD 15

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV Ceiling mounted cassette (1-way blow)			
	FXKQ-A 20	2 020,00	1 032,81
	FXKQ-A 25	2 040,00	1 043,04
	FXKQ-A 32	2 065,00	1 055,82
	FXKQ-A 40	2 212,50	1 131,23
	FXKQ-A 50	2 272,50	1 161,91
	FXKQ-A 63	2 332,50	1 192,59
	FXKQ-A + BYK32G 20	2 720,00	1 390,71
	FXKQ-A + BYK32G 25	2 740,00	1 400,94
	FXKQ-A + BYK32G 32	2 765,00	1 413,72
	FXKQ-A + BYK63G 40	2 972,50	1 519,82
	FXKQ-A + BYK63G 50	3 032,50	1 550,49
	FXKQ-A + BYK63G 63	3 092,50	1 581,17
Accessories			
BRC4C61	Infra-red wireless remote controller	660,00	337,45
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
BYK32G	Standart Dec. Pan FXKA20-32	700,00	357,90
BYK63G	Standart Dec. Pan FXKA40-63	760,00	388,58
VRV 4-way blow ceiling suspended unit			
	FXUQ-A 71	4 670,00	2 387,73
	FXUQ-A 100	5 265,00	2 691,95
Accessories			
BRC7C58	Wireless control heat pump	545,00	278,65
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
KDBHP49B140	Sealing member of air discharge outlet	477,50	244,14
KDBTP49B140	Decoration panel for air discharge	745,00	380,91
VRV ceiling suspended unit			
	FXHQ-A 32	3 147,50	1 609,29
	FXHQ-A 63	3 470,00	1 774,18
	FXHQ-A 100	3 960,00	2 024,72
Accessories			
BRC7GA53-9	Wireless control heat pump	545,00	278,65
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
KAF501B56	Long life replacement filter FXHA/FXHQ32	387,50	198,13
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	387,50	198,13

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV wall mounted unit			
FXAQ-A	15	1 747,50	893,48
FXAQ-A	20	1 802,50	921,60
FXAQ-A	25	1 840,00	940,78
FXAQ-A	32	1 880,00	961,23
FXAQ-A	40	2 005,00	1 025,14
FXAQ-A	50	2 087,50	1 067,32
FXAQ-A	63	2 137,50	1 092,89
Accessories			
BRC7EA628	Infra-red wireless remote controller	375,00	191,73
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
K-KDU572EVE	External drain pump kit H=1000mm	785,00	401,36
VRV concealed ceiling unit (slim)			
FXDQ-A3	15	1 765,00	902,43
FXDQ-A3	20	1 817,50	929,27
FXDQ-A3	25	1 935,00	989,35
FXDQ-A3	32	2 045,00	1 045,59
FXDQ-A3	40	2 180,00	1 114,62
FXDQ-A3	50	2 315,00	1 183,64
FXDQ-A3	63	2 455,00	1 255,22
Accessories			
BAE20A62	Auto cleaning filter for FXDA15-32A	845,00	432,04
BAE20A82	Auto cleaning filter for FXDA40-50A	892,50	456,33
BAE20A102	Auto cleaning filter for FXDA63A	945,00	483,17
VRV concealed ceiling unit (large)			
FXMQ-A	200	6 805,00	3 479,34
FXMQ-A	250	6 995,00	3 576,49
VRV concealed ceiling unit (standard)			
FXSQ-A	15	2 075,00	1 060,93
FXSQ-A	20	2 177,50	1 113,34
FXSQ-A	25	2 277,50	1 164,47
FXSQ-A	32	2 302,50	1 177,25
FXSQ-A	40	2 450,00	1 252,67
FXSQ-A	50	2 560,00	1 308,91
FXSQ-A	63	2 620,00	1 339,58
FXSQ-A	80	3 305,00	1 689,82
FXSQ-A	100	3 445,00	1 761,40
FXSQ-A	125	3 505,00	1 792,08
FXSQ-A	140	3 855,00	1 971,03
Accessories			
BAFL502A250	Long life replacement filter FXMA200/250	532,50	272,26
BDD500B250	Filter chamber FXMA/FXMQ 200-250	595,00	304,22
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	900,00	460,16
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	947,50	484,45

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
VRV concealed ceiling unit (high ESP)			
	FXMQ-P7 50	2 690,00	1 375,38
	FXMQ-P7 63	2 750,00	1 406,05
	FXMQ-P7 80	3 465,00	1 771,63
	FXMQ-P7 100	3 605,00	1 843,21
	FXMQ-P7 125	3 680,00	1 881,55
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
Air discharge for FXSQ-A			
KDAP25A36A	Air discharge adaptor for round duct - for units 15-32	222,50	113,76
KDAP25A56A	Air discharge adaptor for round duct - for FXSQ40~50A	255,00	130,38
KDAP25A71A	Air discharge adaptor for round duct - for FXSQ63~80A	525,00	268,43
KDAP25A140A	Air discharge adaptor for round duct - for FXSQ100~125A	815,00	416,70
Air discharge for FXMQ-P7			
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	525,00	268,43
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	907,50	464,00
VRV floor standing unit			
	FXLQ-P 20	2 705,00	1 383,04
	FXLQ-P 25	2 792,50	1 427,78
	FXLQ-P 32	2 880,00	1 472,52
	FXLQ-P 40	2 960,00	1 513,42
	FXLQ-P 50	3 142,50	1 606,73
	FXLQ-P 63	3 332,50	1 703,88
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
EKRDP25 (rear panel)	20 + 25	232,50	118,88
EKRDP40 (rear panel)	32 + 40	282,50	144,44
EKRDP63 (rear panel)	50 + 63	332,50	170,00
VRV concealed floor standing unit			
	FXNQ-A 20	2 302,50	1 177,25
	FXNQ-A 25	2 390,00	1 221,99
	FXNQ-A 32	2 470,00	1 262,89
	FXNQ-A 40	2 545,00	1 301,24
	FXNQ-A 50	2 700,00	1 380,49
	FXNQ-A 63	2 870,00	1 467,41
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	332,50	170,00
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
VRV Hydroboxes			
	HXY080A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	5 157,50
	HXY125A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	7 192,50
	EKHBDPC2	Optional drain pan (required for cooling operation) HXY-A	320,00
EKBUHA6V3	6kW external back-up heater, 1-phase (230V) power supply	1 215,00	621,22
EKBUHA6W1	6kW external back-up heater, 3-phase (400V) power supply	1 215,00	621,22
VRV heat recovery High temperature heating only hydrobox ONLY COMBINABLE WITH REYQ-T			
	HXHD125A8	HT Hydrobox = 14 kW nominal Heating	9 380,00
	HXHD200A8	HT Hydrobox = 22,4 kW nominal Heating	14 077,50
Accessories			
EKRP1HBA - Digital I/O PCB	Digital I/O PCB	330,00	168,73
EKRP1AHT	Demand PCB - Required to be able to connect Room thermostat	280,00	143,16
EKRUAHTB	Remote user interface - Same controller as supplied with hydrobox unit can be mounted parallel or in another location.	427,50	218,58
EKRRTWA	Wired Room thermostat - Requires Demand PCB EKRP1AHT	267,50	136,77
EKRTR	Wireless Room thermostat - Requires Demand PCB EKRP1AHT	537,50	274,82
EKRTEIS	Remote sensor for Room thermostat - Requires Demand PCB EKRP1AHT	32,50	16,62
RTD-W	Modbus and advanced controp adaptor	712,50	364,30

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025												
VRV Air Handling Unit Connection Kit																
EKEACB	Pair/Multi/Mix VRV/ERQ connection (X-Control): 0~10V direct capacity control (SV = maintain capacity, >5V colder air wanted, <5V warmer air wanted) (YControl):Fixedevaporation/condensation temperature control (W-Control): 0~10V linear capacity control (0V = 0% capacity, 10V = 100% capacity)		2 082,50	1 064,77												
EKEXVA50	Expansion Valve Unit		295,00	150,83												
EKEXVA63	Expansion Valve Unit		305,00	155,94												
EKEXVA80	Expansion Valve Unit		330,00	168,73												
EKEXVA100	Expansion Valve Unit		340,00	173,84												
EKEXVA125	Expansion Valve Unit		365,00	186,62												
EKEXVA140	Expansion Valve Unit		375,00	191,73												
EKEXVA200	Expansion Valve Unit		400,00	204,52												
EKEXVA250	Expansion Valve Unit		430,00	219,86												
EKEXVA300	Expansion Valve Unit		445,00	227,52												
EKEXVA350	Expansion Valve Unit		460,00	235,19												
EKEXVA400	Expansion Valve Unit		472,50	241,59												
EKEXVA450	Expansion Valve Unit		500,00	255,65												
EKEXVA500	Expansion Valve Unit		522,50	267,15												
Detailed combination table																
Range		Outdoor Unit	Control box EKEACBVE	50	63	80	100	Expansion valve kits EKEXVA***								
								125	140	200	250	300	350	400	450	500
ERQ		ERQ100A7V1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
		ERQ125A7V1B	P	-	P	P	P	P	P	-	-	-	-	-	-	-
		ERQ140A7V1B	P	-	-	P	P	P	P	-	-	-	-	-	-	-
		ERQ125A7W1B	P	-	P	P	P	P	P	-	-	-	-	-	-	-
		ERQ200A7W1B	P	-	-	-	P	P	P	P	P	-	-	-	-	-
		ERQ250A7W1B	P	-	-	-	-	P	P	P	P	P	-	-	-	-
VRV IV & VRV IV+		H/P (RYYQ, RXYQ, RXYSQ, RXYTQ, RXYLQ, RXY5(C)Q, RWEYQ (H/P))	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
		VRV-i (RXXYQ)	P>M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
		H/R (REYQ, RWEYQ (H/R))	M ⁽²⁾	Multi ⁽³⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
VRV 5		H/P (RXYSA, RXYA)	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
		H/R REYA	M ⁽³⁾	Multi ⁽³⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
P: Pair layout - One or more outdoor units connected to an (interlaced) coil of one AHU. M: Mix or multi layout - Combination of (multiple) AHU(s) with (mix combination) or without (multi combination) VRV DX indoor(s). Only Z or Z' control possible (no interlaced coils). (1): For 65%<CR<75% please refer to the specifically required coil size (2): Only Z or Z' control possible (no interlaced coils) (3): Technically is possible to connect H/R in pair combination, but there's no benefit to do it																
Integration with 3rd party Air Handling Units																
EKEXVA Class	Allowed heat exchanger cooling capacity (kW)			Allowed heat exchanger capacity (kW)			Allowed heat exchanger volume (dm³)									
	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum		Maximum							
							General Limits	(65%<CR<75%) Only for pair and multi layout	Maximum							
50	5,0	5,6	6,2	5,6	6,3	7,0	0,95	1,09	1,65							
63	6,3	7,1	7,8	7,1	8,0	8,8	1,02	1,18	2,08							
80	7,9	9,0	9,9	8,9	10,0	11,1	1,42	1,64	2,64							
100	10,0	11,2	12,3	11,2	12,5	13,8	1,51	1,74	3,30							
125	12,4	14,0	15,4	13,9	16,0	17,3	1,98	2,29	4,12							
140	15,5	16,0	17,6	17,4	18,0	19,8	2,54	2,94	4,62							
200	17,7	22,4	24,6	19,9	25,0	27,7	3,02	3,49	6,60							
250	24,7	28,0	30,8	27,8	31,5	34,7	3,97	4,58	8,25							
NEW 300	30,9	33,5	36,9	34,8	37,5	41,5	4,53	5,25	9,9							
NEW 350	37,0	40,0	44,0	41,6	45,0	49,5	5,48	6,32	11,55							
400	44,1	45,0	49,5	49,6	50,0	55,7	6,04	6,97	13,2							
NEW 450	49,6	50,4	55,4	55,8	56,5	62,4	6,99	8,07	14,5							
500	55,5	56,0	61,6	62,5	63,0	69,3	7,55	8,72	16,5							
Cooling: Saturated evaporating temperature: +6°C, Air temperature: +27°C DB / +19°C WB Heating: Saturated evaporating temperature: +46°C, Air temperature: +20°C DB																



VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
HEAT RECLAIM VENTILATION (HRV) UNITS			
VAM - FC9	150	2 587,50	1 322,97
VAM - FC9	250	2 815,00	1 439,29
VAM - J8	350	3 272,50	1 673,20
VAM - J8	500	3 515,00	1 797,19
VAM - J8	650	4 572,50	2 337,88
VAM - J8	800	5 120,00	2 617,81
VAM - J8	1000	6 170,00	3 154,67
VAM - J8	1500	9 272,50	4 740,95
VAM - J8	2000	11 625,00	5 943,77
Filters VAM			
EKAFVJ50F6	M6-class high efficiency filter - for VAM350~500J units	397,50	203,24
EKAFVJ65F6	M6-class high efficiency filter - for VAM650 units	440,00	224,97
EKAFVJ100F6	M6-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	530,00	270,98
EKAFVJ50F7	F7-class high efficiency filter - for VAM350~500J units	432,50	221,13
EKAFVJ65F7	F7-class high efficiency filter - for VAM650 units	485,00	247,98
EKAFVJ100F7	F7-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	580,00	296,55
EKAFVJ50F8	F8-class high efficiency filter - for VAM350~500J units	485,00	247,98
EKAFVJ65F8	F8-class high efficiency filter - for VAM650 units	537,50	274,82
EKAFVJ100F8	F8-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	645,00	329,78
EKPLEN200	Plenum for VAM1500-2000J units- contains 1 plenum for half side	315,00	161,06
ELECTRICAL HEATERS GSIEKA FOR USE WITH VAM UNITS			
GSIEKA 10009	VAM150FC9	1 612,50	824,46
GSIEKA 15018	VAM250FC9	1 627,50	832,13
GSIEKA 20024	VAM350J-500J	1 637,50	837,24
GSIEKA 25030	VAM650J,800J,1000J	1 755,00	897,32
GSIEKA 35530	VAM1500J-2000J	1 775,00	907,54
VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL and humidifier			
VKM - GBM	50	6 605,00	3 377,08
VKM - GBM	80	9 020,00	4 611,85
VKM - GBM	100	10 137,50	5 183,22
Filters VKM			
KAF241H80M	Replacement filter for VKM50GBM	480,00	245,42
KAF241H100M	Replacement filter for VKM80-100GBM	680,00	347,68
Accessories			
BRC301B61	Wired remote for HRV	375,00	191,73
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
RTD-10	universal control adaptor	770,00	393,69
EKMBPP1	modbus adaptor	577,50	295,27
RTD-20	advanced VAM control CO2	920,00	470,39
BRP4A50	3rd party el. heater or humidifier control VAM-FC and heater for VAM-J	320,00	163,61
KRP2A51	Wiring adaptor for electrical appendices	645,00	329,78
BRYMA65	CO2 sensor VAM350~650	1 160,00	593,10
BRYMA100	CO2 sensor VAM800~1000	1 160,00	593,10
BRYMA200	CO2 sensor VAM1500~2000	1 160,00	593,10
KDDM24B50	Silencer for 200mm round duct VKM50	1 360,00	695,36
KDDM24B100	Silencer for 250mm round duct VKM80-100	1 360,00	695,36

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
DX Coil for air processing			
EKVDX-A	32	2 722,50	1 391,99
EKVDX-A	50	3 020,00	1 544,10
EKVDX-A	80	3 357,50	1 716,66
EKVDX-A	100	4 912,50	2 511,72
Accessories			
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	222,50	113,76
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	282,50	144,44
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	587,50	300,38
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	907,50	464,00
ALB-R/LCM(S) Compact L Pro & Smart			
<i>Premium efficiency heat recovery ventilation unit</i>			
ALB-R/LCM (Pro)	02	11 750,00	6 007,68
ALB-R/LCM (Pro)	03	13 902,50	7 108,24
ALB-R/LCM (Pro)	04	18 295,00	9 354,08
ALB-R/LCM (Pro)	05	20 410,00	10 435,47
ALB-R/LCM (Pro)	06	24 842,50	12 701,77
ALB-R/LCM (Pro)	07	26 422,50	13 509,61
ALB-R/LCS (Smart)	02	10 395,00	5 314,88
ALB-R/LCS (Smart)	03	12 575,00	6 429,50
ALB-R/LCS (Smart)	04	16 935,00	8 658,73
ALB-R/LCS (Smart)	05	19 092,50	9 761,84
ALB-R/LCS (Smart)	06	23 595,00	12 063,93
ALB-R/LCS (Smart)	07	25 212,50	12 890,95
Electrical heater for Modular L Smart			
ALD02HEFB	1,5 kW, 1ph	4 050,00	2 070,73
ALD03HEFB	3 kW, 1ph	4 260,00	2 178,10
ALD05HEFB	7,5 kW, 3ph	5 740,00	2 934,82
ALD07HEFB	15 kW, 3ph	6 712,50	3 432,05
Accessories			
ALC00822A	ROOM THERMOSTAT	270,00	138,05
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
ALC00902A	MODBUS INTERFACE	707,50	361,74
ALC00908A	BACNET INTERFACE	625,00	319,56
ALP00COA	ALB/Modular T CO2 Probe	1 182,50	604,60
ALP00HUA	ALB/Modular T %RH Probe	682,50	348,96
ALP00TEA	ALB/Modular T Temperature Probe	140,00	71,58
ALF02F9A	F9 Compact filter ALB02	160,00	81,81
ALF03F9A	F9 Compact filter ALB03	217,50	111,21
ALF05F9A	F9 Compact filter ALB04-05	287,50	147,00
ALF07F9A	F9 Compact filter ALB06-07	332,50	170,00

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025	
Compact T Pro & Smart - ATB-R/LB (S)				
Top connected heat recovery unit				
	ATB-R/LBS (Smart)	03	22 102,50	11 300,83
	ATB-R/LBS (Smart)	04	23 965,00	12 253,11
	ATB-R/LBS (Smart)	05	30 175,00	15 428,23
	ATB-R/LBS (Smart)	06	35 415,00	18 107,40
	ATB-R/LBS (Smart)	07	41 745,00	21 343,88
	ATB-R/LBM (Pro)	03	19 285,00	9 860,26
	ATB-R/LBM (Pro)	04	21 225,00	10 852,17
	ATB-R/LBM (Pro)	05	27 912,50	14 271,43
	ATB-R/LBM (Pro)	06	33 017,50	16 881,58
	ATB-R/LBM (Pro)	07	39 487,50	20 189,64
Accessories				
ALC00822A	ROOM THERMOSTAT	270,00	138,05	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85	
ALC00902A	MODBUS INTERFACE	707,50	361,74	
ALC00908A	BACNET INTERFACE	625,00	319,56	
ATF03F9A	F9 Compact filter ATB03	220,00	112,48	
ATF04F9A	F9 Compact filter ATB04	232,50	118,88	
ATF05F9A	F9 Compact filter ATB05	252,50	129,10	
ATF06F9A	F9 Compact filter ATB06	277,50	141,88	
ATF07F9A	F9 Compact filter ATB07	322,50	164,89	
ALP00COA	ALB/Modular T CO2 Probe	1 182,50	604,60	
ALP00HUA	ALB/Modular T %RH Probe	682,50	348,96	
ALP00TEA	ALB/Modular T Temperature Probe	140,00	71,58	
BIDDLE ERQ/VRV-Pair R32 / R410 FREE HANGING AIR CURTAIN				
до 230 см височина				
	CYAS100DK80FB/S	80	9 655,00	4 936,52
	CYAS150DK80FB/S	80	12 307,50	6 292,72
	CYAS200DK100FB/S	100	14 882,50	7 609,30
	CYAS250DK140FB/S	140	16 625,00	8 500,23
до 250 см. височина				
	CYAM100DK80FB/S	80	11 045,00	5 647,22
	CYAM150DK80FB/S	80	14 150,00	7 234,78
	CYAM200DK100FB/S	100	17 535,00	8 965,50
	CYAM250DK140FB/S	140	19 972,50	10 211,78
до 300 см. височина				
	CYAL100DK125FB/S	125	14 062,50	7 190,04
	CYAL150DK200FB/S	200	18 725,00	9 573,94
	CYAL200DK250FB/S	250	23 062,50	11 791,67
	CYAL250DK250FB/S	250	26 807,50	13 706,46
BIDDLE ERQ/VRV-Pair R32 / R410 CASSETTE AIR CURTAIN				
до 230 см височина				
	CYAS100DK80CB/S	80	9 595,00	4 905,85
	CYAS150DK80CB/S	80	12 192,50	6 233,93
	CYAS200DK100CB/S	100	14 762,50	7 547,95
	CYAS250DK140CB/S	140	16 507,50	8 440,15
до 250 см. височина				
	CYAM100DK80CB/S	80	11 875,00	6 071,59
	CYAM150DK80CB/S	80	14 035,00	7 175,98
	CYAM200DK100CB/S	100	17 420,00	8 906,70
	CYAM250DK140CB/S	140	19 855,00	10 151,70
до 300 см. височина				
	CYAL100DK125CB/S	125	13 920,00	7 117,18
	CYAL150DK200CB/S	200	18 645,00	9 533,04
	CYAL200DK250CB/S	250	22 920,00	11 718,81
	CYAL250DK250CB/S	250	26 662,50	13 632,32

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
BIDDLE VRV-Pair RECESSED CYV-DK-R			
до 230 см височина			
CYAS100DK80RB/S	80	9 997,50	5 111,64
CYAS150DK80RB/S	80	12 862,50	6 576,49
CYAS200DK100RB/S	100	15 937,50	8 148,71
CYAS250DK140RB/S	140	17 795,00	9 098,44
до 250 см. височина			
CYAM100DK80RB/S	80	12 230,00	6 253,10
CYAM150DK80RB/S	80	14 650,00	7 490,43
CYAM200DK100RB/S	100	18 592,50	9 506,19
CYAM250DK140RB/S	140	21 122,50	10 799,76
до 300 см. височина			
CYAL100DK125RB/S	125	14 342,50	7 333,20
CYAL150DK200RB/S	200	19 197,50	9 815,53
CYAL200DK250RB/S	250	24 057,50	12 300,40
CYAL250DK250RB/S	250	28 065,00	14 349,41
CE.B_2-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 100, 150, 200cm units	600,00	306,78
CE.B_3-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 250cm units	812,50	415,42
CE.B_2-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 100, 150, 200cm units	670,00	342,57
CE.B_3-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 250cm units	927,50	474,22
CE.B_2-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 100, 150, 200cm units	812,50	415,42
CE.B_3-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 250cm units	1 142,50	584,15

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
REFNET JOINTS 2-PIPE			
KHRQ22M20TA	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 200	210,00	107,37
KHRQ22M29T9	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 201-290	250,00	127,82
KHRQ22M64T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index 291-640	257,50	131,66
KHRA22M65T	2 PIPE REFNET JOINT - IMPERIAL, VRV 5 index 291-640	257,50	131,66
KHRQ22M75T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index >640	380,00	194,29
KHRQM22M20T	Refnet Joint	217,50	111,21
KHRQM22M29T	2 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 201-290	250,00	127,82
KHRQM22M64T	2 PIPE REFNET JOINT - METRIC, VRV 4 index 291-640	257,50	131,66
KHRAM22M65T	2 PIPE REFNET JOINT - METRIC, VRV 5 index 291-640	257,50	131,66
KHRQM22M75T	2 PIPE REFNET JOINT - METRIC, VRV 4 index >640	380,00	194,29
REFNET HEADERS 2-PIPE			
KHRQ22M29H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 290	477,50	244,14
KHRQ22M64H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index 291-640	540,00	276,10
KHRA22M65H	2 PIPE REFNET HEADER - IMPERIAL, VRV 5 index 291-640	502,50	256,92
KHRQ22M75H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index >640	660,00	337,45
KHRQM22M29H	Refnet Header	477,50	244,14
KHRQM22M64H	2 PIPE REFNET HEADER - METRIC, VRV 4 index 291-640	540,00	276,10
KHRAM22M65H	2 PIPE REFNET HEADER - METRIC, VRV 5 index 291-640	502,50	256,92
KHRQM22M75H	2 PIPE REFNET HEADER - METRIC, VRV 4 index >640	660,00	337,45
REFNET JOINTS 3-PIPE			
KHRQ23M20T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 300	280,00	143,16
KHRQ23M29T9	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 301-390	320,00	163,61
KHRQ23M64T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 391-640	432,50	221,13
KHRQ23M75T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index >640	727,50	371,96
KHRQM23M20T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index up to 300	280,00	143,16
KHRQM23M29T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 301-390	320,00	163,61
KHRQM23M64T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 391-640	432,50	221,13
KHRQM23M75T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index >640	727,50	371,96
REFNET HEADERS 3-PIPE			
KHRQ23M29H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 390	575,00	293,99
KHRQ23M64H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index 391-640	690,00	352,79
KHRQ23M75H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index >640	975,00	498,51
KHRQM23M29H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index up to 390	575,00	293,99
KHRQM23M64H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index 391-640	690,00	352,79
KHRQM23M75H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index >640	975,00	498,51
Multi-module connection kit			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	247,50	126,54
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	520,00	265,87
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	467,50	239,03
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	1 005,00	513,85
Branch Provider Boxes (VRV 4-S & VRV 4)			
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	1 187,50	607,16
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	1 265,00	646,78
Compact Single-port Branch Selector Box (VRV 4 Heat recovery)			
BS1Q 10A	15-100	1 315,00	672,35
BS1Q 16A	101-160	2 070,00	1 058,37
BS1Q 25A	161-250	2 380,00	1 216,87
Compact Multi-port Branch Selector Box (VRV 4 Heat recovery)			
BS4Q 14A	4x 15-140	4 650,00	2 377,51
BS6Q 14A	6x 15-140	6 372,50	3 258,21
BS8Q 14A	8x 15-140	8 380,00	4 284,63
BS10Q 14A	10x 15-140	10 075,00	5 151,27
BS12Q 14A	12x 15-140	11 875,00	6 071,59
BS16Q 14A	16x 15-140	15 035,00	7 687,27

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025	
Compact Multi-port Branch Selector Box (VRV 5 Heat recovery)				
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	4 650,00	2 377,51	
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	6 372,50	3 258,21	
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	8 380,00	4 284,63	
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	10 075,00	5 151,27	
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	11 875,00	6 071,59	
Optional Shut off valve Box (SV) (VRV 5 Heat pump)				
SV1A25A	Shut off valve box, 1 port, 5 indoor units, index 250	1 945,00	994,46	
SV4A14A	Shut off valve box, 4 ports, 20 indoor units, index 400	3 255,00	1 664,26	
SV6A14A	Shut off valve box, 6 ports, 30 indoor units, index 600	4 460,00	2 280,36	
SV8A14A	Shut off valve box, 8 ports, 40 indoor units, index 650	5 867,50	3 000,01	
EKBSJK	Joint kit	690,00	352,79	
K-KDU303KVE	External drain pump	927,50	474,22	
EKBSDCK	Optional duct connection for series connection	80,00	40,90	
Tightfit - fireless copper pipe connector				
<i>Standard joints (same size piping on each side)</i>				
SDGTC06_B		Tightfit 6,35mm - 100 pcs	2 522,50	1 289,73
SDGTC09_B		Tightfit 9,52mm - 90 pcs	2 745,00	1 403,50
SDGTC12_B		Tightfit 12,7mm - 70 pcs	2 792,50	1 427,78
SDGTC15_B		Tightfit 15,9mm - 50 pcs	2 677,50	1 368,98
SDGTC19_B		Tightfit 19,1mm - 45 pcs	2 665,00	1 362,59
SDGTC22_B		Tightfit 22,2mm - 30 pcs	2 075,00	1 060,93
SDGTC28_B		Tightfit 28,6mm - 24 pcs	2 012,50	1 028,97
SDGTC34_B		Tightfit 34,9mm - 20 pcs	4 202,50	2 148,70
SDGTC41_B		Tightfit 41,3mm - 16 pcs	4 742,50	2 424,80
<i>Asymmetric joints (different size piping on each side)</i>				
SDGTC0906_B		Tightfit 6,35-9,52mm - 90 pcs	3 802,50	1 944,19
SDGTC1209_B		Tightfit 9,52-12,7mm - 70 pcs	3 490,00	1 784,41
SDGTC1512_B		Tightfit 12,7-15,9mm - 60 pcs	3 132,50	1 601,62
SDGTC1915_B		Tightfit 15,9-19,1mm - 45 pcs	2 985,00	1 526,21
SDGTC2219_B		Tightfit 19,1-22,2mm - 30 pcs	2 325,00	1 188,75
SDGTC2522_B		Tightfit 22,2-25,4mm - 30 pcs	2 570,00	1 314,02
SDGTC2825_B		Tightfit 25,4-28,6mm - 24 pcs	2 250,00	1 150,41
SDGTC3428_B		Tightfit 28,6-24,9mm - 20 pcs	2 865,00	1 464,85


VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
CENTRALIZED Control Systems			
Simple Centralized Control			
KRP2A* series	KRP2A* series Wiring Adaptor for Electrical Appendices – for operation/error monitoring, on/off control and setpoint control (0-140 Ω) of entire F1/F2 line by dry contacts. An installation box or mounting plate may be necessary. KRP2A51 (0.5m cable) – for FXCQ, FXKQ, FXSQ, FXLQ, FXNQ, FXMQ, FXDQ-M9, FXAQ and BSVQ units KRP2A52 (1.3m cable) – for FXFQ, FXZQ and FXHQ KRP2A61 (2m cable) – for FXDQ-P7 units	645,00	329,78
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	357,50	182,79
Intelligent Touch Manager			
DCM601B51	ITM Main unit for advanced control of up to 64 addresses (groups/units)	11 180,00	5 716,24
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 160,00	1 104,39
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 640,00	838,52
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	357,50	182,79
DCM002A51	Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System	3 902,50	1 995,32
DCM008A51	Energy Navigator Software Option - provides advanced energy consumption analyses and provides means to limit the energy consumption of the VRV system	8 285,00	4 236,05
DCM009A51	BACnet Server Option - allows to use the ITM to monitor and/or control external devices connected using the BACnet/IP protocol.	3 595,00	1 838,09
DCM007A51	HTTP option defines interface to monitor/operate Daikin units from an external application via ITM.	2 735,00	1 398,38
Intelligent Tablet Controller with Local & Cloud connection			
DCC601A51	Centralised touch controller with cloud connection for Split, Sky Air, VRV, ventilation, air curtains and hot water (up to 32 indoors)	1 785,00	912,66
AL-CCD07-VESA-1	Optional screen for local control (wired option which can be mounted on the wall)	2 155,00	1 101,83
HOBO Daikin Cloud Plus			
DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 770,00	2 438,86
DGE602A51	Max 64 units via Daikin Cloud Plus	3 707,50	1 895,61
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	2 160,00	1 104,39
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	1 640,00	838,52
Daikin Cloud Plus Control & Monitoring		по запитване	по запитване
Daikin Cloud Plus Remote Support & Diagnostic		по запитване	по запитване
Daikin Cloud Plus Advice & Optimization		по запитване	по запитване

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
----------------------	----------	-----------------------------	------------------------------

Daikin Cloud Plus

Cloud-based remote control and monitoring solution for Daikin commercial HVAC installations.

Composition



VRV 10.2025 - REV 01		Описание		Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
		Available for Edge & Edge Lite			
		1 CONTROL & MONITORING	2 REMOTE SUPPORT & DIAGNOSTIC*	3 ADVICE & OPTIMIZATION*	
Daikin Cloud Plus Features	Remote Control, Demand Control & Scheduling	✓	✓	✓	
	Energy Monitoring	✓	✓	✓	
	Interlocking	✓	✓	✓	
	Multi-site Management	✓	✓	✓	
	Building Integration	✓	✓	✓	
	Alarm History & Email Notification	✓	✓	✓	
	Power Consumption Distribution	✓	✓	✓	
	Remote Field Settings	✓	✓	✓	
	Site History	✗	✓	✓	
	Prediction & Email Notification	✗	✓	✓	
Daikin Service	Operational Data Access	✗	✓	✓	
	Indoor and Outdoor Units Analysis	✗	✓	✓	
	Periodical Analysis & Optimisation Advice by Daikin	✗	✓	✓	
	Remote Diagnostic & Support by Daikin	✗	✗	✓	
	Combinable with Maintenance Contract: - Technical Inspection - Preventive Maintenance - Comprehensive Maintenance	Complementary	Complementary	Mandatory	

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
Building Management System (BMS) & Standard protocol interfaces				
for individual control				
EKMBPP1	Modbus adaptor – provides a communication interface to the Modbus protocol for 1 P1/P2 group of VRV or SkyAir indoor units (up to 16 indoors – control is simultaneous for entire group, monitoring is individual for every unit of the group). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	577,50	295,27	
RTD-10	Universal control adaptor – provides for external monitoring/control via 0-10kΩ resistance or 0-10VDC input signals and dry contact output signals (operation or defrost signal, error status signal), and provides a communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	770,00	393,69	
RTD-20	Advanced control adaptor for retail and office applications – provides advanced control and energy saving functionality for multiple shop floor and user control zones, control of VAM units based on CO2 sensor input, control of Air Curtains based on outdoor air conditions, intelligent control of units installed in rooms with movable walls, etc. For installation outside of the indoor unit.	920,00	470,39	
RTD-HO	Intelligent hotel room adaptor – provides intelligent unit control based on inputs from key card and window contacts and communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	770,00	393,69	
KLIC-DI	KNX Adaptor – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	557,50	285,05	
for central control				
DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	4 770,00	2 438,86	
DGE602A51	Max 64 units via Daikin Cloud Plus	3 707,50	1 895,61	
EKMBOX	Modbus interface *1 gateway for max. 64 indoor unit(s) (groups) & 10 outdoors	6 022,50	3 079,26	
DCM010A51	Daikin PMS interface - 1 interface for up to 2500 indoor units	12 075,00	6 173,85	
DAM411B51	Expansion adaptor for control of an additional 128 addresses	3 185,00	1 628,46	
DAM412B51	Proportional Power Distribution (PPD) Option	1 620,00	828,29	
DMS504B51	Main unit for LonWorks® interface for up to 64 addresses (1 F1/F2 port)	4 167,50	2 130,81	
DMS502A51	Module Bacnet Interface	15 320,00	7 832,99	
Wiring and sensors				
K.RSS	External wireless air temperature sensor – allows temperature measurement exactly in the location of room occupants without the need of running extra wiring. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	277,50	141,88	
KRCS01-	External wired air temperature sensor – allows temperature measurement exactly in the location of room occupants. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	в зависимост от модела на вътрешното тяло	в зависимост от модела на вътрешното тяло	
KRCS01-4	For FXZQ / FXCQ / FXDQ / FXSQ / FXMQ50-80 / FXHQ / FXUQ / FXNQ	172,50	88,20	
KRCS01-5B	For FXFA / FXFQ	172,50	88,20	
KRCS01-6B	For FXZA / FXDA / FXSA / FXMA / FXHA / FXUA / FXAA / FXMQ 200-250	302,50	154,67	

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
WAGO interfaces for connection to intelligent Touch Manager WAGO REQUIRED COMPONENTS			
WGDCMCLR2	REQUIRED for each Wago node. Modbus Coupler - interface between the iTM and Wago modules, obligatory when Wago interface modules should be used	1 140,00	582,87
787-712	REQUIRED for each Wago node Main Power Supply for node	420,00	214,74
750-960	REQUIRED for each Wago node PROFIBUS fieldbus connector for node	85,00	43,46
750-600	REQUIRED for each Wago node End module for node	50,00	25,56
750-613	Internal booster power supply module. Required after each 32 contacts or after every group of digital output / analogue input modules if it is followed by any digital input modules.	432,50	221,13
750-400	2-channel digital input module	80,00	40,90
750-432	4-channel digital input module	105,00	53,69
750-430	8-channel digital input module	160,00	81,81
750-513/000-001	2-channel relay output module with 230 VAC or 30 VDC output	170,00	86,92
750-504	4-channel relay output module (max. 2A, 230VAC or 30VDC load)	110,00	56,24
750-454	2-channel analog input module for 4~20 mA signal	695,00	355,35
750-455	4-channel analog input module for 4~20 mA signal	572,50	292,71
750-479	2-channel analog input module for -10~+10 VDC signal	750,00	383,47
750-459	4-channel analog input module for -10~+10 VDC signal	495,00	253,09
750-461/020-000	2-channel analog input module for 20 kOhm NTC temperature sensors	750,00	383,47
750-461	2-channel analog input module for Pt100 temperature sensors	667,50	341,29
750-460	4-channel analog input module for Pt100 temperature sensors	775,00	396,25
750-461/000-003	2-channel analog input module for Pt100 temperature sensors	667,50	341,29
750-460/000-003	4-channel analog input module for Pt100 temperature sensors	775,00	396,25
750-461/000-004	2-channel analog input module for Ni100 temperature sensors	667,50	341,29
750-461/000-005	2-channel analog input module for Ni100 temperature sensors	667,50	341,29
750-460/000-005	4-channel analog input module for Ni100 temperature sensors	775,00	396,25
750-554	2-channel analog output module: 4~20 mA	620,00	317,00
750-555	4-channel analog output module: 4~20 mA	560,00	286,32
750-560	2-channel analog output module: 0~10 VDC	552,50	282,49
750-559	4-channel analog output module: 0~10 VDC	495,00	253,09
750-638	2 channel: Up/Down Counter 24 V DC, 500 Hz (pulse input module – not for PPD1)	247,50	126,54
Adaptor accessories for VRV indoor units			
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	385,00	196,85
BRP7A51	OPTION ADAPTOR - Window contact + Key card (only in connection with BRC1H)	180,00	92,03
KRP4A*	Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-140Ω. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device	275,00	140,61
EKRP1B2	Wiring adaptor with 4 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status, Auxiliary heater signal, Humidifier signal. Connects to the indoor unit's PCB. FXCQ-A / FXDQ-M9 / FXSQ-A / FXMQ-P7	307,50	157,22
EKRP1C12	Wiring adaptor with 4 output signals - (as above) за FXFQ-A - with standard panel	162,50	83,08
KRP1B61	Wiring adaptor with 4 output signals - (as above) за FXKQ-MA / FXMQ-MB / FXLQ-P	337,50	172,56
KRP1B*	Wiring adaptor with 2 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status. Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit. Type and price depends on indoor unit type		
KRP1B54	както по-горе - за FXHQ-A	370,00	189,18
KRP1B57	както по-горе - за FXZQ-A with standard panel	297,50	152,11
KRP1B56	както по-горе - за FXDQ-A3, FXNQ-A	322,50	164,89
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	320,00	163,61
EKMTAC	Kit for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). This kit contains equipment for 10 indoor units.	50,00	25,56
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	802,50	410,31
KRC19-26	Mechanical cool/heat selector – allows to switch an entire Heat Pump system, or one BS-box of Heat Recovery system between cooling, heating and fan only. Connects to the A-B-C terminals of the outdoor unit / BS-box.	115,00	58,80
KJB111A	Fixing box for mechanical cool/heat selector	57,50	29,40
BRP2A81	A-B-C contact PCB for switching between cooling and heating from the outdoor unit	305,00	155,94
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	955,00	488,28
EKPCCAB4	VRV Configurator	582,50	297,83
EKBPH012TA	Optional bottom plate heater for VRV IV 8 ~ 12 HP outdoor units	1 147,50	586,71
EKBPH020TA	Optional bottom plate heater for VRV IV 14 ~ 20 HP outdoor units	1 197,50	612,27
KKS26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	135,00	69,02
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	162,50	83,08
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	215,00	109,93
Service Checker Type IV			
за допълнително проверете за актуални цени и наличности			

VRV 10.2025 - REV 01		Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
999176T		SERVICE CHECKER TYPE 4	По запитване	По запитване
Service Tools		задължително проверете за актуални цени и наличности		
RS-SE		Service tool for checking connection of K.RSS external wireless air temperature sensor	235,00	120,15
99S0038		Magnet for manual operation of expansion valves, 17.5 mm ID	По запитване	По запитване
999133T		Magnet for manual operation of expansion valves, 22.0 mm ID	По запитване	По запитване
999134T		Magnet for manual operation of expansion valves, 24.0 mm ID	По запитване	По запитване
999132T		Magnet for manual operation of expansion valves, 24.5 mm ID	По запитване	По запитване

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
----------------------	----------	-----------------------------	------------------------------

Options & accessories - VRV indoor		Ceiling mounted cassette units		
BLUEEVOLUTION		Round flow (800x800)	4-way (600x600)	Corner (1-way)
		FXFA-A	FXZA-A	FXKA-A
Panels	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)	Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) Auto cleaning (5) (6): BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C4WTW (white panel) (19) BYFQ60C4WIS (grey panel) (19) BYFQ60B3W1 (standard panel) (20)	20-32: BYK32G 40-63: BYK63G
	Panel spacer for reducing required installation height	KDBHCS6B140 (7)	KDBQ44B60 (Standard panel)	
	Sealing kit for 3- or 2-directional air discharge	BRYQ140B (white panels) BRYQ140B (black panels) BRYQ140C (white designer panel) BRYQ140CB (black designer panel)	BD8HQ44C60 (white & grey panel)	
	Sensor kit	BRC7FA532F (white panels) (7) (15) BRC7FA532FB (black panels) (7) (15) BRC7FB532F (white designer panel) (7) (15) BRC7FB532FB (black designer panel) (7) (15)	BRYQ60A3W (white) BRYQ60A3S (grey)	
Individual control systems	Infrared remote control (incl. receiver)		BRC7F530W (9) (10) (white panel) BRC7F530S (9) (10) (grey panel) BRC7FB530W (9) (10) (standard panel)	
	BRP069C51 - Onecta app	•	•	•
	Madoka BRCH152W (White) / BRCH152S (Silver) / BRCH152K (Black) User-friendly wired remote controller with premium design BRCE153A/B/C - Wired remote control with full-text interface and back-light BRCID52 (4) - Standard wired remote control with weekly timer	• (mandatory)	• (mandatory)	• (mandatory)
Centralized control systems	DCC601A51 - intelligent Tablet Controller	•	•	•
	DCS601C51 (12) - intelligent Touch Controller	•	•	•
	DCS302C51 (12) - Central remote controller	•	•	•
	DCS301B51 (12) (13) - Unified ON/OFF controller	•	•	•
Building Management System & Standard protocol interfaces for individual control for central control	EKMBPPI - Modbus interface for monitoring and control (check compatibility)	•	•	•
	RTD-10 - Modbus interface for infrastructure cooling	•	•	•
	RTD-20 - Modbus interface for retail	•	•	•
	RTD-HO - Modbus interface for hotel	•	•	•
	KLIC-DI_V2 - KNX Interface	•	•	•
	DCM601B51 - intelligent Touch Manager	•	•	•
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus	•	•	•
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus	•	•	•
	EKMBDXB - Modbus interface	•	•	•
	DCM010A51 - Daikin PMS interface	•	•	•
	DMSS02A51 - BACnet Interface	•	•	•
	DMSS04B51 - LonWorks Interface	•	•	•
Filters	Auto cleaning filter	see decoration panel		
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit BAEF125AWB (22) BAF55A125		
	High efficiency filter	ePM10 60% BAF552AA160 (23) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: box of 10 filter)		
	Replacement long life filter, non-woven type	KAF551ID160	KAF441C60	
Wiring and sensors	Pre-filter Filter chamber			
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-6B	KRCS01-6B
	KRSS - External wireless temperature sensor	SB.K.RSS_RFC (EKEWTSC-2 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)
	Adapter with 2 output signals (Compressor / Error, Fan output) Adapter with 4 output signals (Compressor / Error, Fan, Aux, heater, Humidifier output) Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-140Ω (for dedicated indoor) Adapter for external central monitoring/control (controls 1 entire system) Adapter for keypad and/or window contact connection (2/1/1) Adapter for multi-tenant applications (24VAC PCB power supply interface) External control adapter for outdoor unit (installation on indoor unit) Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox) Wiring kit for Remote ON/OFF or Forced OFF Relay PCB for output signal of refrigerant sensor	KRP1BAS8 (2) (7) EKRPIC12 (2) (7) KRP4AS3 (2) (7) BRP7A53 DTA11A461 KRPIH9BA (7) KRPIBC101 Standard ERP01A51 (2)	ERP02A50 (2) EKRPIC14 (2) KRP4AS3 (2) BRP7A52 BRP7A53 (2) DTA11A461 KRP1BC101 Standard ERP01A50 (2)	ERP02A50 (2) EKRPIC14 (2) KRP4AS3 (2) BRP7A51 (2) DTA11A461 KRP1BC101 / KRP4B03 Standard ERP01A50 (2)
Others	Drain pump kit	Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)			
	Fresh air intake kit (direct installation type)	KDDP55C160-1 + KDDP55D160-2 (7) (8)	KDDQ44XA60	
	Air discharge adapter for round duct			
	L-type piping kit			
	Insulation kit for high humidity			

- (1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (G) the controller BRCTE or BRCH1* is needed
(6) The BYCQ140EGF (G) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (G)
(8) Both parts of the fresh air intake are needed for each unit
(9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available
(11) Only possible in combination with BRCH1* / BRCE*
(12) When fixing box is required, use KJB2ZA, KJB3TA or KJB4TA depending on the size of the controller

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
----------------------	----------	-----------------------------	------------------------------

Concealed ceiling units (duct units)			Ceiling suspended units		Wall mounted units
Slim	Medium ESP	High ESP	1-way blow	4-way blow	
FXDA-A	FXSA-A	FXMA-A	FXHA-A	FXUA-A	FXAA-A
				KDBHP49B140 + KDBTP49B140	
				BRE49B2F	
BRC4C65	BRC4C65	BRC4C65	BRC7GA53-9	BRC7C58	BRC7EA630
•	•	•	•	•	•
• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)	• (mandatory)
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
15-32: BAE20A62 40-50: BAE20A82 63: BAE20A102					
		Replacement filters for 200-250: BAFM503A250 (65%) (21) BAFH504A250 (90%) (21)			
		200-250: BAF1502A250 (21)	32: KAF501B56 50-63: KAF501B80 71-100: KAF501B160	KAFP551K160	
		200-250: BAF1501A250 (21) 200-250: BDD500B250			
KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B	KRCS01-6B
SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)	SB.K.RSS_FDA (EKEWTSC-I + K.RSS)
ERP02A50 (2)	EKRPI14 (2)	EKRPI14 (2)	KRP1A58	EKRPI14 (2)	ERP02A50 (2)
KRP4A54-9 (2)	KRP4A52 (2)	50-125: KRP4A52 200-250: KRP4A51	KRP4A52 (2)	KRP4A53 (2)	KRP4A51 (2)
KRP2A53 (2)	KRP2A51 (2)	KRP2A51	KRP2A62		KRP2A61 (2)
BRP7A54	BRP7A51	BRP7A51	BRP7A52 (2)	BRP7A53	BRP7A51 (2)
DTA11A461	DTA11A461	DTA11A461	DTA11A461-9	DTA11A461-9	DTA11A461
DTA104A53	DTA104A61 (2)	DTA104A61 (2)	DTA104A61	DTA104A61	DTA104A51 (2) / DTA104A61 (2)
KRP1BC101	KRP1BC101	KRP1BC101	KRP1D93A/KRP4B93	KRP1B97 / KRP1C97	KRP4A93
	Standard	Standard	standard	standard	
ERP01A51 (2)	ERP01A50 (2)	ERP01A50	ERP01A51 (2)	ERP01A51 (2)	ERP01A51 (2)
Standard	Standard	200-250: BDU510B250VM	32-50-63: KDU50R63 100: KDU50R160		K-KDU572KVE
	15-32: KDA25A36A 40-50: KDA25A56A 63-80: KDA25A71A 100-125: KDA25A140A 140: -	50-80: KDAJ25K71 100-125: KDAJ25K140 200-250: -			
			32: KHFP5M35 50-63: KHFP5N63 71-100: KHFP5N160		

KDT25N32 / KDT25N50 / KDT25N63
(13) Option KFK26-1A (Noise filter) is required when installing DCS301B51
(14) Wire harness EKEWTSC is necessary
(15) The active airflow circulation function is not available for this controller.
(16) Up to 2 adaptor PCBs can be installed per installation box
(17) Only one installation box can be installed per indoor unit
(18) VRV R-32 indoor units cannot be connected to this controller
(19) The BYCQ60C4P R-32 panels can be connected to R-410A indoor units with wire harness EXRS22

(20) Wire harness EXRS23 is necessary
(21) Filter chamber needed
(22) Only possible in combination with BYCQ140E and BYCQ140EW. Cannot be combined with other filters, chambers, fresh air intake kits or air discharge outlet sealing member kit
(23) Only possible in combination with BYCQ140E/EWEB. Cannot be combined with other filters, chambers, fresh air intake kits or discharge outlet sealing member kit

VRV 10.2025 - REV 01	Описание	Цена лв. без ДДС 10.2025	Цена евро без ДДС 10.2025
----------------------	----------	-----------------------------	------------------------------

Options & accessories -

VRV indoor & hot water **R-410A** **LOOP**

			Ceiling mounted cassette units			
			Round flow (800x800)	4-way (600x600)	2-way blow	Corner (1-way blow)
			FXFQ-B	FXZQ-A	FXCQ-A	FXKQ-A
Panes	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)		Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) / BYCQ140EGF (black) / BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C2W1W (white panel) / BYFQ60C2W1S (grey panel) / BYFQ60B3W1 (standard panel)	20-40: BYBQ40H 50-63: BYBQ40H 80-125: BYBQ40H	20-32: BYK32G 40-63: BYK63G
	Panel spacer for reducing required installation height		KDBH056B140 (7)	KDBQ44B60 (Standard panel)		
	Sealing kit for 3- or 2-directional air discharge		KDBH056B140 (7)	BDBH044C60 (white & grey panel)		
	Sensor kit		BRYQ140B (black panels) / BRYQ140C (white designer panel) / BRYQ140CB (black designer panel) / BRC7FAS32F (white panels) (7/15) / BRC7FAS32FB (black panels) (7/15) / BRC7FBS32F (white designer panel) (7/15) / BRC7FBS32FB (black designer panel) (7/15)	BRYQ60A2W (white) / BRYQ60A2S (grey)		
Individual control systems	Infrared remote control including receiver			BRC7F530W (9) (10) (white panel) / BRC7F530S (9) (10) (grey panel) / BRC7F530W (9) (10) (standard panel)	BRC7C52	
	BRP069C51 - Onecta app					
	Madoka BRC1H52W (White) / BRC1H52S (Silver) / BRC1H52K (Black) User-friendly wired remote controller with premium design		•	•	•	•
	BRC1E32A-B/C - Wired remote control with full-text interface and back-light		•	•	•	•
Centralised systems	BRC1D52 (4) - Standard wired remote control with weekly timer		• (15)	•	•	•
	DC601A51 - Intelligent Tablet Controller		•	•	•	•
	DCS601C51 (12) - Intelligent Touch Controller		•	•	•	•
	DCS301C51 (12) - Central remote control		•	•	•	•
Building Management Systems & Standard protocol interfaces for individual control	DCS301B51 (12) (13) - Unified ON/OFF control		•	•	•	•
	EKM8BP1 - Modbus interface for monitoring and control		•	•	•	•
	RTD-10 - Modbus interface for infrastructure cooling		•	•	•	•
	RTD-20 - Modbus interface for retail		•	•	•	•
	RTD-HO - Modbus interface for hotel		•	•	•	•
	KLIC-DI_V2 - KNX Interface		•	•	•	•
	DCM601B51 - intelligent Touch Manager		•	•	•	•
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus		•	•	•	•
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus		•	•	•	•
	EKM8DBX - Modbus interface		•	•	•	•
	DCM401A51 - Daikin PMS interface		•	•	•	•
	DMS502A51 - BACnet Interface		•	•	•	•
	DMS504B51 - LonWorks Interface		•	•	•	•
	Auto cleaning filter		see decoration panel			
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit Replacement filter	BAF125AWB (22) BAF55A125 BAF552AA160 ePM10 60% (26) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: box of 10 filter)			
Filters	High efficiency filter					
	Replacement long life filter, non-woven type		KAF551D160	KAF441C60	20-40: KAF531C50 50-63: KAF531C80 80-125: KAF531C160	
	Pre-filter					
	Filter chamber					
Wiring	KRCS - External wired temperature sensor		KRCS01-5B	KRCS01-4	KRCS01-4	KRCS01-6B
	K.RSS - External wireless temperature sensor		K.RSS	K.RSS	•	SB, K.RSS, FDA (KEWTSC-1 + K.RSS)
	Adapter with 2 output signals (Compressor / Error, Fan output)		KRP1B58 (2/7)	KRP1B57 (2)		
	Adapter with 4 output signals (Compressor / Error, Fan, heater, Humidifier output)		KRP1C12 (2/7)	KRP1B2 (2)	EKR1B2 (2)	EKR1C14 (2)
Adapters	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-1400 (For dedicated indoor)		KRP4A53 (2/7)	KRP4A53 (2)	KRP4A51 (2)	KRP4A53 (2)
	Adapter for external central monitoring/control (controls 1 entire system)			KRP2A52	KRP2A51 (2)	KRP2A52
	Adapter for keycard and/or window contact connection (2/11)		BRP7A53	BRP7A53 (2)	BRP7A51	BRP7A51 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)		DTA11A461	DTA11A461	DTA11A461-9	DTA11A461
	External control adapter for outdoor unit (installation on indoor unit)				DTA10A461 (2)	
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)		KRP1H98A (7) KRP1B1C101	KRP1B1C101	KRP1C96 (16) (17)	KRP1B1C101 / KRP4B93
	Wiring kit for Remote ON/OFF or Forced OFF		Standard	Standard	Standard	Standard
	Relay PCB for output signal of refrigerant sensor		Standard	Standard	Standard	Standard
Others	Drain pump kit			Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)		KDDP55C160-1 + KDDP55D160-2 (7/18)	KDDQ44A60		
	Fresh air intake kit (direct installation type)					
	Air discharge adapter for round duct					
	L-type piping kit					
	Filter chamber for bottom suction				20-40: KDDFP53B50 50-63: KDDFP53B80 80-125: KDDFP53B160	
	Insulation kit for high humidity					

- (1) pump station is necessary for this option
(2) Installation box is necessary for these adapters
(3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
(4) Not recommended because of the limitation of the functions
(5) To be able to control the BYCQ140EGF (B) the controller BRC1E or BRC1H* is needed
(6) The BYCQ140EGF (B) is not compatible with Multi and Split Non-Inverter Outdoor units
(7) Option not available in combination with BYCQ140EGF (B)
(8) Both parts of the fresh air intake are needed for each unit

- (9) Cannot be combined with sensor kit
(10) Independently controllable flaps function not available
(11) Only possible in combination with BRC1H* / BRC1E*
(12) When flaps box is required, use KJ632A, KJ633A or KJ641A depending on the size of the controller
(13) Option KEK26-1A (Noise filter) is required when installing DCS301B51
(14) Wire harness KEWTSC is necessary
(15) The active airflow circulation function is not available for this controller.
(16) Up to 2 adaptor PCBs can be installed per installation box
(17) Only one installation box can be installed per indoor unit
(18) VRV R-32 indoor units cannot be connected to this controller

Concealed ceiling units (duct units)				Ceiling suspended units		Wall mounted units	Floor standing units	
Slim	Medium ESP	High ESP		1-way blow	4-way blow		Concealed	Free-standing
FXDQ-A3	FXSQ-A	FXMQ-P7	FXMQ-A	FXHQ-A	FXUQ-A	FXAQ-A	FXNQ-A	FXLQ-P
								20-25: EKRD92SA5 32-40: EKRD94DA5 50-63: EKRD96PA5
					KDBP4B8A0 + KDBT4B8A0			
BRC4C65	BRC4C65	BRC4C65	BRC4C65	BRC7GA53-9	BRC7CS8	BRC7EA629 / BRC7EA628	BRC4C65	BRC4C65
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*
15-32: BAE20A62 40-50: BAE20A82 63: BAE20A102								
			Replacement filter BAFMS03A.250 (65%) (Z) BAFH504A.250 (90%) (Z)					
			BAFLS02A250 (2l)	32- KAF50IB56 63- KAF50IB80 100- KAF50IB160	KAF55IID160			20-25: KAF36IL28 32-40: KAF36IL45 50-63: KAF36IL71
			BAFLS01A250 (2l)					
KRCS01-4 K.RSS	KRCS01-4 K.RSS	KRCS01-4 *	KRCS01-4B SB.K.RSS..FDA (EKEWSTC-1 + K.RSS)	KRCS01-4	KRCS01-4	KRCS01-1 K.RSS + EKEWTSC	KRCS01-4	KRCS01-1
KRP1BS6	EKRPIB2 (2)	KRPIIC64 (2)	KRPIIC65	KRP1BS4 (2)			KRP1BS6	KRP1BI61
KRP4AS4-9 (2)	KRP4AS2 (2)	KRP4AS1 (2)	KRP4AS1	KRP4AS2 (2)	KRP4AS3 (2)	KRP4AS1 (2)	KRP4AS4-9	KRP4AS1
KRP2AS3 (2) BRP7AS4 DTAI14A61	KRP2AS1 (2) BRP7AS1 DTAI14A61 (2)	KRP2AS1 (2) BRP7AS1 DTAI14A61 (2)	KRP2AS1 BRP7AS1 DTAI14A61	KRP2A62 (2) BRP7AS2 DTAI14A61-9	KRP2A53 BRP7AS3 DTAI14A61-9	KRP2AS1 (2/ KRP2A61(2) BRP7AS1 (2) DTAI14A61	KRP2AS3 BRP7AS4 DTAI14A61	KRP2AS1 BRP7AS1 EKMTAC
DTAI04AS3	DTAI04A61	DTAI04A61 (2)	DTAI04A61	DTAI04A62-9	DTAI04A61	DTAI04AS1 / DTAI04A61	DTAI04AS3	DTAI04A61
KRP1BC101	KRP1BC101	KRP4A96	Standard	KRP1D93A (19) EKRORO4	KRP1B97 EKRORO5	KRP4AA93 (16)(17) Standard	KRP1BC101	Standard
Standard	Standard	Standard	BDUS10B250VM	32- KDUOSR63 63-100: KDUOSR160		K-KDU572KVE		
*	*							
	15-32: KDAP2SA36A 40-50: KDAP2SA56A 63-80: KDAP2SA71A 100-125: KDAP2SAH04 140:-	50-80: KDAJ2SK71 100-125: KDAJ2SKH0						
KDT2SN32 / KDT2SN50 / KDT2SN63				32- KHFP5N63 63-100: KHFP5N160				
Hot water							HXY080-125A8	HXHD125-200A8
Drain pan							EKHBDPCA2	-
Digital I/O PCB							EKRPIHBAA	EKRPIHBAA
Demand PCB - Required to connect room thermostat							EKRPIAHTA	EKRPIAHTA
Remote user interface (remocon) - Same controller as supplied with cascade unit can be mounted parallel or on other location. If 2 controllers are installed, the installer needs to select 1 master & 1 slave							EKRUAHTB	EKRUAHTB
Back-up heater							EKBUIHA6E(W/V3)	
Wired room thermostat							EKRITWA (23)	EKRITWA (23)
Wireless room thermostat							EKRTR1 (23)	EKRTR1 (23)
Remote sensor for room thermostat							EKRTE1TS (24)	EKRTE1TS (24)
Stainless domestic hot water tank - 200l							-	EKHTS200AC (25)
Stainless domestic hot water tank - 260l							-	EKHTS260AC (25)
PP domestic hot water tank - 300l							-	EKWHP300B
PP domestic hot water tank - 500l							-	EKWHP500B
Solar collector							-	EKSVP6P (vertical)
Pump station							-	EKSPP5
(1) The BYQC60C4* R-32 panels can be connected to R-410A indoor units with wire harness EKRS22								
(2) Wire harness EKRS23 is necessary								
(3) Filter chamber needed								
(2) Only possible in combination with BYQC40E and BYQC40EW. Cannot be combined with other filters, chambers, fresh air intake kits or air discharge outlet sealing member kit								
(3) Requires demand PCB								
(2) Can only be used in combination with wireless room thermostat								
(5) If tank is NOT mounted on top of the HXH-D unit, then option EKFMHTB is needed to install tank as stand alone								
(6) Only possible in combination with BYQC40E/EWEB. Cannot be combined with other filters, chambers, fresh air intake kits or discharge outlet sealing member kit								