

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV 5 Outdoor Units				
VRV 5 Heat Pump				
	RXYA-A	8	10 882,50	21 284,32
	RXYA-A	10	11 890,00	23 254,82
	RXYA-A	12	14 235,00	27 841,24
	RXYA-A	14	16 645,00	32 554,79
	RXYA-A	16	19 040,00	37 239,00
	RXYA-A	18	22 695,00	44 387,56
	RXYA-A	20	24 937,50	48 773,51
Каталожни комбинации (включва BHFQ22P1007)				
RXYA-A (RYMA5A + RYMA5A)	10	19 717,50	38 564,08	
RXYA-A (RYMA5A + RXYA8A)	13	20 847,50	40 774,17	
RXYA-A (RXYA8A+RXYA8A)	16	21 980,00	42 989,14	
RXYA-A (8+10)	18	22 987,50	44 959,64	
RXYA-A (8+12)	20	25 332,50	49 546,06	
<i>RYMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.</i>				
<i>Общият капацитет на системата не може да надвишава 20HP.</i>				
Accessories				
BHFA22P1007	Multi-module connection kit for 2 module systems (2 Pipe systems)	150,00	293,37	
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	605,00	1 183,28	
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	630,00	1 232,17	
KRC19-26	Cool/heat selector (switch)	60,00	117,35	
EKBRP2A81	Cool/heat selector PCB (required to connect KRC19-26)	157,50	308,04	
KJB111A	Cool/heat selector (fixing box)	30,00	58,67	
DTA104A61	Demand adaptor kit (RXYA14, 16, 18, 20 require EKS826B2)	422,50	826,34	
EKS826B2	Demand PCB mounting plate	82,50	161,36	
SV1A25A	Shut off valve box, 1 port, 5 indoor units, index 250	1 025,00	2 004,73	
SV4A14A	Shut off valve box, 4 ports, 20 indoor units, index 400	1 715,00	3 354,25	
SV6A14A	Shut off valve box, 6 ports, 30 indoor units, index 600	2 347,50	4 591,31	
SV8A14A	Shut off valve box, 8 ports, 40 indoor units, index 650	3 087,50	6 038,63	
EKBSJK	Joint kit	362,50	708,99	
K-KDU303KVE	External drain pump	487,50	953,47	
EKBSDCK	Optional duct connection for series connection	42,50	83,12	
VRV 5 Heat Recovery				
	REYA-A9	8	13 860,00	27 107,80
	REYA-A9	10	14 300,00	27 968,37
	REYA-A9	12	17 122,50	33 488,70
	REYA-A9	14	20 507,50	40 109,18
	REYA-A9	16	23 400,00	45 766,42
	REYA-A9	18	26 895,00	52 602,05
	REYA-A9	20	29 560,00	57 814,33
Каталожни комбинации (включва BHFQ23P907A)				
REYA-A (REMA5A + REMA5A)	10	19 845,00	38 813,45	
REYA-A (REMA5A + REYA8A)	13	23 955,00	46 851,91	
REYA-A (8+8)	16	28 062,50	54 885,48	
REYA-A (8+10)	18	28 502,50	55 746,04	
REYA-A (8+12)	20	31 325,00	61 266,37	
REYA-A (10+12)	22	31 422,50	61 457,07	
REYA-A (8+16)	24	37 602,50	73 544,10	
REYA-A (12+14)	26	37 970,00	74 262,87	
REYA-A (12+16)	28	40 862,50	79 920,10	
<i>REMA5A не може да се използва самостоятелно. Не е позволена комбинация на повече от два външни агрегата.</i>				

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Accessories				
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	247,50	484,07	
EKBPH012T	Bottom plate heater 5/8-12HP Units	605,00	1 183,28	
EKBPH020T	Bottom plate heater 14-20HP Units	630,00	1 232,17	
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	2 447,50	4 786,89	
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	3 355,00	6 561,81	
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	4 410,00	8 625,21	
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	5 302,50	10 370,79	
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	6 250,00	12 223,94	
EKBSJK	Joint kit	362,50	708,99	
EKBSDCK	Optional duct connection for series connection	42,50	83,12	
K-KDU303KVE	External drain pump	487,50	953,47	
VRV 5 S-Series				
RXYSА-AV1		4	5 520,00	10 796,18
RXYSА-AV1		5	6 125,00	11 979,46
RXYSА-AV1		6	6 830,00	13 358,32
RXYSА-AY1		4	5 520,00	10 796,18
RXYSА-AY1		5	6 125,00	11 979,46
RXYSА-AY1		6	6 830,00	13 358,32
RXYSА-A		8	6 862,50	13 421,88
RXYSА-A		10	7 610,00	14 883,87
RXYSА-A		12	9 202,50	17 998,53
Accessories				
KHRQM22M29H		Refnet Header	252,50	493,85
KHRQM22M20T		Refnet Joint	115,00	224,92
EKBPH250D	Bottom plate heater	240,00	469,40	
KRC19-26	Cool/heat selector (switch)	60,00	117,35	
KJB111A	Cool/heat selector (fixing box)	30,00	58,67	
EKPCCAB4	VRV configurator	307,50	601,42	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV 5 Indoor Units				
Round flow cassette				
	FXFA-A	20	1 275,00	2 493,68
	FXFA-A	25	1 317,50	2 576,81
	FXFA-A	32	1 397,50	2 733,27
	FXFA-A	40	1 535,00	3 002,20
	FXFA-A	50	1 615,00	3 158,67
	FXFA-A	63	1 672,50	3 271,13
	FXFA-A	80	2 110,00	4 126,80
	FXFA-A	100	2 212,50	4 327,27
	FXFA-A	125	2 320,00	4 537,53
	FXFA-A + BYCQ140E	20	1 567,50	3 065,76
FXFA-A + BYCQ140E	25	1 610,00	3 148,89	
FXFA-A + BYCQ140E	32	1 690,00	3 305,35	
FXFA-A + BYCQ140E	40	1 827,50	3 574,28	
FXFA-A + BYCQ140E	50	1 907,50	3 730,75	
FXFA-A + BYCQ140E	63	1 965,00	3 843,21	
FXFA-A + BYCQ140E	80	2 402,50	4 698,88	
FXFA-A + BYCQ140E	100	2 505,00	4 899,35	
FXFA-A + BYCQ140E	125	2 612,50	5 109,61	
Accessories				
BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	207,50	405,83	
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	185,00	361,83	
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	187,50	366,72	
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	187,50	366,72	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел	165,00	322,71	
BYCQ140E	Standart Dec. panel	292,50	572,08	
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)	410,00	801,89	
BYCQ140EGF	Selfclean Dec. Panel	530,00	1 036,59	
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)	647,50	1 266,40	
BYCQ140EW	FULL WHITE Dec. Panel	330,00	645,42	
BYCQ140EP	New Designer panel in white (RAL 9010)	450,00	880,12	
BYCQ140EPB	New Designer panel in black (RAL 9005)	685,00	1 339,74	
SB.KDDP55	Fresh air intake for max 20% fresh air	510,00	997,47	
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge	150,00	293,37	
KAF5511D160	Replacement long life filter FXFA/FXFQ	137,50	268,93	
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
ERP01A51	Relay PCB (requires installation box)	100,00	195,58	
KRP1B101	Installation box for adaptor PCB	25,00	48,90	
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB	55,00	107,57	
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW	657,50	1 285,96	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Fully flat cassette				
	FXZA-A	15	1 277,50	2 498,57
	FXZA-A	20	1 310,00	2 562,14
	FXZA-A	25	1 330,00	2 601,25
	FXZA-A	32	1 415,00	2 767,50
	FXZA-A	40	1 565,00	3 060,87
	FXZA-A	50	1 592,50	3 114,66
FXZA-A + BYFQ60C4W	15	1 530,00	2 992,42	
FXZA-A + BYFQ60C4W	20	1 562,50	3 055,98	
FXZA-A + BYFQ60C4W	25	1 582,50	3 095,10	
FXZA-A + BYFQ60C4W	32	1 667,50	3 261,35	
FXZA-A + BYFQ60C4W	40	1 817,50	3 554,72	
FXZA-A + BYFQ60C4W	50	1 845,00	3 608,51	
Accessories				
BRC7F530W/S	Infra-red wireless remote controller for BYFQ60CW/S	185,00	361,83	
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	245,00	479,18	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRYQ60A3W	Presence & Floor sensors for BYFQ60C4W	142,50	278,71	
BRYQ60A3S	Presence & Floor sensors for BYFQ60C4S	147,50	288,48	
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
ERP01A50	Relay PCB (requires installation box KRP1BC101)	92,50	180,91	
KRP1BC101	Installation box for adaptor PCB	25,00	48,90	
BYFQ60C4W	White decoration panel	252,50	493,85	
BYFQ60C4S	Silver-white decoration panel	367,50	718,77	
EKRS23	Conversion wire harness for standard panel	17,50	34,23	
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	115,00	224,92	
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	520,00	1 017,03	
KDDQ44XA60	Fresh air intake - flange duct	172,50	337,38	
Concealed floor standing unit				
	FXNA-A	20	1 222,50	2 391,00
	FXNA-A	25	1 267,50	2 479,01
	FXNA-A	32	1 312,50	2 567,03
	FXNA-A	40	1 355,00	2 650,15
	FXNA-A	50	1 435,00	2 806,62
	FXNA-A	63	1 525,00	2 982,64
Accessories				
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
ERP01A51	Relay PCB (requires installation box)	100,00	195,58	
Wall mounted unit				
	FXAA-A	15	995,00	1 946,05
	FXAA-A	20	1 030,00	2 014,50
	FXAA-A	25	1 050,00	2 053,62
	FXAA-A	32	1 072,50	2 097,63
	FXAA-A	40	1 145,00	2 239,43
	FXAA-A	50	1 190,00	2 327,44
	FXAA-A	63	1 220,00	2 386,11
Accessories				
BRC7EA630	Infra red wireless remote controller	200,00	391,17	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
ERP01A51	Relay PCB (requires installation box)	100,00	195,58	
KRP4A93	Installation box for adaptor PCB	145,00	283,60	
K-KDU572KVE	Drain pump kit	577,50	1 129,49	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
Slim concealed ceiling unit			
FXDA-A	10	915,00	1 789,58
FXDA-A	15	1 005,00	1 965,61
FXDA-A	20	1 037,50	2 029,17
FXDA-A	25	1 102,50	2 156,30
FXDA-A	32	1 167,50	2 283,43
FXDA-A	40	1 240,00	2 425,23
FXDA-A	50	1 320,00	2 581,70
FXDA-A	63	1 400,00	2 738,16
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
BAE20A62	Auto cleaning filter for FXDA15-32A	445,00	870,34
BAE20A82	Auto cleaning filter for FXDA40-50A	470,00	919,24
BAE20A102	Auto cleaning filter for FXDA63A	497,50	973,03
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02
ERP01A51	Relay PCB (requires installation box)	100,00	195,58
KRP1BC101	Installation box for adaptor PCB	25,00	48,90
Concealed ceiling unit			
FXSA-A	15	1 180,00	2 307,88
FXSA-A	20	1 240,00	2 425,23
FXSA-A	25	1 300,00	2 542,58
FXSA-A	32	1 312,50	2 567,03
FXSA-A	40	1 395,00	2 728,38
FXSA-A	50	1 460,00	2 855,51
FXSA-A	63	1 490,00	2 914,19
FXSA-A	80	1 885,00	3 686,74
FXSA-A	100	1 960,00	3 833,43
FXSA-A	125	1 995,00	3 901,88
FXSA-A	140	2 195,00	4 293,05
Accessories			
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
BRP069CS1	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02
ERP01A51	Relay PCB (requires installation box)	100,00	195,58
KRP1BC101	Installation box for adaptor PCB	25,00	48,90
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	117,50	229,81
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	150,00	293,37
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	307,50	601,42
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	477,50	933,91

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Concealed ceiling unit (High ESP)				
	FXMA-A	50	1 560,00	3 051,09
	FXMA-A	63	1 597,50	3 124,44
	FXMA-A	80	2 015,00	3 941,00
	FXMA-A	100	2 095,00	4 097,46
	FXMA-A	125	2 137,50	4 180,59
	FXMA-A	200	3 445,00	6 737,83
	FXMA-A	250	3 540,00	6 923,64
Accessories				
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
ERP01A50	Relay PCB (requires installation box KRP1BC101)	92,50	180,91	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	277,50	542,74	
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	477,50	933,91	
BAFL502A250	Long life replacement filter FXMA200/250	280,00	547,63	
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	475,00	929,02	
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	500,00	977,92	
BDD500B250	Filter chamber FXMA/FXMQ 200-250	312,50	611,20	
BDU510B250VM	Optional drain pump FXMA/FXMQ 200-250	877,50	1 716,24	
Ceiling suspended unit				
	FXHA-A	32	1 830,00	3 579,17
	FXHA-A	50	1 927,50	3 769,86
	FXHA-A	63	2 017,50	3 945,89
	FXHA-A	100	2 302,50	4 503,30
Accessories				
BRC7GA53-9	Wireless control heat pump	287,50	562,30	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
ERP01A51	Relay PCB (requires installation box)	100,00	195,58	
KRP4B93	Installation box for relay PCB	130,00	254,26	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
KAF501B56	Long life replacement filter FXHA/FXHQ32	205,00	400,95	
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	205,00	400,95	
KAF501B160	Long life replacement filter FXHA100	267,50	523,18	
KDU50R63	Drain pump	1 050,00	2 053,62	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
4-way blow ceiling suspended unit				
	FXUA-A	50	2 507,50	4 904,24
	FXUA-A	71	2 715,00	5 310,08
	FXUA-A	100	3 062,50	5 989,73
Accessories				
BRC7C58	Wireless control heat pump	287,50	562,30	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
ERP01A51	Relay PCB (requires installation box)	100,00	195,58	
KRP1BA97	0			
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	
KDBHP49B140	Sealing member of air discharge outlet	250,00	488,96	
KDBTP49B140	Decoration panel for air discharge	392,50	767,66	
BRE49B2F	Sensor kit	132,50	259,15	
4-way blow ceiling suspended unit (не включва дек. панел)				
	FXKA-A	20	1 175,00	2 298,10
	FXKA-A	25	1 187,50	2 322,55
	FXKA-A	32	1 200,00	2 347,00
	FXKA-A	40	1 285,00	2 513,24
	FXKA-A	50	1 320,00	2 581,70
	FXKA-A	63	1 355,00	2 650,15
Accessories				
BYK32G	Standart Dec. Pan FXKA20-32	367,50	718,77	
BYK63G	Standart Dec. Pan FXKA40-63	400,00	782,33	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	170,00	332,49	
KRP4B93	Installation box for relay PCB	130,00	254,26	
BRP069C51	Wi-Fi adaptor for smartphones (only in combo with wired- BRC1H52, BRC7F)	67,50	132,02	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV 4 Outdoor Units				
VRV IV+ Inverter HP with continuous heating				
	RYYQ-U	8	11 872,50	23 220,59
	RYYQ-U	10	12 967,50	25 362,23
	RYYQ-U	12	15 525,00	30 364,26
	RYYQ-U	14	18 135,00	35 468,98
	RYYQ-U	16	20 742,50	40 568,80
	RYYQ-U	18	24 747,50	48 401,90
	RYYQ-U	20	27 195,00	53 188,80
VRV IV Inverter HP with cont. heating (MULTI-module combinations)				
RVMQ-U	8	11 302,50	22 105,77	
RVMQ-U	10	12 355,00	24 164,28	
RVMQ-U	12	14 792,50	28 931,62	
RVMQ-U	14	17 290,00	33 816,30	
RVMQ-U	16	19 780,00	38 686,32	
RVMQ-U	18	23 590,00	46 138,03	
RVMQ-U	20	25 930,00	50 714,67	
Каталожни комбинации (включва BHFQ-)				
RVMQ-U (10 + 12)	22	27 277,50	53 350,15	
RVMQ-U (8 + 16)	24	31 212,50	61 046,34	
RVMQ-U (12 + 14)	26	32 212,50	63 002,17	
RVMQ-U (12 + 16)	28	34 702,50	67 872,19	
RVMQ-U (12+ 18)	30	38 512,50	75 323,90	
RVMQ-U (16 + 16)	32	39 690,00	77 626,89	
RVMQ-U (16 + 18)	34	43 500,00	85 078,61	
RVMQ-U (16 + 20)	36	45 840,00	89 655,25	
RVMQ-U (8 + 10 + 20)	38	49 862,50	97 522,57	
RVMQ-U (10 + 12 + 18)	40	51 012,50	99 771,78	
RVMQ-U (10 + 16 + 16)	42	52 190,00	102 074,77	
RVMQ-U (12 + 16 + 16)	44	54 627,50	106 842,10	
RVMQ-U (14 + 16 + 16)	46	57 125,00	111 726,79	
RVMQ-U (16 + 16 + 16)	48	59 615,00	116 596,81	
RVMQ-U (16 + 16 + 18)	50	63 425,00	124 048,52	
RVMQ-U (16 + 18 + 18)	52	67 235,00	131 500,23	
RVMQ-U (18 + 18 + 18)	54	71 045,00	138 951,94	
Свободни комбинации (включва BHFQ-)				
RVMQ-U (10 + 10)	20	24 840,00	48 582,82	
RVMQ-U (10 + 12)	22	27 277,50	53 350,15	
RVMQ-U (12 + 12)	24	29 715,00	58 117,49	
RVMQ-U (12 + 14)	26	32 212,50	63 002,17	
RVMQ-U (14 + 14)	28	34 710,00	67 886,86	
RVMQ-U (16 + 14)	30	37 200,00	72 756,88	
RVMQ-U (16 + 16)	32	39 690,00	77 626,89	
RVMQ-U (10 + 12 + 12)	34	42 215,00	82 565,36	
RVMQ-U (12 + 12 + 12)	36	44 652,50	87 332,70	
RVMQ-U (10 + 14 + 14)	38	47 210,00	92 334,73	
RVMQ-U (12 + 14 + 14)	40	49 647,50	97 102,07	
RVMQ-U (14 + 14 + 14)	42	52 145,00	101 986,76	
RVMQ-U (14 + 14 + 16)	44	54 635,00	106 856,77	
RVMQ-U (14 + 16 + 16)	46	57 125,00	111 726,79	
RVMQ-U (16 + 16 + 16)	48	59 615,00	116 596,81	
RVMQ-U (16 + 16 + 18)	50	63 425,00	124 048,52	
RVMQ-U (16 + 18 + 18)	52	67 235,00	131 500,23	
RVMQ-U (18 + 18 + 18)	54	71 045,00	138 951,94	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
VRV IV+ Inverter HP without continuous heating			
RXYQ-U	8	10 770,00	21 064,29
RXYQ-U	10	11 770,00	23 020,12
RXYQ-U	12	14 090,00	27 557,64
RXYQ-U	14	16 475,00	32 222,30
RXYQ-U	16	18 850,00	36 867,40
RXYQ-U	18	22 475,00	43 957,28
RXYQ-U	20	24 700,00	48 309,00
Каталожни комбинации (включва BHFQ-)			
RXYQ-U (10 + 12)	22	25 990,00	50 832,02
RXYQ-U (8 + 16)	24	29 750,00	58 185,94
RXYQ-U (12 + 14)	26	30 695,00	60 034,20
RXYQ-U (12 + 16)	28	33 070,00	64 679,30
RXYQ-U (12 + 18)	30	36 695,00	71 769,18
RXYQ-U (16 + 16)	32	37 830,00	73 989,05
RXYQ-U (16 + 18)	34	41 455,00	81 078,93
RXYQ-U (16 + 20)	36	43 680,00	85 430,65
RXYQ-U (8 + 10 + 20)	38	47 515,00	92 931,26
RXYQ-U (10 + 12 + 18)	40	48 610,00	95 072,90
RXYQ-U (10 + 16 + 16)	42	49 745,00	97 292,76
RXYQ-U (12 + 16 + 16)	44	52 065,00	101 830,29
RXYQ-U (14 + 16 + 16)	46	54 450,00	106 494,94
RXYQ-U (16 + 16 + 16)	48	56 825,00	111 140,04
RXYQ-U (16 + 16 + 18)	50	60 450,00	118 229,92
RXYQ-U (16 + 18 + 18)	52	64 075,00	125 319,81
RXYQ-U (18 + 18 + 18)	54	67 700,00	132 409,69
Свободни комбинации (включва BHFQ-)			
RXYQ-U (10 + 10)	20	23 670,00	46 294,50
RXYQ-U (10 + 12)	22	25 990,00	50 832,02
RXYQ-U (12 + 12)	24	28 310,00	55 369,55
RXYQ-U (12 + 14)	26	30 695,00	60 034,20
RXYQ-U (14 + 14)	28	33 080,00	64 698,86
RXYQ-U (16 + 14)	30	35 455,00	69 343,95
RXYQ-U (16 + 16)	32	37 830,00	73 989,05
RXYQ-U (10 + 12 + 12)	34	40 225,00	78 673,26
RXYQ-U (12 + 12 + 12)	36	42 545,00	83 210,79
RXYQ-U (10 + 14 + 14)	38	44 995,00	88 002,57
RXYQ-U (12 + 14 + 14)	40	47 315,00	92 540,10
RXYQ-U (14 + 14 + 14)	42	49 700,00	97 204,75
RXYQ-U (14 + 14 + 16)	44	52 075,00	101 849,85
RXYQ-U (14 + 16 + 16)	46	54 450,00	106 494,94
RXYQ-U (16 + 16 + 16)	48	56 825,00	111 140,04
RXYQ-U (16 + 16 + 18)	50	60 450,00	118 229,92
RXYQ-U (16 + 18 + 18)	52	64 075,00	125 319,81
RXYQ-U (18 + 18 + 18)	54	67 700,00	132 409,69
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	130,00	254,26
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	275,00	537,85
EKPCAB4	VRV configurator	307,50	601,42
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	605,00	1 183,28
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	630,00	1 232,17
KRC19-26	Cool/heat selector (switch)	60,00	117,35
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	85,00	166,25
KKS26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	70,00	136,91
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	625,00	1 222,39
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	665,00	1 300,63

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
VRV IV+ Inverter HP OPTIMIZED FOR HEATING			
RXYLQ-T	10	13 642,50	26 682,41
RXYLQ-T	12	16 330,00	31 938,70
RXYLQ-T	14	19 015,00	37 190,11
VRV IV Inverter HP optimized for heating (MULTI)			
RXMLQ-T	8	11 325,00	22 149,77
Каталожни комбинации (включва BHFQ-)			
RXYLQ-T (8+8)	16	22 780,00	44 553,81
RXYLQ-T (10+8)	18	25 097,50	49 086,44
RXYLQ-T (10+10)	20	27 415,00	53 619,08
RXYLQ-T (10+12)	22	30 102,50	58 875,37
RXYLQ-T (12+12)	24	32 790,00	64 131,67
RXYLQ-T (12+14)	26	35 475,00	69 383,07
RXYLQ-T (14+14)	28	38 160,00	74 634,47
RXYLQ-T (10+10+10)	30	41 202,50	80 585,09
RXYLQ-T (10+10+12)	32	43 890,00	85 841,38
RXYLQ-T (10+12+12)	34	46 577,50	91 097,67
RXYLQ-T (12+12+12)	36	49 265,00	96 353,96
RXYLQ-T (12+12+14)	38	51 950,00	101 605,37
RXYLQ-T (12+14+14)	40	54 635,00	106 856,77
RXYLQ-T (14+14+14)	42	57 320,00	112 108,18
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	130,00	254,26
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	275,00	537,85
EKPCCAB4	VRV configurator	307,50	601,42
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
KRC19-26	Cool/heat selector (switch)	60,00	117,35
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	625,00	1 222,39
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	665,00	1 300,63
MINI VRV IV - S Series Compact			
RXYSCQ-TV1		4	5 237,50
RXYSCQ-TV1		5	5 812,50
RXYSCQ-TV1		6	6 387,50
MINI VRV IV - S Series			
RXYSQ-TV1		4	5 247,50
RXYSQ-TV1		5	5 820,00
RXYSQ-TV1		6	6 490,00
RXYSQ-TY1		4	5 247,50
RXYSQ-TY1		5	5 820,00
RXYSQ-TY1		6	6 490,00
RXYSQ-TY1		8	6 737,50
RXYSQ-TY1		10	7 905,00
RXYSQ-TY1		12	9 565,00
Accessories			
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	112,50	220,03
KRC19-26	Cool/heat selector (switch)	60,00	117,35
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
EKCHSC	Cool/heat selector cable (required to connect KRC19-26) for RXYSQ4-6TY9	27,50	53,79
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	625,00	1 222,39
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	665,00	1 300,63

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
VRV IV - HEAT PUMP FOR INDOOR INSTALLATION			
SB.RKXYQ5T	5	10 245,00	20 037,48
RKXYQ5T	compressor unit	4 407,50	8 620,32
RDXYQ5T	heat exchanger unit	5 835,00	11 412,27
EKDPH1RDX	Drain pan heater	117,50	229,81
SB.RKXYQ8T	8	11 220,00	21 944,41
RKXYQ8T	compressor unit	6 385,00	12 487,97
RDXYQ8T	heat exchanger unit	4 835,00	9 456,44
EKDPH1RDX	Drain pan heater	117,50	229,81
Accessories			
EKPCCAB4	VRV configurator	307,50	601,42
KRC19-26	Cool/heat selector (switch)	60,00	117,35
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
EKDPH1RDX	Drain pan heater	117,50	229,81
VRV IV+ Heat Recovery SF			
REYQ-U	8	13 742,50	26 877,99
REYQ-U	10	14 177,50	27 728,78
REYQ-U	12	16 972,50	33 195,32
REYQ-U	14	20 327,50	39 757,13
REYQ-U	16	23 192,50	45 360,59
REYQ-U	18	26 637,50	52 098,42
REYQ-U	20	29 277,50	57 261,81
Каталожни комбинации (включва BHFQ-)			
M-REYQ-U.OU (5+5)	10	19 697,50	38 524,96
M-REYQ-T.OU (5+8)	13	23 767,50	46 485,19
M-REYQ-U.OU (8+8)	16	27 732,50	54 240,06
M-REYQ-U.OU (8+10)	18	28 167,50	55 090,84
M-REYQ-U.OU (8+12)	20	30 962,50	60 557,39
REYQ-U.OU (10+12)	22	31 397,50	61 408,17
REYQ-U.OU (8+16)	24	37 182,50	72 722,65
REYQ-U.OU (12+14)	26	37 547,50	73 436,53
REYQ-U.OU (12+16)	28	40 412,50	79 039,98
REYQ-U.OU (12+18)	30	43 857,50	85 777,81
REYQ-U.OU (16+16)	32	46 632,50	91 205,24
REYQ-U.OU (16+18)	34	50 077,50	97 943,08
REYQ-U.OU (16+20)	36	52 717,50	103 106,47
REYQ-U.OU (8+12+18)	38	57 882,50	113 208,33
REYQ-U.OU (10+12+18)	40	58 317,50	114 059,12
REYQ-U.OU (10+16+16)	42	61 092,50	119 486,54
REYQ-U.OU (12+16+16)	44	63 887,50	124 953,09
REYQ-U.OU (14+16+16)	46	67 242,50	131 514,90
REYQ-U.OU (16+16+16)	48	70 107,50	137 118,35
REYQ-U.OU (16+16+18)	50	73 552,50	143 856,19
REYQ-U.OU (16+18+18)	52	76 997,50	150 594,02
REYQ-U.OU (18+18+18)	54	80 442,50	157 331,85
Accessories			
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	247,50	484,07
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	530,00	1 036,59
EKPCCAB4	VRV configurator	307,50	601,42
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
EKBPH012TA	Optional bottom-plate heater tape kit PCB 8-12 HP Units	605,00	1 183,28
EKBPH020TA	Optional bottom-plate heater tape kit PCB 14-20 HP Units	630,00	1 232,17
EKBSVQLNP	Sound reduction kit (sound insulation)	155,00	303,15
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	170,00	332,49
KDDN26A4	Sound reduction kit for BS4Q14AV1	1 410,00	2 757,72
KDDN26A8	Sound reduction kit for BS6Q14AV1 and BS8Q14AV1	1 667,50	3 261,35
KDDN26A12	Sound reduction kit for BS10Q14AV1 and BS12Q14AV1	2 245,00	4 390,84
KDDN26A16	Sound reduction kit for BS16Q14AV1	2 550,00	4 987,37
KHFP26A100C	Closed pipe kit	75,00	146,69

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
REPLACEMENT VRV IV+ Q-Series			
	HP		
RXYQQ-U	8	13 955,00	27 293,61
RXYQQ-U	10	15 250,00	29 826,41
RXYQQ-U	12	18 272,50	35 737,90
RXYQQ-U	14	21 355,00	41 766,75
RXYQQ-U	16	24 437,50	47 795,60
RXYQQ-U	18	29 795,00	58 273,95
RXYQQ-U	20	31 270,00	61 158,80
Каталожни комбинации (включва BHFQ-)			
RXYQQ-U.OU (10+12)	22	33 652,50	65 818,57
RXYQQ-U.OU (8+16)	24	38 522,50	75 343,46
RXYQQ-U.OU (12+14)	26	39 757,50	77 758,91
RXYQQ-U.OU (12+16)	28	42 840,00	83 787,76
RXYQQ-U.OU (12+18)	30	48 197,50	94 266,12
RXYQQ-U.OU (16+16)	32	49 005,00	95 845,45
RXYQQ-U.OU (16+18)	34	54 362,50	106 323,81
RXYQQ-U.OU (16+20)	36	55 837,50	109 208,66
RXYQQ-U.OU (8+10+20)	38	60 750,00	118 816,67
RXYQQ-U.OU (10+12+18)	40	63 592,50	124 376,12
RXYQQ-U.OU (10+16+16)	42	64 400,00	125 955,45
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	130,00	254,26
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	275,00	537,85
EKPCCAB4	VRV configurator	307,50	601,42
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
KRC19-26	Cool/heat selector (switch)	60,00	117,35
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
REPLACEMENT VRV III Q-Series HR			
RQCEQ280P3.OU	10 (RQEQ140P3+RQEQ140P3+BHFP26P36C)	20 215,00	39 537,10
RQCEQ460P3.OU	16 (RQEQ140P3+RQEQ140P3+RQEQ180P3+BHFP26P63C)	34 455,00	67 388,12
RQCEQ500P3.OU	18 (RQEQ140P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	38 362,50	75 030,53
RQCEQ540P3.OU	20 (RQEQ180P3+RQEQ180P3+RQEQ180P3+BHFP26P63C)	42 267,50	82 668,04
RQCEQ712P3.OU	24 (RQEQ140P3+RQEQ180P3+RQEQ180P3+RQEQ12P3+BHFP26P84C)	55 057,50	107 683,11
RQCEQ744P3.OU	26 (RQEQ140P3+RQEQ180P3+RQEQ12P3+RQEQ12P3+BHFP26P84C)	57 665,00	112 782,94
RQCEQ816P3.OU	28 (RQEQ180P3+RQEQ12P3+RQEQ12P3+RQEQ12P3+BHFP26P84C)	64 177,50	125 520,28
Accessories			
BHFP26P36C	Multi-module connection kit for 2-module systems	295,00	576,97
BHFP26P63C	Multi-module connection kit for 3-module systems	605,00	1 183,28
BHFP26P84C	Multi-module connection kit for 4-module systems	805,00	1 574,44
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	502,50	982,80
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
Water cooled VRV IV-W+ for standard and geothermal applications /HP/HR			
RWEYQ - T9	 8	9 775,00	19 118,24
RWEYQ - T9	10	10 892,50	21 303,88
RWEYQ - T9	12	12 292,50	24 042,04
RWEYQ - T9	14	13 870,00	27 127,36
Каталожни комбинации (не включва BHFQ-)			
RWEYQ - T9.OU	16	19 547,50	38 231,59
RWEYQ - T9.OU	18	20 665,00	40 417,23
RWEYQ - T9.OU	20	22 065,00	43 155,39
RWEYQ - T9.OU	22	23 185,00	45 345,92
RWEYQ - T9.OU	24	29 320,00	57 344,94
RWEYQ - T9.OU	26	26 162,50	51 169,40
RWEYQ - T9.OU	28	27 742,50	54 259,61
RWEYQ - T9.OU	30	32 957,50	64 459,27
RWEYQ - T9.OU	32	34 355,00	67 192,54
RWEYQ - T9.OU	34	35 935,00	70 282,75
RWEYQ - T9.OU	36	36 875,00	72 121,23
RWEYQ - T9.OU	38	38 455,00	75 211,44
RWEYQ - T9.OU	40	40 032,50	78 296,76
RWEYQ - T9.OU	42	41 612,50	81 386,98
Accessories			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	130,00	254,26
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	275,00	537,85
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	247,50	484,07
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	530,00	1 036,59
EKPCCAB4	VRV configurator	307,50	601,42
KRC19-26	Cool/heat selector (switch)	60,00	117,35
BRP2A81	A-B-C contact PCB for switching between cooling/heating from the outdoor unit	160,00	312,93
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
KJB111A	Cool/heat selector (fixing box)	30,00	58,67
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	625,00	1 222,39
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	665,00	1 300,63

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV 4 INDOOR UNITS				
Round flow Cassette				
	FXFQ-B	20	1 177,50	2 302,99
	FXFQ-B	25	1 217,50	2 381,22
	FXFQ-B	32	1 290,00	2 523,02
	FXFQ-B	40	1 417,50	2 772,39
	FXFQ-B	50	1 492,50	2 919,08
	FXFQ-B	63	1 545,00	3 021,76
	FXFQ-B	80	1 945,00	3 804,09
	FXFQ-B	100	2 040,00	3 989,89
	FXFQ-B	125	2 140,00	4 185,48
	FXFQ-B + BYCQ140E	20	1 470,00	2 875,07
FXFQ-B + BYCQ140E	25	1 510,00	2 953,30	
FXFQ-B + BYCQ140E	32	1 582,50	3 095,10	
FXFQ-B + BYCQ140E	40	1 710,00	3 344,47	
FXFQ-B + BYCQ140E	50	1 785,00	3 491,16	
FXFQ-B + BYCQ140E	63	1 837,50	3 593,84	
FXFQ-B + BYCQ140E	80	2 237,50	4 376,17	
FXFQ-B + BYCQ140E	100	2 332,50	4 561,97	
FXFQ-B + BYCQ140E	125	2 432,50	4 757,56	
Accessories				
BRC7FA532F	Infra-red wireless remote controller in white for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	207,50	405,83	
BRC7FA532FB	Infra-red wireless remote controller in black for non-designer panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control	185,00	361,83	
BRC7FB532F	Infra-red wireless remote for the white designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	187,50	366,72	
BRC7FB532FB	Infra-red wireless remote for the black designer panel combination - Note: not compatible with Presence & Floor sensors and no individual flap control	187,50	366,72	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRYQ140B	PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел	165,00	322,71	
BYCQ140E	Standart Dec. panel	292,50	572,08	
BYCQ140EB	Standart Dec. panel IN BLACK (RAL 9005)	410,00	801,89	
BYCQ140EGF	Selfclean Dec. Panel	530,00	1 036,59	
BYCQ140EGFB	Selfclean Dec. Panel IN BLACK (RAL 9005)	647,50	1 266,40	
BYCQ140EW	FULL WHITE Dec. Panel	330,00	645,42	
BYCQ140EP	New Designer panel in white (RAL 9010)	450,00	880,12	
BYCQ140EPB	New Designer panel in black (RAL 9005)	685,00	1 339,74	
SB.KDDP55	Fresh air intake for max 20% fresh air	510,00	997,47	
KDBHQ56B140	Sealing kit for 3-directional or 2-directional air discharge	150,00	293,37	
KAF5511D160	Replacement long life filter FXFA/FXFQ	137,50	268,93	
BAF552AA160	NEW High efficiency filter; compatible for BYCQ140E/EW/EB	55,00	107,57	
BAEF125AWB	NEW UV + Streamer kit; compatible for BYCQ140E/EW	657,50	1 285,96	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Fully flat Cassette				
	FXZQ-A	15	1 180,00	2 307,88
	FXZQ-A	20	1 210,00	2 366,55
	FXZQ-A	25	1 227,50	2 400,78
	FXZQ-A	32	1 305,00	2 552,36
	FXZQ-A	40	1 445,00	2 826,17
	FXZQ-A	50	1 470,00	2 875,07
	FXZQ-A + BYFQ60CW	15	1 462,50	2 860,40
	FXZQ-A + BYFQ60CW	20	1 492,50	2 919,08
	FXZQ-A + BYFQ60CW	25	1 510,00	2 953,30
	FXZQ-A + BYFQ60CW	32	1 587,50	3 104,88
	FXZQ-A + BYFQ60CW	40	1 727,50	3 378,70
	FXZQ-A + BYFQ60CW	50	1 752,50	3 427,59
	Accessories			
	BRC7F530W	Infra-red wireless remote controller for BYFQ60C2W1W - Note: no individual flap control possible	207,50	405,83
BRC7F530S	Infra-red wireless remote controller for BYFQ60C2W1S - Note: no individual flap control possible	207,50	405,83	
BRC7EB530W	Infra-red wireless remote controller for BYFQ60B3W1	245,00	479,18	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BRYQ60AW	Presence & Floor sensors for BYFQ60CW - Note: must be combined with the BRC1H52W/S/K	165,00	322,71	
BRYQ60AS	Presence & Floor sensors for BYFQ60CS - Note: must be combined with the BRC1H52W/S/K	165,00	322,71	
BYFQ60CW	Standart Dec. Panel	282,50	552,52	
BYFQ60CS	Silver Dec. Panel	300,00	586,75	
BDBHQ44C60	Sealing kit for 3-directional or 2-directional air discharge	115,00	224,92	
KDBQ44B60	Panel spacer for reduced installation space - BYFQ60B3 only	520,00	1 017,03	
KDDQ44XA60	Fresh air intake - flange duct	172,50	337,38	
VRV Ceiling mounted cassette (2-way blow)				
	FXCQ-A	20	1 157,50	2 263,87
	FXCQ-A	25	1 172,50	2 293,21
	FXCQ-A	32	1 207,50	2 361,66
	FXCQ-A	40	1 305,00	2 552,36
	FXCQ-A	50	1 352,50	2 645,26
	FXCQ-A	63	1 375,00	2 689,27
	FXCQ-A	80	1 832,50	3 584,06
	FXCQ-A	125	2 235,00	4 371,28
	FXCQ-M8 + BYBCQ40H	20	1 827,50	3 574,28
	FXCQ-M8 + BYBCQ40H	25	1 842,50	3 603,62
FXCQ-M8 + BYBCQ40H	32	1 877,50	3 672,07	
FXCQ-M8 + BYBCQ40H	40	1 975,00	3 862,76	
FXCQ-M8 + BYBCQ63H	50	2 120,00	4 146,36	
FXCQ-M8 + BYBCQ63H	63	2 142,50	4 190,37	
FXCQ-M8 + BYBCQ125H	80	2 600,00	5 085,16	
FXCQ-M8 + BYBCQ125H	125	3 112,50	6 087,52	
Accessories				
BRC7CS2	Infra-red wireless remote controller - Note: no individual flap control	257,50	503,63	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BYBCQ40H	Dec. panel FXCQ 20-40	670,00	1 310,41	
BYBCQ63H	Dec. panel FXCQ 50-63	767,50	1 501,10	
BYBCQ125H	Dec. panel FXCQ 80-125	877,50	1 716,24	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV Ceiling mounted cassette (1-way blow)				
	FXKQ-A	20	1 062,50	2 078,07
	FXKQ-A	25	1 075,00	2 102,52
	FXKQ-A	32	1 085,00	2 122,08
	FXKQ-A	40	1 165,00	2 278,54
	FXKQ-A	50	1 195,00	2 337,22
	FXKQ-A	63	1 227,50	2 400,78
	FXKQ-A + BYK32G	20	1 430,00	2 796,84
	FXKQ-A + BYK32G	25	1 442,50	2 821,28
	FXKQ-A + BYK32G	32	1 452,50	2 840,84
	FXKQ-A + BYK63G	40	1 565,00	3 060,87
	FXKQ-A + BYK63G	50	1 595,00	3 119,55
	FXKQ-A + BYK63G	63	1 627,50	3 183,11
Accessories				
BRC4C61	Infra-red wireless remote controller	347,50	679,65	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
BYK32G	Standart Dec. Pan FXKA20-32	367,50	718,77	
BYK63G	Standart Dec. Pan FXKA40-63	400,00	782,33	
VRV 4-way blow ceiling suspended unit				
	FXUQ-A	71	2 460,00	4 811,34
	FXUQ-A	100	2 770,00	5 417,65
Accessories				
BRC7C58	Wireless control heat pump	287,50	562,30	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
KDBHP49B140	Sealing member of air discharge outlet	250,00	488,96	
KDBTP49B140	Decoration panel for air discharge	392,50	767,66	
VRV ceiling suspended unit				
	FXHQ-A	32	1 655,00	3 236,90
	FXHQ-A	63	1 825,00	3 569,39
	FXHQ-A	100	2 085,00	4 077,91
Accessories				
BRC7GA53-9	Wireless control heat pump	287,50	562,30	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
KAF501B56	Long life replacement filter FXHA/FXHQ32	205,00	400,95	
KAF501B80	Long life replacement filter FXHA50-63/FXHQ61-100	205,00	400,95	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
VRV wall mounted unit			
	FXAQ-A 15	920,00	1 799,36
	FXAQ-A 20	950,00	1 858,04
	FXAQ-A 25	970,00	1 897,16
	FXAQ-A 32	990,00	1 936,27
	FXAQ-A 40	1 055,00	2 063,40
	FXAQ-A 50	1 100,00	2 151,41
	FXAQ-A 63	1 125,00	2 200,31
Accessories			
BRC7EA628	Infra-red wireless remote controller	197,50	386,28
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
K-KDU572EVE	External drain pump kit H=1000mm	412,50	806,78
VRV concealed ceiling unit (slim)			
	FXDQ-A3 15	927,50	1 814,03
	FXDQ-A3 20	957,50	1 872,71
	FXDQ-A3 25	1 017,50	1 990,06
	FXDQ-A3 32	1 077,50	2 107,41
	FXDQ-A3 40	1 147,50	2 244,31
	FXDQ-A3 50	1 220,00	2 386,11
	FXDQ-A3 63	1 290,00	2 523,02
Accessories			
BAE20A62	Auto cleaning filter for FXDA15-32A	445,00	870,34
BAE20A82	Auto cleaning filter for FXDA40-50A	470,00	919,24
BAE20A102	Auto cleaning filter for FXDA63A	497,50	973,03
VRV concealed ceiling unit (large)			
	FXMQ-A 200	3 580,00	7 001,87
	FXMQ-A 250	3 680,00	7 197,45
VRV concealed ceiling unit (standard)			
	FXSQ-A 15	1 090,00	2 131,85
	FXSQ-A 20	1 147,50	2 244,31
	FXSQ-A 25	1 200,00	2 347,00
	FXSQ-A 32	1 212,50	2 371,44
	FXSQ-A 40	1 290,00	2 523,02
	FXSQ-A 50	1 347,50	2 635,48
	FXSQ-A 63	1 380,00	2 699,05
	FXSQ-A 80	1 740,00	3 403,14
	FXSQ-A 100	1 815,00	3 549,83
	FXSQ-A 125	1 842,50	3 603,62
	FXSQ-A 140	2 027,50	3 965,45
Accessories			
BAFL502A250	Long life replacement filter FXMA200/250	280,00	547,63
BDD500B250	Filter chamber FXMA/FXMQ 200-250	312,50	611,20
BAFM503A250	High efficiency filter 65% FXMA/FXMQ 200-250A	475,00	929,02
BAFH504A250	High efficiency filter 90% FXMA/FXMQ 200-250A	500,00	977,92

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
VRV concealed ceiling unit (high ESP)				
	FXMQ-P7	50	1 415,00	2 767,50
	FXMQ-P7	63	1 447,50	2 831,06
	FXMQ-P7	80	1 822,50	3 564,50
	FXMQ-P7	100	1 897,50	3 711,19
	FXMQ-P7	125	1 935,00	3 784,53
Accessories				
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
Air discharge for FXSQ-A				
KDAP25A36A	Air discharge adaptor for round duct - for units 15-32	117,50	229,81	
KDAP25A56A	Air discharge adaptor for round duct - for FXSQ40~50A	135,00	264,04	
KDAP25A71A	Air discharge adaptor for round duct - for FXSQ63~80A	277,50	542,74	
KDAP25A140A	Air discharge adaptor for round duct - for FXSQ100~125A	430,00	841,01	
Air discharge for FXMQ-P7				
KDAJ25K71	Air discharge adaptor for round ducts FXMA50-80	277,50	542,74	
KDAJ25K140	Air discharge adaptor for round ducts FXMA100-125	477,50	933,91	
VRV floor standing unit				
	FXLQ-P	20	1 422,50	2 782,17
	FXLQ-P	25	1 470,00	2 875,07
	FXLQ-P	32	1 515,00	2 963,08
	FXLQ-P	40	1 557,50	3 046,21
	FXLQ-P	50	1 655,00	3 236,90
	FXLQ-P	63	1 752,50	3 427,59
Accessories				
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
EKRDP25 (rear panel)	20 + 25	122,50	239,59	
EKRDP40 (rear panel)	32 + 40	150,00	293,37	
EKRDP63 (rear panel)	50 + 63	175,00	342,27	
VRV concealed floor standing unit				
	FXNQ-A	20	1 212,50	2 371,44
	FXNQ-A	25	1 257,50	2 459,46
	FXNQ-A	32	1 300,00	2 542,58
	FXNQ-A	40	1 337,50	2 615,92
	FXNQ-A	50	1 420,00	2 777,28
	FXNQ-A	63	1 510,00	2 953,30
Accessories				
BRC4C65	Infra red wireless remote controller with external receiver	175,00	342,27	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
VRV Hydroboxes				
	HXY080A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	2 715,00	5 310,08
	HXY125A	VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX	3 785,00	7 402,82
	EKHBDPC2	Optional drain pan (required for cooling operation) HXY-A	170,00	332,49
EKBuha6V3	6kW external back-up heater, 1-phase (230V) power supply	640,00	1 251,73	
EKBuha6W1	6kW external back-up heater, 3-phase (400V) power supply	640,00	1 251,73	
VRV heat recovery High temperature heating only hydrobox ONLY COMBINABLE WITH REYQ-T				
	HXHD125A8	HT Hydrobox = 14 kW nominal Heating	4 935,00	9 652,02
	HXHD200A8	HT Hydrobox = 22,4 kW nominal Heating	7 407,50	14 487,81
Accessories				
EKR1HBA - Digital I/O PCB	Digital I/O PCB	175,00	342,27	
EKR1AHT	Demand PCB - Required to be able to connect Room thermostat	147,50	288,48	
EKRUAHTB	Remote user interface - Same controller as supplied with hydrobox unit can be mounted parallel or in another location.	225,00	440,06	
EKR1TWA	Wired Room thermostat - Requires Demand PCB EKR1AHT	140,00	273,82	
EKR1TR	Wireless Room thermostat - Requires Demand PCB EKR1AHT	282,50	552,52	
EKR1TETS	Remote sensor for Room thermostat - Requires Demand PCB EKR1AHT	17,50	34,23	
RTD-W	Modbus and advanced controp adaptor	375,00	733,44	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
----------------------	----------	------------------------------	-----------------------------

VRV Air Handling Unit Connection Kit			
EKEACB	Pair/Multi/Mix VRV/ERQ connection (X-Control): 0~10V direct capacity control (SV = maintain capacity, >SV colder air wanted, <SV warmer air wanted) (Y-Control): Fixed evaporation/condensation temperature control (W-Control): 0~10V linear capacity control (0V = 0% capacity, 10V = 100% capacity)	1 095,00	2 141,63
EKEXVA50	Expansion Valve Unit	155,00	303,15
EKEXVA63	Expansion Valve Unit	160,00	312,93
EKEXVA80	Expansion Valve Unit	175,00	342,27
EKEXVA100	Expansion Valve Unit	180,00	352,05
EKEXVA125	Expansion Valve Unit	192,50	376,50
EKEXVA140	Expansion Valve Unit	197,50	386,28
EKEXVA200	Expansion Valve Unit	210,00	410,72
EKEXVA250	Expansion Valve Unit	227,50	444,95
EKEXVA300	Expansion Valve Unit	235,00	459,62
EKEXVA350	Expansion Valve Unit	242,50	474,29
EKEXVA400	Expansion Valve Unit	250,00	488,96
EKEXVA450	Expansion Valve Unit	262,50	513,41
EKEXVA500	Expansion Valve Unit	275,00	537,85

Detailed combination table

Range	Outdoor Unit	Control box EKEACBVE	Expansion valve kits EKEXVA***												
			50	63	80	100	125	140	200	250	300	350	400	450	500
ERQ	ERQ100A7V1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ125A7V1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ140A7V1B	P	-	-	P	P	P	-	-	-	-	-	-	-	-
	ERQ125A7W1B	P	-	P	P	P	P	-	-	-	-	-	-	-	-
	ERQ200A7W1B	P	-	-	-	P	P	P	P	-	-	-	-	-	-
	ERQ250A7W1B	P	-	-	-	-	P	P	P	P	-	-	-	-	-
VRV IV & VRV IV*	H/P (RYQ, RXYQ, RXYSQ, RXYTQ, RXYLQ, RXYSCIQ, RWEYQ (H/P))	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	VRV-i (RXYQ)	P*/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	H/R (REYQ, RWEYQ (H/R))	M ⁽²⁾	Multi ⁽³⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
VRV 5	H/P (RXYSA, RXYA)	P/M	Pair and multi: 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												
	H/R REYA	M ⁽²⁾	Multi ⁽³⁾ : 65% ⁽¹⁾ < CR < 110% Mix: CR < 110% and 50% < IU CR < 110%												

P: Pair layout - One or more outdoor units connected to an (interlaced) coil of one AHU.

M: Mix or multi layout - Combination of (multiple) AHU(s) with (mix combination) or without (multi combination) VRV DX indoors). Only Z or Z' control possible (no interlaced coils).

(1): For 65%<CR<75% please refer to the specifically required coil size

(2): Only Z or Z' control possible (no interlaced coils)

(3): Technically is possible to connect H/R in pair combination, but there's no benefit to do it

Integration with 3rd party Air Handling Units

EKEXVA Class	Allowed heat exchanger cooling capacity (kW)			Allowed heat exchanger capacity (kW)			Allowed heat exchanger volume (dm ³)		
	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum		Maximum
							General Limits	(65%<CR<75%) Only for pair and multi layout	
50	5,0	5,6	6,2	5,6	6,3	7,0	0,95	1,09	1,65
63	6,3	7,1	7,8	7,1	8,0	8,8	1,02	1,18	2,08
80	7,9	9,0	9,9	8,9	10,0	11,1	1,42	1,64	2,64
100	10,0	11,2	12,3	11,2	12,5	13,8	1,51	1,74	3,30
125	12,4	14,0	15,4	13,9	16,0	17,3	1,98	2,29	4,12
140	15,5	16,0	17,6	17,4	18,0	19,8	2,54	2,94	4,62
200	17,7	22,4	24,6	19,9	25,0	27,7	3,02	3,49	6,60
250	24,7	28,0	30,8	27,8	31,5	34,7	3,97	4,58	8,25
NEW 300	30,9	33,5	36,9	34,8	37,5	41,5	4,53	5,25	9,9
NEW 350	37,0	40,0	44,0	41,6	45,0	49,5	5,48	6,32	11,55
400	44,1	45,0	49,5	49,6	50,0	55,7	6,04	6,97	13,2
NEW 450	49,6	50,4	55,4	55,8	56,5	62,4	6,99	8,07	14,5
500	55,5	56,0	61,6	62,5	63,0	69,3	7,55	8,72	16,5

Cooling: Saturated evaporating temperature: +6°C, Air temperature: +27°C DB / +19°C WB
Heating: Saturated evaporating temperature: +46°C, Air temperature: +20°C DB

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
HEAT RECLAIM VENTILATION (HRV) UNITS			
VAM - FC9	150	1 360,00	2 659,93
VAM - FC9	250	1 477,50	2 889,74
VAM - J8	350	1 720,00	3 364,03
VAM - J8	500	1 847,50	3 613,40
VAM - J8	650	2 402,50	4 698,88
VAM - J8	800	2 687,50	5 256,29
VAM - J8	1000	3 240,00	6 336,89
VAM - J8	1500	4 870,00	9 524,89
VAM - J8	2000	6 107,50	11 945,23
Filters VAM			
EKAFVJ50F6	M6-class high efficiency filter - for VAM350~500J units	207,50	405,83
EKAFVJ65F6	M6-class high efficiency filter - for VAM650 units	232,50	454,73
EKAFVJ100F6	M6-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	277,50	542,74
EKAFVJ50F7	F7-class high efficiency filter - for VAM350~500J units	227,50	444,95
EKAFVJ65F7	F7-class high efficiency filter - for VAM650 units	255,00	498,74
EKAFVJ100F7	F7-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	305,00	596,53
EKAFVJ50F8	F8-class high efficiency filter - for VAM350~500J units	255,00	498,74
EKAFVJ65F8	F8-class high efficiency filter - for VAM650 units	282,50	552,52
EKAFVJ100F8	F8-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units	340,00	664,98
EKPLEN200	Plenum for VAM1500-2000J units- contains 1 plenum for half side	165,00	322,71
ELECTRICAL HEATERS GSIEKA FOR USE WITH VAM UNITS			
GSIEKA 10009	VAM150FC9	760,00	1 486,43
GSIEKA 15018	VAM250FC9	767,50	1 501,10
GSIEKA 20024	VAM350J-500J	772,50	1 510,88
GSIEKA 25030	VAM650J,800J,1000J	827,50	1 618,45
GSIEKA 35530	VAM1500J-2000J	837,50	1 638,01
VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL and humidifier			
VKM - GBM	50	3 475,00	6 796,51
VKM - GBM	80	4 745,00	9 280,41
VKM - GBM	100	5 335,00	10 434,35
Filters VKM			
KAF241H80M	Replacement filter for VKM50GBM	252,50	493,85
KAF241H100M	Replacement filter for VKM80-100GBM	360,00	704,10
Accessories			
BRC301B61	Wired remote for HRV	197,50	386,28
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
RTD-10	universal control adaptor	405,00	792,11
EKMBPP1	modbus adaptor	302,50	591,64
RTD-20	advanced VAM control CO2	485,00	948,58
BRP4A50	3rd party el. heater or humidifier control VAM-FC and heater for VAM-J	170,00	332,49
KRP2A51	Wiring adaptor for electrical appendices	340,00	664,98
BRYMA65	CO2 sensor VAM350~650	610,00	1 193,06
BRYMA100	CO2 sensor VAM800~1000	610,00	1 193,06
BRYMA200	CO2 sensor VAM1500~2000	610,00	1 193,06
KDDM24B50	Silencer for 200mm round duct VKM50	715,00	1 398,42
KDDM24B100	Silencer for 250mm round duct VKM80-100	715,00	1 398,42

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
DX Coil for air processing			
EKVDX-A	32	1 432,50	2 801,73
EKVDX-A	50	1 590,00	3 109,77
EKVDX-A	80	1 767,50	3 456,93
EKVDX-A	100	2 585,00	5 055,82
Accessories			
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
KDAP25A36	Air discharge adaptor for round duct FXSA15-32 / EKVDX32	117,50	229,81
KDAP25A56	Air discharge adaptor for round duct FXSA40-50 / EKVDX50	150,00	293,37
KDAP25A71	Air discharge adaptor for round duct FXSA63-80 / EKVDX80	307,50	601,42
KDAP25A140	Air discharge adaptor for round duct FXSA100-125 / EKVDX100	477,50	933,91
ALB-R/LCM(S) Compact L Pro & Smart			
<i>Premium efficiency heat recovery ventilation unit</i>			
ALB-R/LCM (Pro)	02	6 182,50	12 091,92
ALB-R/LCM (Pro)	03	7 315,00	14 306,90
ALB-R/LCM (Pro)	04	9 625,00	18 824,86
ALB-R/LCM (Pro)	05	10 737,50	21 000,72
ALB-R/LCM (Pro)	06	13 070,00	25 562,70
ALB-R/LCM (Pro)	07	13 900,00	27 186,04
ALB-R/LCS (Smart)	02	5 470,00	10 698,39
ALB-R/LCS (Smart)	03	6 615,00	12 937,82
ALB-R/LCS (Smart)	04	8 910,00	17 426,45
ALB-R/LCS (Smart)	05	10 045,00	19 646,31
ALB-R/LCS (Smart)	06	12 412,50	24 276,74
ALB-R/LCS (Smart)	07	13 265,00	25 944,08
Electrical heater for Modular L Smart			
ALD02HEFB	1,5 kW, 1ph	2 130,00	4 165,92
ALD03HEFB	3 kW, 1ph	2 242,50	4 385,95
ALD05HEFB	7,5 kW, 3ph	3 022,50	5 911,50
ALD07HEFB	15 kW, 3ph	3 535,00	6 913,86
Accessories			
ALC00822A	ROOM THERMOSTAT	142,50	278,71
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
ALC00902A	MODBUS INTERFACE	372,50	728,55
ALC00908A	BACNET INTERFACE	330,00	645,42
ALP00COA	ALB/Modular T CO2 Probe	622,50	1 217,50
ALP00HUA	ALB/Modular T %RH Probe	360,00	704,10
ALP00TEA	ALB/Modular T Temperature Probe	75,00	146,69
ALF02F9A	F9 Compact filter ALB02	85,00	166,25
ALF03F9A	F9 Compact filter ALB03	115,00	224,92
ALF05F9A	F9 Compact filter ALB04-05	150,00	293,37
ALF07F9A	F9 Compact filter ALB06-07	175,00	342,27

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Compact T Pro & Smart - ATB-R/LB (S)				
<i>Top connected heat recovery unit</i>				
	ATB-R/LBS (Smart)	03	11 630,00	22 746,30
	ATB-R/LBS (Smart)	04	12 610,00	24 663,02
	ATB-R/LBS (Smart)	05	15 875,00	31 048,80
	ATB-R/LBS (Smart)	06	18 630,00	36 437,11
	ATB-R/LBS (Smart)	07	21 960,00	42 950,03
	ATB-R/LBM (Pro)	03	10 145,00	19 841,90
	ATB-R/LBM (Pro)	04	11 167,50	21 841,73
	ATB-R/LBM (Pro)	05	14 685,00	28 721,36
	ATB-R/LBM (Pro)	06	17 370,00	33 972,77
	ATB-R/LBM (Pro)	07	20 772,50	40 627,48
Accessories				
ALC00822A	ROOM THERMOSTAT	142,50	278,71	
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06	
ALC00902A	MODBUS INTERFACE	372,50	728,55	
ALC00908A	BACNET INTERFACE	330,00	645,42	
ATF03F9A	F9 Compact filter ATB03	115,00	224,92	
ATF04F9A	F9 Compact filter ATB04	122,50	239,59	
ATF05F9A	F9 Compact filter ATB05	132,50	259,15	
ATF06F9A	F9 Compact filter ATB06	145,00	283,60	
ATF07F9A	F9 Compact filter ATB07	170,00	332,49	
ALP00COA	ALB/Modular T CO2 Probe	622,50	1 217,50	
ALP00HUA	ALB/Modular T %RH Probe	360,00	704,10	
ALP00TEA	ALB/Modular T Temperature Probe	75,00	146,69	
BIDDLE ERQ/VRV-Pair R32 / R410 FREE HANGING AIR CURTAIN				
до 230 см височина				
	CYAS100DK80FB/S	80	5 080,00	9 935,62
	CYAS150DK80FB/S	80	6 477,50	12 668,89
	CYAS200DK100FB/S	100	7 830,00	15 314,15
	CYAS250DK140FB/S	140	8 747,50	17 108,62
	до 250 см. височина			
	CYAM100DK80FB/S	80	5 812,50	11 368,26
	CYAM150DK80FB/S	80	7 447,50	14 566,04
	CYAM200DK100FB/S	100	9 227,50	18 047,42
	CYAM250DK140FB/S	140	10 510,00	20 555,77
	до 300 см. височина			
	CYAL100DK125FB/S	125	7 400,00	14 473,14
	CYAL150DK200FB/S	200	9 852,50	19 269,82
	CYAL200DK250FB/S	250	12 137,50	23 738,89
	CYAL250DK250FB/S	250	14 107,50	27 591,87
	BIDDLE ERQ/VRV-Pair R32 / R410 CASSETTE AIR CURTAIN			
до 230 см височина				
	CYAS100DK80CB/S	80	5 050,00	9 876,94
	CYAS150DK80CB/S	80	6 415,00	12 546,65
	CYAS200DK100CB/S	100	7 767,50	15 191,91
	CYAS250DK140CB/S	140	8 685,00	16 986,38
	до 250 см. височина			
	CYAM100DK80CB/S	80	6 250,00	12 223,94
	CYAM150DK80CB/S	80	7 385,00	14 443,80
	CYAM200DK100CB/S	100	9 167,50	17 930,07
	CYAM250DK140CB/S	140	10 450,00	20 438,42
	до 300 см. височина			
	CYAL100DK125CB/S	125	7 325,00	14 326,45
	CYAL150DK200CB/S	200	9 812,50	19 191,58
	CYAL200DK250CB/S	250	12 060,00	23 587,31
	CYAL250DK250CB/S	250	14 030,00	27 440,29

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
BIDDLE VRV-Pair RECESSED CYV-DK-R			
до 230 см височина			
CYAS100DK80RB/S	80	5 262,50	10 292,56
CYAS150DK80RB/S	80	6 770,00	13 240,97
CYAS200DK100RB/S	100	8 387,50	16 404,52
CYAS250DK140RB/S	140	9 365,00	18 316,35
до 250 см. височина			
CYAM100DK80RB/S	80	6 435,00	12 585,77
CYAM150DK80RB/S	80	7 710,00	15 079,45
CYAM200DK100RB/S	100	9 785,00	19 137,80
CYAM250DK140RB/S	140	11 115,00	21 739,05
до 300 см. височина			
CYAL100DK125RB/S	125	7 547,50	14 761,63
CYAL150DK200RB/S	200	10 102,50	19 758,77
CYAL200DK250RB/S	250	12 660,00	24 760,81
CYAL250DK250RB/S	250	14 770,00	28 887,61
CE.B_2-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 100, 150, 200cm units	315,00	616,09
CE.B_3-COVERS-H50	Optional covers for suspension racks; maximum suspension height of 50cm; for 250cm units	427,50	836,12
CE.B_2-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 100, 150, 200cm units	352,50	689,43
CE.B_3-COVERS-H100	Optional covers for suspension racks; maximum suspension height of 100cm; for 250cm units	490,00	958,36
CE.B_2-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 100, 150, 200cm units	427,50	836,12
CE.B_3-COVERS-H150	Optional covers for suspension racks; maximum suspension height of 150cm; for 250cm units	602,50	1 178,39

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
REFNET JOINTS 2-PIPE			
KHRQ22M20TA	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 200	110,00	215,14
KHRQ22M29T9	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 201-290	130,00	254,26
KHRQ22M64T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index 291-640	135,00	264,04
KHRA22M65T	2 PIPE REFNET JOINT - IMPERIAL, VRV 5 index 291-640	135,00	264,04
KHRQ22M75T	2 PIPE REFNET JOINT - IMPERIAL, VRV 4 index >640	200,00	391,17
			
KHRQM22M20T	Refnet Joint	115,00	224,92
KHRQM22M29T	2 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 201-290	130,00	254,26
KHRQM22M64T	2 PIPE REFNET JOINT - METRIC, VRV 4 index 291-640	135,00	264,04
KHRAM22M65T	2 PIPE REFNET JOINT - METRIC, VRV 5 index 291-640	135,00	264,04
KHRQM22M75T	2 PIPE REFNET JOINT - METRIC, VRV 4 index >640	200,00	391,17
REFNET HEADERS 2-PIPE			
KHRQ22M29H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 290	252,50	493,85
KHRQ22M64H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index 291-640	285,00	557,41
KHRA22M65H	2 PIPE REFNET HEADER - IMPERIAL, VRV 5 index 291-640	265,00	518,29
KHRQ22M75H	2 PIPE REFNET HEADER - IMPERIAL, VRV 4 index >640	347,50	679,65
			
KHRQM22M29H	Refnet Header	252,50	493,85
KHRQM22M64H	2 PIPE REFNET HEADER - METRIC, VRV 4 index 291-640	285,00	557,41
KHRAM22M65H	2 PIPE REFNET HEADER - METRIC, VRV 5 index 291-640	265,00	518,29
KHRQM22M75H	2 PIPE REFNET HEADER - METRIC, VRV 4 index >640	347,50	679,65
REFNET JOINTS 3-PIPE			
KHRQ23M20T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index up to 300	147,50	288,48
KHRQ23M29T9	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 301-390	170,00	332,49
KHRQ23M64T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index 391-640	227,50	444,95
KHRQ23M75T	3 PIPE REFNET JOINT - IMPERIAL, VRV 4 & 5 index >640	382,50	748,10
			
KHRQM23M20T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index up to 300	147,50	288,48
KHRQM23M29T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 301-390	170,00	332,49
KHRQM23M64T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index 391-640	227,50	444,95
KHRQM23M75T	3 PIPE REFNET JOINT - METRIC, VRV 4 & 5 index >640	382,50	748,10
REFNET HEADERS 3-PIPE			
KHRQ23M29H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index up to 390	302,50	591,64
KHRQ23M64H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index 391-640	362,50	708,99
KHRQ23M75H	3 PIPE REFNET HEADER - IMPERIAL, VRV 4 & 5 index >640	512,50	1 002,36
			
KHRQM23M29H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index up to 390	302,50	591,64
KHRQM23M64H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index 391-640	362,50	708,99
KHRQM23M75H	3 PIPE REFNET HEADER - METRIC, VRV 4 & 5 index >640	512,50	1 002,36
Multi-module connection kit			
BHFQ22P1007	Multi-module connection kit for 2-module systems (2 Pipe systems)	130,00	254,26
BHFQ22P1517	Multi-module connection kit for 3-module systems (2 Pipe systems)	275,00	537,85
			
BHFQ23P907A	Multi-module connection kit for 2 module systems (3 Pipe systems)	247,50	484,07
BHFQ23P1357	Multi-module connection kit for 3-module systems (3 Pipe system)	530,00	1 036,59
Branch Provider Boxes (VRV 4-S & VRV 4)			
BPMKS967A2	Branch provider for connection of 2 RA indoor units (single module outdoors)	625,00	1 222,39
BPMKS967A3	Branch provider for connection of 3 RA indoor units (single module outdoors)	665,00	1 300,63
			
Compact Single-port Branch Selector Box (VRV 4 Heat recovery)			
BS1Q 10A	15-100	692,50	1 354,41
BS1Q 16A	101-160	1 090,00	2 131,85
BS1Q 25A	161-250	1 252,50	2 449,68
			
Compact Multi-port Branch Selector Box (VRV 4 Heat recovery)			
BS4Q 14A	4x 15-140	2 447,50	4 786,89
BS6Q 14A	6x 15-140	3 355,00	6 561,81
BS8Q 14A	8x 15-140	4 410,00	8 625,21
BS10Q 14A	10x 15-140	5 302,50	10 370,79
BS12Q 14A	12x 15-140	6 250,00	12 223,94
BS16Q 14A	16x 15-140	7 915,00	15 480,39
			

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026	
Compact Multi-port Branch Selector Box (VRV 5 Heat recovery)				
BS4A14AV1B	Branch selector box VRV 5 H/R, 4 indoor units, index 400	2 447,50	4 786,89	
BS6A14AV1B	Branch selector box VRV 5 H/R, 6 indoor units, index 600	3 355,00	6 561,81	
BS8A14AV1B	Branch selector box VRV 5 H/R, 8 indoor units, index 600	4 410,00	8 625,21	
BS10A14AV1B	Branch selector box VRV 5 H/R, 10 indoor units, index 750	5 302,50	10 370,79	
BS12A14AV1B	Branch selector box VRV 5 H/R, 12 indoor units, index 750	6 250,00	12 223,94	
Optional Shut off valve Box (SV) (VRV 5 Heat pump)				
SV1A25A	Shut off valve box, 1 port, 5 indoor units, index 250	1 025,00	2 004,73	
SV4A14A	Shut off valve box, 4 ports, 20 indoor units, index 400	1 715,00	3 354,25	
SV6A14A	Shut off valve box, 6 ports, 30 indoor units, index 600	2 347,50	4 591,31	
SV8A14A	Shut off valve box, 8 ports, 40 indoor units, index 650	3 087,50	6 038,63	
EKBSJK	Joint kit	362,50	708,99	
K-KDU303KVE	External drain pump	487,50	953,47	
EKBSDCK	Optional duct connection for series connection	42,50	83,12	
Tightfit - fireless copper pipe connector				
<i>Standard joints (same size piping on each side)</i>				
SDGTC06_B		Tightfit 6,35mm - 100 pcs	1 330,00	2 601,25
SDGTC09_B		Tightfit 9,52mm - 90 pcs	1 445,00	2 826,17
SDGTC12_B		Tightfit 12,7mm - 70 pcs	1 470,00	2 875,07
SDGTC15_B		Tightfit 15,9mm - 50 pcs	1 410,00	2 757,72
SDGTC19_B		Tightfit 19,1mm - 45 pcs	1 402,50	2 743,05
SDGTC22_B		Tightfit 22,2mm - 30 pcs	1 092,50	2 136,74
SDGTC28_B		Tightfit 28,6mm - 24 pcs	1 060,00	2 073,18
SDGTC34_B		Tightfit 34,9mm - 20 pcs	2 212,50	4 327,27
SDGTC41_B		Tightfit 41,3mm - 16 pcs	2 495,00	4 879,80
<i>Asymmetric joints (different size piping on each side)</i>				
SDGTC0906_B	Tightfit 6,35-9,52mm - 90 pcs	2 002,50	3 916,55	
SDGTC1209_B	Tightfit 9,52-12,7mm - 70 pcs	1 837,50	3 593,84	
SDGTC1512_B	Tightfit 12,7-15,9mm - 60 pcs	1 650,00	3 227,12	
SDGTC1915_B	Tightfit 15,9-19,1mm - 45 pcs	1 570,00	3 070,65	
SDGTC2219_B	Tightfit 19,1-22,2mm - 30 pcs	1 225,00	2 395,89	
SDGTC2522_B	Tightfit 22,2-25,4mm - 30 pcs	1 352,50	2 645,26	
SDGTC2825_B	Tightfit 25,4-28,6mm - 24 pcs	1 185,00	2 317,66	
SDGTC3428_B	Tightfit 28,6-34,9mm - 20 pcs	1 507,50	2 948,41	


VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
CENTRALIZED Control Systems			
Simple Centralized Control			
KRP2A* series	KRP2A* series Wiring Adaptor for Electrical Appendices – for operation/error monitoring, on/off control and setpoint control (0-140 Ω) of entire F1/F2 line by dry contacts. An installation box or mounting plate may be necessary. KRP2A51 (0.5m cable) – for FXCQ, FXKQ, FXSQ, FXLQ, FXNQ, FXMQ, FXDQ-M9, FXAQ and BSVQ units KRP2A52 (1.3m cable) – for FXFQ, FXZQ and FXHQ KRP2A61 (2m cable) – for FXDQ-P7 units	340,00	664,98
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302CS1) or intelligent Touch Controller (DCS601CS1) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	187,50	366,72
Intelligent Touch Manager			
DCM601B51	ITM Main unit for advanced control of up to 64 addresses (groups/units)	5 875,00	11 490,50
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	1 137,50	2 224,76
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	860,00	1 682,01
DCS302A52-9	Adaptor for central monitoring board for Centralized Remote Controller (DCS302CS1) or intelligent Touch Controller (DCS601CS1) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller	187,50	366,72
DCM002A51	Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System	2 055,00	4 019,23
DCM008A51	Energy Navigator Software Option - provides advanced energy consumption analyses and provides means to limit the energy consumption of the VRV system	4 362,50	8 532,31
DCM009A51	BACnet Server Option - allows to use the ITM to monitor and/or control external devices connected using the BACnet/IP protocol.	1 892,50	3 701,41
DCM007A51	HTTP option defines interface to monitor/operate Daikin units from an external application via ITM.	1 440,00	2 816,40
Intelligent Tablet Controller with Local & Cloud connection			
DCC601A51	Centralised touch controller with cloud connection for Split, Sky Air, VRV, ventilation, air curtains and hot water (up to 32 indoors)	937,50	1 833,59
AL-CCD07-VESA-1	Optional screen for local control (wired option which can be mounted on the wall)	1 132,50	2 214,98
HOBO Daikin Cloud Plus			
DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	2 505,00	4 899,35
DGE602A51	Max 64 units via Daikin Cloud Plus	1 947,50	3 808,98
DGE601A52	Main ITM Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single ITM main unit.	1 137,50	2 224,76
DGE601A53	Additional slot adaptor - up to 6 of these adaptors can be connected to DGE601A52. Up to 512 addresses from a single ITM main unit (DGE601A52 + 6x DGE601A53).	860,00	1 682,01
Daikin Cloud Plus Control & Monitoring		по запитване	по запитване
Daikin Cloud Plus Remote Support & Diagnostic		по запитване	по запитване
Daikin Cloud Plus Advice & Optimization		по запитване	по запитване

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
----------------------	----------	---------------------------	--------------------------

Daikin Cloud Plus

Cloud-based remote control and monitoring solution for Daikin commercial HVAC installations.

Composition



VRV 02.2026 - REV 01		Описание			Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
		Available for Edge & Edge Lite				
		1 CONTROL & MONITORING	2 REMOTE SUPPORT & DIAGNOSTIC*	3 ADVICE & OPTIMIZATION*		
Daikin Cloud Plus Features	Remote Control, Demand Control & Scheduling	✓	✓	✓		
	Energy Monitoring	✓	✓	✓		
	Interlocking	✓	✓	✓		
	Multi-site Management	✓	✓	✓		
	Building Integration	✓	✓	✓		
	Alarm History & Email Notification	✓	✓	✓		
	Power Consumption Distribution	✓	✓	✓		
	Remote Field Settings	✓	✓	✓		
	Site History	✗	✓	✓		
	Prediction & Email Notification	✗	✓	✓		
Daikin Service	Operational Data Access	✗	✓	✓		
	Indoor and Outdoor Units Analysis	✗	✓	✓		
	Periodical Analysis & Optimisation Advice by Daikin	✗	✓	✓		
	Remote Diagnostic & Support by Daikin	✗	✗	✓		
	Combinable with Maintenance Contract: - Technical Inspection - Preventive Maintenance - Comprehensive Maintenance	Complementary	Complementary	Mandatory		

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
Buliding Management System (BMS) & Standard protocol interfaces			
<i>for individual control</i>			
EKMBPP1	Modbus adaptor – provides a communication interface to the Modbus protocol for 1 P1/P2 group of VRV or SkyAir indoor units (up to 16 indoors – control is simultaneous for entire group, monitoring is individual for every unit of the group). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	302,50	591,64
RTD-10	Universal control adaptor – provides for external monitoring/control via 0-10kΩ resistance or 0-10VDC input signals and dry contact output signals (operation or defrost signal, error status signal), and provides a communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	405,00	792,11
RTD-20	Advanced control adaptor for retail and office applications – provides advanced control and energy saving functionality for multiple shop floor and user control zones, control of VAM units based on CO2 sensor input, control of Air Curtains based on outdoor air conditions, intelligent control of units installed in rooms with movable walls, etc. For installation outside of the indoor unit.	485,00	948,58
RTD-HO	Intelligent hotel room adaptor – provides intelligent unit control based on inputs from key card and window contacts and communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	405,00	792,11
KLIC-DI	KNX Adaptor – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit.	292,50	572,08
<i>for central control</i>			
DGE601A51	Edge Controller - up to 512 units with extension modules via Daikin Cloud Plus	2 505,00	4 899,35
DGE602A51	Max 64 units via Daikin Cloud Plus	1 947,50	3 808,98
EKMBOX	Modbus interface *1 gateway for max. 64 indoor unit(s) (groups) & 10 outdoors	3 165,00	6 190,20
DCM010A51	Daikin PMS interface - 1 interface for up to 2500 indoor units	6 345,00	12 409,74
DAM411B51	Expansion adaptor for control of an additional 128 addresses	1 675,00	3 276,02
DAM412B51	Proportional Power Distribution (PPD) Option	852,50	1 667,35
DMS504B51	Main unit for LonWorks® interface for up to 64 addresses (1 F1/F2 port)	2 195,00	4 293,05
DMS502A51	Module Bacnet Interface	8 052,50	15 749,32
Wiring and sensors			
K.RSS	External wireless air temperature sensor – allows temperature measurement exactly in the location of room occupants without the need of running extra wiring. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	145,00	283,60
KRCS01-	External wired air temperature sensor – allows temperature measurement exactly in the location of room occupants. Connects instead of the standard suction temperature sensor to the indoor unit's PCB.	В ЗАВИСИМОСТ ОТ МОДЕЛА НА ВЪТРЕШНОТО ТЯЛО	В ЗАВИСИМОСТ ОТ МОДЕЛА НА ВЪТРЕШНОТО ТЯЛО
KRCS01-4	For FXZQ / FXCQ / FXDQ / FXSQ / FXMQ50-80 / FXHQ / FXUQ / FXNQ	90,00	176,02
KRCS01-5B	For FXFA / FXFQ	90,00	176,02
KRCS01-6B	For FXZA / FXDA / FXSA / FXMA / FXHA / FXUA / FXAA / FXMQ 200-250	157,50	308,04

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
WAGO interfaces for connection to intelligent Touch Manager WAGO REQUIRED COMPONENTS			
WGDCMCLR2	REQUIRED for each Wago node. Modbus Coupler - interface between the iTM and Wago modules, obligatory when Wago interface modules should be used	600,00	1 173,50
787-712	REQUIRED for each Wago node Main Power Supply for node	220,00	430,28
750-960	REQUIRED for each Wago node PROFIBUS fieldbus connector for node	45,00	88,01
750-600	REQUIRED for each Wago node End module for node	25,00	48,90
750-613	Internal booster power supply module. Required after each 32 contacts or after every group of digital output / analogue input modules if it is followed by any digital input modules.	227,50	444,95
750-400	2-channel digital input module	42,50	83,12
750-432	4-channel digital input module	55,00	107,57
750-430	8-channel digital input module	85,00	166,25
750-513/000-001	2-channel relay output module with 230 VAC or 30 VDC output	90,00	176,02
750-504	4-channel relay output module (max. 2A, 230VAC or 30VDC load)	57,50	112,46
750-454	2-channel analog input module for 4~20 mA signal	365,00	713,88
750-455	4-channel analog input module for 4~20 mA signal	302,50	591,64
750-479	2-channel analog input module for -10~+10 VDC signal	395,00	772,55
750-459	4-channel analog input module for -10~+10 VDC signal	260,00	508,52
750-461/020-000	2-channel analog input module for 20 kOhm NTC temperature sensors	395,00	772,55
750-461	2-channel analog input module for Pt100 temperature sensors	352,50	689,43
750-460	4-channel analog input module for Pt100 temperature sensors	407,50	797,00
750-461/000-003	2-channel analog input module for Pt100 temperature sensors	352,50	689,43
750-460/000-003	4-channel analog input module for Pt100 temperature sensors	407,50	797,00
750-461/000-004	2-channel analog input module for Ni100 temperature sensors	352,50	689,43
750-461/000-005	2-channel analog input module for Ni100 temperature sensors	352,50	689,43
750-460/000-005	4-channel analog input module for Ni100 temperature sensors	407,50	797,00
750-554	2-channel analog output module: 4~20 mA	327,50	640,53
750-555	4-channel analog output module: 4~20 mA	295,00	576,97
750-560	2-channel analog output module: 0~10 VDC	290,00	567,19
750-559	4-channel analog output module: 0~10 VDC	260,00	508,52
750-638	2 channel: Up/Down Counter 24 V DC, 500 Hz (pulse input module – not for PPD1)	130,00	254,26
Adaptor accessories for VRV indoor units			
BRC1H52W/S/K	MADOKA Premium wired remote controller with white/silver/black	202,50	396,06
BRP7A51	OPTION ADAPTOR - Window contact + Key card (only in connection with BRC1H)	95,00	185,80
KRP4A*	Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-140Ω. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device	145,00	283,60
EKRP1B2	Wiring adaptor with 4 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status, Auxiliary heater signal, Humidifier signal. Connects to the indoor unit's PCB. FXCQ-A / FXDQ-M9 / FXSQ-A / FXMQ-P7	162,50	317,82
EKRP1C12	Wiring adaptor with 4 output signals - (as above) за FXFQ-A - with standard panel	85,00	166,25
KRP1B61	Wiring adaptor with 4 output signals - (as above) за FXKQ-MA / FXMQ-MB / FXLQ-P	177,50	347,16
KRP1B*	Wiring adaptor with 2 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status. Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit. Type and price depends on indoor unit type		
KRP1B54	както по-горе - за FXHQ-A	195,00	381,39
KRP1B57	както по-горе - за FXZQ-A with standard panel	157,50	308,04
KRP1B56	както по-горе - за FXDQ-A3, FXNQ-A	170,00	332,49
DTA114A61	Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit	170,00	332,49
EKMTAC	Kit for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). This kit contains equipment for 10 indoor units.	27,50	53,79
DTA104A53/61/62	External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.)	422,50	826,34
KRC19-26	Mechanical cool/heat selector – allows to switch an entire Heat Pump system, or one BS-box of Heat Recovery system between cooling, heating and fan only. Connects to the A-B-C terminals of the outdoor unit / BS-box.	60,00	117,35
KJB111A	Fixing box for mechanical cool/heat selector	30,00	58,67
BRP2A81	A-B-C contact PCB for switching between cooling and heating from the outdoor unit	160,00	312,93
BHGP26A1	Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit	502,50	982,80
EKPCCAB4	VRV Configurator	307,50	601,42
EKBPH012TA	Optional bottom plate heater for VRV IV 8 ~ 12 HP outdoor units	605,00	1 183,28
EKBPH020TA	Optional bottom plate heater for VRV IV 14 ~ 20 HP outdoor units	630,00	1 232,17
KKSB26B1	Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units.	70,00	136,91
KKSA26A560	Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units	85,00	166,25
EBRP2B	Cool/heat selector PCB only for RXYSQ-TV1 models	112,50	220,03
Service Checker Type IV		задължително проверете за актуални цени и наличности	

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
999176T	 SERVICE CHECKER TYPE 4	По запитване	По запитване
Service Tools задължително проверете за актуални цени и наличности			
RS-SE	Service tool for checking connection of K.RSS external wireless air temperature sensor	125,00	244,48
99S0038	Magnet for manual operation of expansion valves, 17.5 mm ID	По запитване	По запитване
999133T	Magnet for manual operation of expansion valves, 22.0 mm ID	По запитване	По запитване
999134T	Magnet for manual operation of expansion valves, 24.0 mm ID	По запитване	По запитване
999132T	Magnet for manual operation of expansion valves, 24.5 mm ID	По запитване	По запитване

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
----------------------	----------	---------------------------	--------------------------

Options & accessories - VRV indoor		Ceiling mounted cassette units		
		Round flow (800x800)	4-way (600x600)	Corner (1-way)
		FXFA-A	FXZA-A	FXKA-A
Panels	Decoration panel (obligatory for cassette units, optional for others, rear panel for FXLQ)	Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) / Auto cleaning (5) (6): BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C4WTV (white panel) (19) BYFQ60C4W15 (grey panel) (19) BYFQ60B3W1 (standard panel) (20)	20-32: BYK32G 40-63: BYK63G
	Panel spacer for reducing required installation height		KDBQ44B60 (Standard panel)	
	Sealing kit for 3- or 2-directional air discharge		BDHQ44C60 (white & grey panel)	
Individual control systems	Sensor kit	KDBHCS6B140 (7) BRYQ140B (white panels) BRYQ140BB (black panels) BRYQ140C (white designer panel) BRYQ140CB (black designer panel) BRC7FA532F (white panels) (7)(15) BRC7FA532FB (black panels) (7)(15) BRC7FB532F (white designer panel) (7)(15) BRC7FB532FB (black designer panel) (7)(15)	BRYQ60A3W (white) BRYQ60A3S (grey)	
	Infrared remote control (incl. receiver)		BRC7F530W (9) (10) (white panel) BRC7F530S (9) (10) (grey panel) BRC7F530W (9) (10) (standard panel)	
	BRP069C51 - Onecta app			
Centralized control systems	Madoka BRCH52W (White) / BRCH52S (Silver) / BRCH52K (Black) User-friendly wired remote controller with premium design	• (mandatory)	• (mandatory)	• (mandatory)
	BRCE53A/B/C - Wired remote control with full-text interface and back-light			
	BRCID52 (4) - Standard wired remote control with weekly timer			
Building Management System & Standard protocol interfaces for individual control for central control	DCC60IA51 - intelligent Tablet Controller	•	•	•
	DCS60IC51 (I2) - intelligent Touch Controller	•	•	•
	DCS302C51 (I2) - Central remote controller	•	•	•
	DCS301B51 (I2) (I3) - Unified ON/OFF controller	•	•	•
	EKMBPPI - Modbus interface for monitoring and control (check compatibility)	•	•	•
	RTD-10 - Modbus interface for infrastructure cooling	•	•	•
	RTD-20 - Modbus interface for retail	•	•	•
	RTD-HO - Modbus interface for hotel	•	•	•
	KLIC-DI_V2 - KNX Interface	•	•	•
	DCM601B51 - intelligent Touch Manager	•	•	•
	DGE60IA51 - Edge adapter for connection to Daikin Cloud Plus	•	•	•
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus	•	•	•
EKMBDXB - Modbus interface	•	•	•	
DCM010A51 - Daikin PMS interface	•	•	•	
DMS502A51 - BACnet Interface	•	•	•	
DMS504B51 - LonWorks Interface	•	•	•	
Filters	Auto cleaning filter	see decoration panel		
	UV Streamer kit (purifies the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit Replacement filter	BAEF12SAWB (22) BAF55A125	
	High efficiency filter	ePIM10 60% BAF552A160 (23) (BAF552A160-5; box of 5 filters) (BAF552A160-10; box of 10 filter)		
	Replacement long life filter, non-woven type	KAF551ID160	KAF44IC60	
Wiring and sensors	Dra-filter Filter chamber			
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-6B	KRCS01-6B
Adapters	K.RSS - External wireless temperature sensor	SB.K.RSS_RFC (EKEWTSC-2 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)	SB.K.RSS_FDA (EKEWTSC-1 + K.RSS)
	Adapter with 2 output signals (Compressor / Error, Fan output)	KRP1BAS8 (2)(7)	ERP02A50 (2)	ERP02A50 (2)
	Adapter with 4 output signals (Compressor / Error, Fan, Aux. heater, Humidifier output)	EKR1PC12 (2)(7)	EKR1PC14 (2)	EKR1PC14 (2)
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-140Ω (for dedicated indoor)	KRP4AS3 (2)(7)	KRP4AS3 (2)	KRP4AS3 (2)
	Adapter for external central monitoring/control (controls 1 entire system)		KRP2A52	KRP2A52
	Adapter for keyboard and/or window contact connection (2)(1)	BRP7A53	BRP7A53 (2)	BRP7A53 (2)
	Adapter for multi-tenant applications (24VAC PCB power supply interface)	DTA11A461	DTA11A461	DTA11A461
	External control adapter for outdoor unit (installation on indoor unit)			
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)	KRP1H8A (7) KRP1BC101	KRP1BC101	KRP1BC101 / KRP1B93
	Wiring kit for Remote ON/OFF or Forced OFF	Standard	Standard	Standard
Relay PCB for output signal of refrigerant sensor	ERP01A51 (2)	ERP01A50 (2)	ERP01A50 (2)	
Others	Drain pump kit	Standard	Standard	Standard
	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)			
	Fresh air intake kit (direct installation type)	KDDP55C160-1 + KDDP55D160-2 (7)(8)	KDDQ44XA60	
	Air discharge adapter for round duct			
L-type piping kit				
Insulation kit for high humidity				

(1) pump station is necessary for this option
 (2) Installation box is necessary for these adapters
 (3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
 (4) Not recommended because of the limitation of the functions
 (5) To be able to control the BYCQ140EGF (6) the controller BRCE or BRCH* is needed
 (6) The BYCQ140EGF (6) is not compatible with Multi and Split Non-Inverter Outdoor units
 (7) Option not available in combination with BYCQ140EGF (6)
 (8) Both parts of the fresh air intake are needed for each unit
 (9) Cannot be combined with sensor kit
 (10) Independently controllable flaps function not available
 (11) Only possible in combination with BRCH* / BRCE*
 (12) When fixing box is required, use KJB22A, KJB31A or KJB41A depending on the size of the controller

VRV 02.2026 - REV 01	Описание	Цена евро без ДДС 02.2026	Цена лв. без ДДС 02.2026
----------------------	----------	---------------------------	--------------------------

Options & accessories -



		Ceiling mounted cassette units			
		Round flow (800x800)	4-way (600x600)	2-way blow	Corner (1-way blow)
		FXFQ-B	FXZQ-A	FXCQ-A	FXKQ-A
Panels	Standard panels: BYCQ140E (white) / BYCQ140EW (full white) (3) / BYCQ140EB (black) Auto cleaning (5)(6): BYCQ140EGF (white) / BYCQ140EGFB (black) Designer panels: BYCQ140EP (white) / BYCQ140EPB (black)	BYFQ60C2WTW (white panel) BYFQ60C2WTS (grey panel) BYFQ60R3W1 (standard panel)	20-40: BYBC040H 50-63: BYBC063H 80-125: BYBCQ125H	20-32: BYK32G 40-63: BYK63G	
	Panel spacer for reducing required installation height	KDBQ44B60 (Standard panel)			
	Sealing kit for 3- or 2-directional air discharge	KDBHQ56B140 (7)	BDBHQ44C60 (white & grey panel)		
Sensor kit	BRYQ140B (white panels) BRYQ140BB (black panels) BRYQ140C (white designer panel) BRYQ140CB (black designer panel)	BRYQ60A2W (white) BRYQ60A2S (grey)			
Individual control systems	Infrared remote control including receiver	BRC7FA53ZF (white panels) (7)(15) BRC7FA53ZF (black panels) (7)(15) BRC7FB53ZF (white designer panel) (7)(15) BRC7FB53ZF (black designer panel) (7)(15)	BRC7F530W (9) (10) (white panel) BRC7F530S (9) (10) (grey panel) BRC7E530W (9) (10) (standard panel)	BRC7CS2	
	BRP069CS1 - Onecta app				
	Madoka BRC1H52W (White) / BRC1H52S (Silver) / BRC1H52K (Black) User-friendly wired remote controller with premium design BRC1E52A-B/C - Wired remote control with full-text interface and back-light				
Centralised systems	BRP069CS1 - Onecta app				
	BRC1D52 (4) - Standard wired remote control with weekly timer	(15)			
	DC601A51 - Intelligent Tablet Controller				
	DCS601C51 (12) - intelligent Touch Controller				
	DCS300C51 (12) - Central remote control				
	DCS301B51 (12) (13) - Unified ON/OFF control				
	EKM8PP1 - Modbus interface for monitoring and control				
	RTD-10 - Modbus interface for infrastructure cooling				
	RTD-20 - Modbus interface for retail				
	RTD-HO - Modbus interface for hotel				
	KLIC-DL_V2 - KNX Interface				
	DCM601B51 - intelligent Touch Manager				
	DGE601A51 - Edge adapter for connection to Daikin Cloud Plus				
	DGE602A51 - Edge lite adapter for connection to Daikin Cloud Plus				
	DKM8DBX - Modbus interface				
DKM80A51 - Daikin FMS interface					
DMS502A51 - BACnet Interface					
DMS504B51 - LonWorks Interface					
Filters	Auto cleaning filter	see decoration panel			
	UV Streamer kit (purifier the air of pollutants such as viruses, bacteria, fine dust, odours, allergens, etc ensuring a healthy indoor environment)	UV Streamer kit BAEF125AWB (22) Replacement filter BAF55A12S			
	High efficiency filter	BAF552AA160 ePM10.0/0.9µ (26) (BAF552AA160-5: box of 5 filters) (BAF552AA160-10: (box of 10 filter)			
	Replacement long life filter, non-woven type	KAF551D160	KAF441C60	20-40: KAF531C50 50-63: KAF531C80 80-125: KAF531C160	
Wiring sensors	Pre-filter				
	Filter chamber				
	KRCS - External wired temperature sensor	KRCS01-5B	KRCS01-4	KRCS01-4 KRCS01-6B SB, KRSS, FDA (EKEWTSC-1 + KRSS)	
Adapters	K.RSS - External wireless temperature sensor	K.RSS	K.RSS		
	Adapter with 2 output signals (Compressor / Error, Fan output)	KRP1BAS8 (2)(7)	KRP1B57 (2)		
	Adapter with 4 output signals (Compressor / Error, Fan, Aux, heater, Humidifier output)	EKRPI2C (2)(7)	EKRPIB2 (2)	EKRPIB2 (2) EKRPI2C (2)	
	Adapter for centralised external monitoring/control via dry contacts and setpoint control via 0-1400 (for dedicated indoor)	KRP4A53 (2)(7)	KRP4A53 (2)	KRP4A51 (2) KRP4A53 (2)	
	Adapter for external central monitoring/control (controls 1 entire system)	BRP7A53	KRP2A52	KRP2A51 (2) KRP2A52	
	Adapter for keypad and/or window contact connection (2)(11)	DTA1H4A61	BRP7A53 (2) DTA1H4A61	BRP7A51 (2) DTA1H4A61	
	Adapter for multi-tenant applications (24VAC PCB power supply interface)			DTA1H4A61 (2)	
Others	External control adapter for outdoor unit (installation on indoor unit)			DTA1H4A61 (2)	
	Installation box / Mounting plate for adapter PCBs (For units where there is no space in the switchbox)	KRP1H98A (7) KRP1BC101	KRP1BC101	KRP1C96 (16) (17) KRP1BC101 / KRP4893	
	Wiring kit for Remote ON/OFF or Forced OFF	Standard	Standard	Standard	
	Relay PCB for output signal of refrigerant sensor	Standard	Standard	Standard	
	Drain pump kit	Standard	Standard	Standard	
Others	Multi zoning kit (for detailed model code overview refer to multizoning argue card in this catalogue)	KDDP55C160-1 + KDDP55D160-2 (7)(8)	KDDQ44A60		
	Fresh air intake kit (direct installation type)				
	Air discharge adapter for round duct				
	L-type piping kit			20-40: KDDFP53B80 50-63: KDDFP53B80 80-125: KDDFP53B160	
Filter chamber for bottom suction					
Insulation kit for high humidity					

(1) pump station is necessary for this option
 (2) Installation box is necessary for these adapters
 (3) The BYCQ140EW has white insulation. Be informed that formation of dirt on white insulation is visibly stronger and that it is consequently not advised to install the BYCQ140EW decoration panel in environments exposed to concentrations of dirt*
 (4) Not recommended because of the limitation of the functions
 (5) To be able to control the BYCQ140EGF (B) the controller BRC1E or BRC1H* is needed
 (6) The BYCQ140EGF (B) is not compatible with Multi and Split Non-Inverter Outdoor units
 (7) Option not available in combination with BYCQ140EGF (B)
 (8) Both parts of the fresh air intake are needed for each unit

(9) Cannot be combined with sensor kit
 (10) Independently controllable flaps function not available
 (11) Only possible in combination with BRC1H / BRC1E*
 (12) When fixing box is required, use KJ820A, KJ830A or KJ840A depending on the size of the controller
 (13) Option KJK26-1A (Noise filter) is required when installing DCS301B51
 (14) Wire harness EKEWTSC is necessary
 (15) The active air flow circulation function is not available for this controller.
 (16) Up to 2 adaptor PCBs can be installed per installation box
 (17) Only one installation box can be installed per indoor unit
 (18) VRV R.32 indoor units cannot be connected to this controller

