

| VRV 2020 - REV 02 | Описание | Цена лв. без ДДС 2020 |
|---|----------|--------------------------|
| VRV IV+ Inverter HP with cont. heating | | |
| RYYQ-U | 8 | 17 725,00 |
| RYYQ-U | 10 | 19 390,00 |
| RYYQ-U | 12 | 23 272,50 |
| RYYQ-U | 14 | 27 155,00 |
| RYYQ-U | 16 | 31 112,50 |
| RYYQ-U | 18 | 37 122,50 |
| RYYQ-U | 20 | 40 835,00 |
| VRV IV Inverter HP with cont. heating(MULTI) | | |
| RYMQ-U | 8 | 16 922,50 |
| RYMQ-U | 10 | 18 512,50 |
| RYMQ-U | 12 | 22 212,50 |
| RYMQ-U | 14 | 25 915,00 |
| RYMQ-U | 16 | 29 697,50 |
| RYMQ-U | 18 | 35 432,50 |
| RYMQ-U | 20 | 38 982,50 |
| Каталожни комбинации | | |
| RYYQ-U (10 + 12) | 22 | 40 725,00 |
| RYYQ-U (8 + 16) | 24 | 46 620,00 |
| RYYQ-U (12 + 14) | 26 | 48 127,50 |
| RYYQ-U (12 + 16) | 28 | 51 910,00 |
| RYYQ-U (12 + 18) | 30 | 57 645,00 |
| RYYQ-U (16 + 16) | 32 | 59 395,00 |
| RYYQ-U (16 + 18) | 34 | 65 130,00 |
| RYYQ-U (16 + 20) | 36 | 68 680,00 |
| RYYQ-U (8 + 10 + 20) | 38 | 74 417,50 |
| RYYQ-U (10 + 12 + 18) | 40 | 76 157,50 |
| RYYQ-U (10 + 16 + 16) | 42 | 77 907,50 |
| RYYQ-U (12 + 16 + 16) | 44 | 81 607,50 |
| RYYQ-U (14 + 16 + 16) | 46 | 85 310,00 |
| RYYQ-U (16 + 16 + 16) | 48 | 89 092,50 |
| RYYQ-U (16 + 16 + 18) | 50 | 94 827,50 |
| RYYQ-U (16 + 18 + 18) | 52 | 100 562,50 |
| RYYQ-U (18 + 18 + 18) | 54 | 106 297,50 |
| Свободни комбинации | | |
| RYYQ-U (10 + 10) | 20 | 37 025,00 |
| RYYQ-U (10 + 12) | 22 | 40 725,00 |
| RYYQ-U (12 + 12) | 24 | 44 425,00 |
| RYYQ-U (12 + 14) | 26 | 48 127,50 |
| RYYQ-U (14 + 14) | 28 | 51 830,00 |
| RYYQ-U (16 + 14) | 30 | 55 612,50 |
| RYYQ-U (16 + 16) | 32 | 59 395,00 |
| RYYQ-U (10 + 12 + 12) | 34 | 62 937,50 |
| RYYQ-U (12 + 12 + 12) | 36 | 66 637,50 |
| RYYQ-U (10 + 14 + 14) | 38 | 70 342,50 |
| RYYQ-U (12 + 14 + 14) | 40 | 74 042,50 |
| RYYQ-U (14 + 14 + 14) | 42 | 77 745,00 |
| RYYQ-U (14 + 14 + 16) | 44 | 81 527,50 |
| RYYQ-U (14 + 16 + 16) | 46 | 85 310,00 |
| RYYQ-U (16 + 16 + 16) | 48 | 89 092,50 |
| RYYQ-U (16 + 16 + 18) | 50 | 94 827,50 |
| RYYQ-U (16 + 18 + 18) | 52 | 100 562,50 |
| RYYQ-U (18 + 18 + 18) | 54 | 106 297,50 |

| VRV IV+ Inverter HP without cont. heating | | Цена лв. без ДДС |
|---|--|------------------|
| RXYQ-U | 8 | 16 115,00 |
| RXYQ-U | 10 | 17 630,00 |
| RXYQ-U | 12 | 21 155,00 |
| RXYQ-U | 14 | 24 682,50 |
| RXYQ-U | 16 | 28 282,50 |
| RXYQ-U | 18 | 33 747,50 |
| RXYQ-U | 20 | 37 122,50 |
| Каталожни комбинации | | |
| RXYQ-U (10 + 12) | 22 | 38 785,00 |
| RXYQ-U (8 + 16) | 24 | 44 397,50 |
| RXYQ-U (12 + 14) | 26 | 45 837,50 |
| RXYQ-U (12 + 16) | 28 | 49 437,50 |
| RXYQ-U (12 + 18) | 30 | 54 902,50 |
| RXYQ-U (16 + 16) | 32 | 56 565,00 |
| RXYQ-U (16 + 18) | 34 | 62 030,00 |
| RXYQ-U (16 + 20) | 36 | 65 405,00 |
| RXYQ-U (8 + 10 + 20) | 38 | 70 867,50 |
| RXYQ-U (10 + 12 + 18) | 40 | 72 532,50 |
| RXYQ-U (10 + 16 + 16) | 42 | 74 195,00 |
| RXYQ-U (12 + 16 + 16) | 44 | 77 720,00 |
| RXYQ-U (14 + 16 + 16) | 46 | 81 247,50 |
| RXYQ-U (16 + 16 + 16) | 48 | 84 847,50 |
| RXYQ-U (16 + 16 + 18) | 50 | 90 312,50 |
| RXYQ-U (16 + 18 + 18) | 52 | 95 777,50 |
| RXYQ-U (18 + 18 + 18) | 54 | 101 242,50 |
| Свободни комбинации | | |
| RXYQ-U (10 + 10) | 20 | 35 260,00 |
| RXYQ-U (10 + 12) | 22 | 38 785,00 |
| RXYQ-U (12 + 12) | 24 | 42 310,00 |
| RXYQ-U (12 + 14) | 26 | 45 837,50 |
| RXYQ-U (14 + 14) | 28 | 49 365,00 |
| RXYQ-U (16 + 14) | 30 | 52 965,00 |
| RXYQ-U (16 + 16) | 32 | 56 565,00 |
| RXYQ-U (10 + 12 + 12) | 34 | 59 940,00 |
| RXYQ-U (12 + 12 + 12) | 36 | 63 465,00 |
| RXYQ-U (10 + 14 + 14) | 38 | 66 995,00 |
| RXYQ-U (12 + 14 + 14) | 40 | 70 520,00 |
| RXYQ-U (14 + 14 + 14) | 42 | 74 047,50 |
| RXYQ-U (14 + 14 + 16) | 44 | 77 647,50 |
| RXYQ-U (14 + 16 + 16) | 46 | 81 247,50 |
| RXYQ-U (16 + 16 + 16) | 48 | 84 847,50 |
| RXYQ-U (16 + 16 + 18) | 50 | 90 312,50 |
| RXYQ-U (16 + 18 + 18) | 52 | 95 777,50 |
| RXYQ-U (18 + 18 + 18) | 54 | 101 242,50 |
| BHFQ22P1007 | Multi-module connection kit for 2-module systems | 200,00 |
| BHFQ22P1517 | Multi-module connection kit for 3-module systems | 425,00 |
| VRV IV+ Inverter HP OPTIMIZED FOR HEATING | | |
| RXYLQ-T | 10 | 20 360,00 |
| RXYLQ-T | 12 | 24 437,50 |
| RXYLQ-T | 14 | 28 512,50 |
| VRV IV Inverter HP optimized for heating (MULTI) | | |
| RXMLQ-T | 8 | 16 840,00 |
| Каталожни комбинации | | |
| RXYLQ-T (8+8) | 16 | 33 680,00 |
| RXYLQ-T (10+8) | 18 | 37 200,00 |
| RXYLQ-T (10+10) | 20 | 40 720,00 |
| RXYLQ-T (10+12) | 22 | 44 797,50 |
| RXYLQ-T (12+12) | 24 | 48 875,00 |
| RXYLQ-T (12+14) | 26 | 52 950,00 |
| RXYLQ-T (14+14) | 28 | 57 025,00 |
| RXYLQ-T (10+10+10) | 30 | 61 080,00 |
| RXYLQ-T (10+10+12) | 32 | 65 157,50 |
| RXYLQ-T (10+12+12) | 34 | 69 235,00 |
| RXYLQ-T (12+12+12) | 36 | 73 312,50 |

| | | |
|---|---|------------------|
| RXYLQ-T (12+12+14) | 38 | 77 387,50 |
| RXYLQ-T (12+14+14) | 40 | 81 462,50 |
| RXYLQ-T (14+14+14) | 42 | 85 537,50 |
| MINI VRV IV - S Series Compact | | |
| RXYSQ-TV1 | 4 | 7 842,50 |
| RXYSQ-TV1 | 5 | 8 717,50 |
| RXYSQ-TV1 | 6 | 9 590,00 |
| MINI VRV IV - S Series | | |
| RXYSQ-TV1 | 4 | 7 842,50 |
| RXYSQ-TV1 | 5 | 8 717,50 |
| RXYSQ-TV1 | 6 | 9 732,50 |
| RXYSQ-TY1 | 4 | 7 842,50 |
| RXYSQ-TY1 | 5 | 8 717,50 |
| RXYSQ-TY1 | 6 | 9 732,50 |
| RXYSQ-TY1 | 8 | 10 062,50 |
| RXYSQ-TY1 | 10 | 11 795,00 |
| RXYSQ-TY1 | 12 | 14 310,00 |
| BPMKS967A2 | Branch Provider box for connecting up to 2 Split or SkyAir indoor units | 997,50 |
| BPMKS967A3 | Branch Provider box for connecting up to 3 Split or SkyAir indoor units | 1 060,00 |
| VRV IV - HEAT PUMP FOR INDOOR INSTALLATION | | |
| SB.RKXYQ5T | 5 | 15 347,50 |
| RKXYQ5T | compressor unit | 6 600,00 |
| RDXYQ5T | heat exchanger unit | 8 747,50 |
| EKDPH1RDX | Drain pan heater | 180,00 |
| SB.RKXYQ8T | 8 | 16 787,50 |
| RKXYQ8T | compressor unit | 9 570,00 |
| RDXYQ8T | heat exchanger unit | 7 217,50 |
| EKDPH1RDX | Drain pan heater | 180,00 |
| VRV IV+ Heat Recovery SF | | |
| REYQ-U | 8 | 20 592,50 |
| REYQ-U | 10 | 21 255,00 |
| REYQ-U | 12 | 25 492,50 |
| REYQ-U | 14 | 30 487,50 |
| REYQ-U | 16 | 34 835,00 |
| REYQ-U | 18 | 40 062,50 |
| REYQ-U | 20 | 44 067,50 |
| Low-capacity standard multi-module combinations | | |
| M-REYQ-U.OU (5+5) | 10 | 28 832,50 |
| M-REYQ-U.OU (5+8) | 13 | 35 010,00 |
| M-REYQ-U.OU (8+8) | 16 | 41 185,00 |
| M-REYQ-U.OU (8+10) | 18 | 41 847,50 |
| M-REYQ-U.OU (8+12) | 20 | 46 085,00 |
| High-capacity standard multi-module combinations | | |
| REYQ-U.OU (10+12) | 22 | 46 747,50 |
| REYQ-U.OU (12+12) | 24 | 50 985,00 |
| REYQ-U.OU (12+14) | 26 | 55 980,00 |
| REYQ-U.OU (12+16) | 28 | 60 327,50 |
| REYQ-U.OU (12+18) | 30 | 65 555,00 |
| REYQ-U.OU (16+16) | 32 | 69 670,00 |
| REYQ-U.OU (16+18) | 34 | 74 897,50 |
| REYQ-U.OU (16+20) | 36 | 78 902,50 |
| REYQ-U.OU (10+12+16) | 38 | 81 582,50 |
| REYQ-U.OU (12+12+16) | 40 | 85 820,00 |
| REYQ-U.OU (10+16+16) | 42 | 90 925,00 |
| REYQ-U.OU (12+16+16) | 44 | 95 162,50 |
| REYQ-U.OU (14+16+16) | 46 | 100 157,50 |
| REYQ-U.OU (16+16+16) | 48 | 104 505,00 |
| REYQ-U.OU (16+16+18) | 50 | 109 732,50 |
| REYQ-U.OU (16+18+18) | 52 | 114 960,00 |
| REYQ-U.OU (18+18+18) | 54 | 120 187,50 |
| BHFQ23P907 | Multi-module connection kit for 2-module systems | 410,00 |
| BHFQ23P1357 | Multi-module connection kit for 3-module systems | 820,00 |

| | | Цена лв. без ДДС |
|---|---|------------------|
| •Compact Single-port Branch Selector Box | | |
| BS1Q 10A | 15-100 | 1 070,00 |
| BS1Q 16A | 101-160 | 1 685,00 |
| BS1Q 25A | 161-250 | 1 937,50 |
| •Compact Multi-port Branch Selector Box | | |
| BS4Q 14A | 4x 15-140 | 3 787,50 |
| BS6Q 14A | 6x 15-140 | 5 190,00 |
| BS8Q 14A | 8x 15-140 | 6 825,00 |
| BS10Q 14A | 10x 15-140 | 8 205,00 |
| BS12Q 14A | 12x 15-140 | 9 670,00 |
| BS16Q 14A | 16x 15-140 | 12 240,00 |
| EKBSVQLNP | Sound reduction kit (sound insulation) | 240,00 |
| KDDN26A4 | Sound reduction kit for BS4Q14AV1 | 2 182,50 |
| KDDN26A8 | Sound reduction kit for BS6Q14AV1 and BS8Q14AV1 | 2 580,00 |
| KDDN26A12 | Sound reduction kit for BS10Q14AV1 and BS12Q14AV1 | 3 472,50 |
| KDDN26A16 | Sound reduction kit for BS16Q14AV1 | 3 942,50 |
| KHFP26A100C | Closed pipe kit | 115,00 |
| REPLACEMENT VRV IV+ Q-Series | | |
| | HP | |
| RXYQQ-U | 8 | 20 950,00 |
| RXYQQ-U | 10 | 22 917,50 |
| RXYQQ-U | 12 | 27 502,50 |
| RXYQQ-U | 14 | 32 092,50 |
| RXYQQ-U | 16 | 36 770,00 |
| RXYQQ-U | 18 | 44 860,00 |
| RXYQQ-U | 20 | 47 100,00 |
| RXYQQ-U.OU | 22 | 50 420,00 |
| RXYQQ-U.OU | 24 | 57 720,00 |
| RXYQQ-U.OU | 26 | 59 595,00 |
| RXYQQ-U.OU | 28 | 64 272,50 |
| RXYQQ-U.OU | 30 | 72 362,50 |
| RXYQQ-U.OU | 32 | 73 540,00 |
| RXYQQ-U.OU | 34 | 81 630,00 |
| RXYQQ-U.OU | 36 | 83 870,00 |
| RXYQQ-U.OU | 38 | 90 967,50 |
| RXYQQ-U.OU | 40 | 95 280,00 |
| RXYQQ-U.OU | 42 | 96 457,50 |
| REPLACEMENT VRV III Q-Series HR | | |
| | HP | |
| RQCEQ280P3.OU | 10 (RQEQ140P3+RQEQ140P3+BHFP26P36C) | 30 292,50 |
| RQCEQ360P3.OU | 13 (RQEQ180P3+RQEQ180P3+BHFP26P36C) | 42 142,50 |
| RQCEQ460P3.OU | 16 (RQEQ140P3+RQEQ140P3+RQEQ180P3+BHFP26P63C) | 51 720,00 |
| RQCEQ500P3.OU | 18 (RQEQ140P3+RQEQ180P3+RQEQ180P3+BHFP26P63C) | 57 645,00 |
| RQCEQ540P3.OU | 20 (RQEQ180P3+RQEQ180P3+RQEQ180P3+BHFP26P63C) | 63 567,50 |
| RQCEQ636P3.OU | 22 (RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P63C) | 75 425,00 |
| RQCEQ712P3.OU | 24 (RQEQ140P3+RQEQ180P3+RQEQ180P3+RQEQ212P3+BHFP26P84C) | 82 782,50 |
| RQCEQ744P3.OU | 26 (RQEQ140P3+RQEQ180P3+RQEQ212P3+RQEQ212P3+BHFP26P84C) | 86 735,00 |
| RQCEQ816P3.OU | 28 (RQEQ180P3+RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P84C) | 96 612,50 |
| RQCEQ848P3.OU | 30 (RQEQ212P3+RQEQ212P3+RQEQ212P3+RQEQ212P3+BHFP26P84C) | 100 565,00 |
| BHFP26P36C | Multi-module connection kit for 2-module systems | 457,50 |
| BHFP26P63C | Multi-module connection kit for 3-module systems | 935,00 |
| BHFP26P84C | Multi-module connection kit for 4-module systems | 1 245,00 |

| Water cooled VRV IV-W+ for standard and geothermal applications /HP/HR | | Цена лв. без ДДС |
|--|--|------------------|
| RWEYQ - T9 | 8 | 14 607,50 |
| RWEYQ - T9 | 10 | 16 307,50 |
| RWEYQ - T9 | 12 | 18 427,50 |
| RWEYQ - T9 | 14 | 20 822,50 |
| RWEYQ - T9.OU | 16 | 29 215,00 |
| RWEYQ - T9.OU | 18 | 30 915,00 |
| RWEYQ - T9.OU | 20 | 33 035,00 |
| RWEYQ - T9.OU | 22 | 34 735,00 |
| RWEYQ - T9.OU | 24 | 43 822,50 |
| RWEYQ - T9.OU | 26 | 39 250,00 |
| RWEYQ - T9.OU | 28 | 41 645,00 |
| RWEYQ - T9.OU | 30 | 49 342,50 |
| RWEYQ - T9.OU | 32 | 51 462,50 |
| RWEYQ - T9.OU | 34 | 53 857,50 |
| RWEYQ - T9.OU | 36 | 55 282,50 |
| RWEYQ - T9.OU | 38 | 57 677,50 |
| RWEYQ - T9.OU | 40 | 60 072,50 |
| RWEYQ - T9.OU | 42 | 62 467,50 |
| BHFQ22P1007 | Multi-module connection kit for 2-module systems | 200,00 |
| BHFQ22P1517 | Multi-module connection kit for 3-module systems | 425,00 |
| BHFQ23P907 | Multi-module connection kit for 2-module systems | 410,00 |
| BHFQ23P1357 | Multi-module connection kit for 3-module systems | 820,00 |

| INDOOR UNITS | | Цена лв. без ДДС |
|-------------------|--|------------------|
| FXFQ-B | 20 | 1 765,00 |
| FXFQ-B | 25 | 1 825,00 |
| FXFQ-B | 32 | 1 937,50 |
| FXFQ-B | 40 | 2 127,50 |
| FXFQ-B | 50 | 2 240,00 |
| FXFQ-B | 63 | 2 317,50 |
| FXFQ-B | 80 | 2 925,00 |
| FXFQ-B | 100 | 3 072,50 |
| FXFQ-B | 125 | 3 220,00 |
| FXFQ-B + BYCQ140E | 20 | 2 220,00 |
| FXFQ-B + BYCQ140E | 25 | 2 280,00 |
| FXFQ-B + BYCQ140E | 32 | 2 392,50 |
| FXFQ-B + BYCQ140E | 40 | 2 582,50 |
| FXFQ-B + BYCQ140E | 50 | 2 695,00 |
| FXFQ-B + BYCQ140E | 63 | 2 772,50 |
| FXFQ-B + BYCQ140E | 80 | 3 380,00 |
| FXFQ-B + BYCQ140E | 100 | 3 527,50 |
| FXFQ-B + BYCQ140E | 125 | 3 675,00 |
| BRC7FA532F | Infra-red wireless remote controller for non-designer AND WHITE DESIGNER panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control | 320,00 |
| BRC7FA532FB | Infra-red wireless remote controller in black for non-designer AND WHITE DESIGNER panel combinations - Note: not compatible with Presence & Floor sensors and no individual flap control | 320,00 |
| BRC1D528 | Basic wired remote controller with weekly timer not compatible with Presence & Floor sensors and no individual flap control | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| BRYQ140B | PRESENCE & FLOOR SENSORS - в зависимост от дек. Панел | 257,50 |
| BYCQ140E | Standart Dec. panel | 455,00 |
| BYCQ140EB | Standart Dec. panel IN BLACK (RAL 9005) | 637,50 |
| BYCQ140EGF | Selfclean Dec. Panel | 825,00 |
| BYCQ140EGFB | Selfclean Dec. Panel IN BLACK (RAL 9005) | 1 007,50 |
| BYCQ140EW | FULL WHITE Dec. Panel | 512,50 |
| BYCQ140EP | New Designer panel in white (RAL 9010) | 700,00 |
| BYCQ140EPB | New Designer panel in black (RAL 9005) | 1 062,50 |
| CE.KDDQ55B140 | Fresh air intake kit for max 20% fresh air (consisting of two parts) | 882,50 |
| KDBHQ56B140 | Sealing kit for 3-directional or 2-directional air discharge | 232,50 |
| KAFP551K160 | Replacement long life filter | 170,00 |
| FXZQ-A | 15 | 1 772,50 |
| FXZQ-A | 20 | 1 817,50 |
| FXZQ-A | 25 | 1 845,00 |
| FXZQ-A | 32 | 1 960,00 |
| FXZQ-A | 40 | 2 172,50 |
| FXZQ-A | 50 | 2 207,50 |
| FXZQ-A + BYFQ60CW | 15 | 2 210,00 |
| FXZQ-A + BYFQ60CW | 20 | 2 255,00 |
| FXZQ-A + BYFQ60CW | 25 | 2 282,50 |
| FXZQ-A + BYFQ60CW | 32 | 2 397,50 |
| FXZQ-A + BYFQ60CW | 40 | 2 610,00 |
| FXZQ-A + BYFQ60CW | 50 | 2 645,00 |
| BRC7F530W | Infra-red wireless remote controller for BYFQ60C2W1W - Note: no individual flap control possible | 322,50 |
| BRC7F530S | Infra-red wireless remote controller for BYFQ60C2W1S - Note: no individual flap control possible | 322,50 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| BRYQ60AW | Presence & Floor sensors for BYFQ60CW - Note: must be combined with the BRC1E52B Standard wired remote controller | 257,50 |
| BRYQ60AS | Presence & Floor sensors for BYFQ60CS - Note: must be combined with the BRC1E52B Standard wired remote controller | 257,50 |
| BYFQ60B3 | Legacy Euro panel | 490,00 |

| INDOOR UNITS | | Цена лв. без ДДС |
|-----------------------|---|------------------|
| BYFQ60CW | Standart Dec. Panel | 437,50 |
| BYFQ60CS | Silver Dec. Panel | 467,50 |
| BDBHQ44C60 | Sealing kit for 3-directional or 2-direction air discharge for BYFQ60C- | 180,00 |
| KDBQ44B60 | Panel spacer for reduced installation space - Only possible for use with Legacy design panel BYFQ60B3 | 807,50 |
| KDDQ44XA60 | Fresh air intake kit (connecting flange for ait duct) | 270,00 |
| FXCQ-M8 | 20 | 1 735,00 |
| FXCQ-M8 | 25 | 1 755,00 |
| FXCQ-M8 | 32 | 1 810,00 |
| FXCQ-M8 | 40 | 1 960,00 |
| FXCQ-M8 | 50 | 2 025,00 |
| FXCQ-M8 | 63 | 2 057,50 |
| FXCQ-M8 | 80 | 2 742,50 |
| FXCQ-M8 | 125 | 3 350,00 |
| FXCQ-M8 + BYBCQ40HW1 | 20 | 2 760,00 |
| FXCQ-M8 + BYBCQ40HW1 | 25 | 2 780,00 |
| FXCQ-M8 + BYBCQ40HW1 | 32 | 2 835,00 |
| FXCQ-M8 + BYBCQ40HW1 | 40 | 2 985,00 |
| FXCQ-M8 + BYBCQ63HW1 | 50 | 3 200,00 |
| FXCQ-M8 + BYBCQ63HW1 | 63 | 3 232,50 |
| FXCQ-M8 + BYBCQ125HW1 | 80 | 4 082,50 |
| FXCQ-M8 + BYBCQ125HW1 | 125 | 4 690,00 |
| BRC7C52 | Infra-red wireless remote controller - Note: no individual flap control | 430,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/sliver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| BYBCQ40HW1 | Dec. Pan. 20-40 | 1 025,00 |
| BYBCQ63HW1 | Dec. Pan. 50-63 | 1 175,00 |
| BYBCQ125HW1 | Dec. Pan. 80-125 | 1 340,00 |
| FXKQ-MA | 25 | 2 015,00 |
| FXKQ-MA | 32 | 2 022,50 |
| FXKQ-MA | 40 | 2 040,00 |
| FXKQ-MA | 63 | 2 292,50 |
| FXKQ-MA + BYK45F | 25 | 2 695,00 |
| FXKQ-MA + BYK45F | 32 | 2 702,50 |
| FXKQ-MA + BYK45F | 40 | 2 720,00 |
| FXKQ-MA + BYK71F | 63 | 3 030,00 |
| BRC4C61 | Infra-red wireless remote controller | 537,50 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/sliver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| BYK45F | Standart Dec. Pan | 680,00 |
| BYK71F | Standart Dec. Pan | 737,50 |
| FXUQ-A | 71 | 3 700,00 |
| FXUQ-A | 100 | 4 175,00 |
| BRC7C58 | Infra-red wireless remote controller | 445,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/sliver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| FXHQ-A | 32 | 2 482,50 |
| FXHQ-A | 63 | 2 730,00 |
| FXHQ-A | 100 | 3 117,50 |
| BRC7GA53-9 | Infra-red wireless remote controller | 445,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/sliver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |

| INDOOR UNITS | | Цена лв. без ДДС |
|---|---|------------------|
| FXAQ-A | 15 | 1 380,00 |
| FXAQ-A | 20 | 1 425,00 |
| FXAQ-A | 25 | 1 455,00 |
| FXAQ-A | 32 | 1 490,00 |
| FXAQ-A | 40 | 1 585,00 |
| FXAQ-A | 50 | 1 650,00 |
| FXAQ-A | 63 | 1 690,00 |
| BRC7EA628 | Infra-red wireless remote controller | 330,00 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| K-KDU572EVE | External drain pump kit (1000 mm delivery height) | 1 265,00 |
| FXDQ-A3 | 15 | 1 382,50 |
| FXDQ-A3 | 20 | 1 425,00 |
| FXDQ-A3 | 25 | 1 517,50 |
| FXDQ-A3 | 32 | 1 610,00 |
| FXDQ-A3 | 40 | 1 710,00 |
| FXDQ-A3 | 50 | 1 817,50 |
| FXDQ-A3 | 63 | 1 927,50 |
| BAE20A62 | Auto cleaning filter for FXDQ15-32A3 | 767,50 |
| BAE20A82 | Auto cleaning filter for FXDQ40-50A3 | 812,50 |
| BAE20A102 | Auto cleaning filter for FXDQ63A3 | 857,50 |
| FXMQ-MB high external static Pres. 221Pa | 200 | 5 312,50 |
| FXMQ-MB high external static Pres. 270Pa | 250 | 5 452,50 |
| FXSQ-A | 15 | 1 627,50 |
| FXSQ-A | 20 | 1 712,50 |
| FXSQ-A | 25 | 1 792,50 |
| FXSQ-A | 32 | 1 810,00 |
| FXSQ-A | 40 | 1 922,50 |
| FXSQ-A | 50 | 2 012,50 |
| FXSQ-A | 63 | 2 050,00 |
| FXSQ-A | 80 | 2 597,50 |
| FXSQ-A | 100 | 2 695,00 |
| FXSQ-A | 125 | 2 742,50 |
| FXSQ-A | 140 | 3 017,50 |
| FXMQ-P7 | 50 | 2 105,00 |
| FXMQ-P7 | 63 | 2 157,50 |
| FXMQ-P7 | 80 | 2 727,50 |
| FXMQ-P7 | 100 | 2 825,00 |
| FXMQ-P7 | 125 | 2 882,50 |
| BRC4C65 | Infra-red wireless remote controller with external receiver | 272,50 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| Air discharge for FXSQ-A and FXTQ50A | | |
| KDAP25A36A | Air discharge adaptor for round duct - for units 15-32 | 195,00 |
| KDAP25A56A | Air discharge adaptor for round duct - for FXSQ40~50A | 222,50 |
| KDAP25A71A | Air discharge adaptor for round duct - for FXSQ63~80A | 480,00 |
| KDAP25A140A | Air discharge adaptor for round duct - for FXSQ100~125A & FXTQ50A | 742,50 |
| Air discharge for FXMQ-P7 | | |
| KDAJ25K36A | Air discharge adaptor for round duct 1x ø200mm - for units 15-32 | 195,00 |
| KDAJ25K56 | Air discharge adaptor for round duct 2x ø200mm - for FXMQ40P7 | 222,50 |
| KDAJ25K71 | Air discharge adaptor for round duct 2x ø200mm - for FXMQ50~80P7 | 465,00 |
| KDAJ25K140 | Air discharge adaptor for round duct 4x ø200mm - for FXMQ100~125P7 | 742,50 |

| | | Цена лв. без ДДС |
|---|--|------------------|
| FXLQ-P | 20 | 2 127,50 |
| FXLQ-P | 25 | 2 197,50 |
| FXLQ-P | 32 | 2 262,50 |
| FXLQ-P | 40 | 2 327,50 |
| FXLQ-P | 50 | 2 467,50 |
| FXLQ-P | 63 | 2 617,50 |
| EKRDP25 (rear panel) | 20 + 25 | 190,00 |
| EKRDP40 (rear panel) | 32 + 40 | 230,00 |
| EKRDP63 (rear panel) | 50 + 63 | 270,00 |
| FXNQ-A | 20 | 1 810,00 |
| FXNQ-A | 25 | 1 880,00 |
| FXNQ-A | 32 | 1 942,50 |
| FXNQ-A | 40 | 2 000,00 |
| FXNQ-A | 50 | 2 125,00 |
| FXNQ-A | 63 | 2 255,00 |
| BRC4C65 | Infra-red wireless remote controller with external receiver | 272,50 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| ACCESSORIES | | |
| HXY080A | VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX | 4 067,50 |
| HXY125A | VRV IV LOW TEMPERATURE REVERSIBLE HYDROBOX | 5 692,50 |
| EKHBDP2CA2 | Optional drain pan (required for cooling operation) HXY-A | 300,00 |
| EKBUA6V3 | 6kW external back-up heater, 1-phase (230V) power supply | 1 212,50 |
| EKBUA6W1 | 6kW external back-up heater, 3-phase (400V) power supply | 1 212,50 |
| VRV heat recovery High temperature heating only hydrobox ONLY COMBINABLE WITH REYQ-T SYSTEMS | | |
| HXHD125A8 | HT Hydrobox = 14 kW nominal Heating | 7 385,00 |
| HXHD200A8 | HT Hydrobox = 22,4 kW nominal Heating | 11 075,00 |
| EKR1HBA - Digital I/O PCB | Digital I/O PCB | 277,50 |
| EKR1AHTA | Demand PCB - Required to be able to connect Room thermostat | 282,50 |
| EKRUAHTB | Remote user interface - Same controller as supplied with hydrobox unit can be mounted parallel or in another location. | 410,00 |
| EKR1TWA | Wired Room thermostat - Requires Demand PCB EKR1AHT | 262,50 |
| EKR1TR1 | Wireless Room thermostat - Requires Demand PCB EKR1AHT | 517,50 |
| EKR1TETS | Remote sensor for Room thermostat - Requires Demand PCB EKR1AHT | 30,00 |
| RTD-W | Modbus and advanced controp adaptor | 722,50 |
| VRV air handling unit Connection Kit | | |
| EKEQMCBA | Daikin control • Room temperature control • Return air temperature control (via a supplied thermistor) | 1 485,00 |
| EKEQFCBA | • 0~10V direct capacity control (5V = maintain capacity, >5V colder air wanted, <5V warmer air wanted) | 1 410,00 |
| EKEXV50 | Expansion Valve Unit | 262,50 |
| EKEXV63 | Expansion Valve Unit | 272,50 |
| EKEXV80 | Expansion Valve Unit | 292,50 |
| EKEXV100 | Expansion Valve Unit | 302,50 |
| EKEXV125 | Expansion Valve Unit | 325,00 |
| EKEXV140 | Expansion Valve Unit | 332,50 |
| EKEXV200 | Expansion Valve Unit | 357,50 |
| EKEXV250 | Expansion Valve Unit | 385,00 |
| EKEXV400 | Expansion Valve Unit | 420,00 |
| EKEXV500 | Expansion Valve Unit | 465,00 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| KRCS01-1 | Remote air temperature sensor | 142,50 |
| KRP4A51 | Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-140Q. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device | 327,50 |

| | | Цена лв. без ДДС |
|--|--|------------------|
| HEAT RECLAIM VENTILATION (HRV) UNITS | | |
| VAM - FC | 150 | 2 025,00 |
| VAM - FC | 250 | 2 205,00 |
| VAM - J | 350 | 2 542,50 |
| VAM - J | 500 | 2 735,00 |
| VAM - J | 650 | 3 557,50 |
| VAM - J | 800 | 3 967,50 |
| VAM - J | 1000 | 4 805,00 |
| VAM - J | 1500 | 7 175,00 |
| VAM - J | 2000 | 9 045,00 |
| EKAFVJ50F6 | M6-class high efficiency filter - for VAM350~500J units | 322,50 |
| EKAFVJ65F6 | M6-class high efficiency filter - for VAM650 units | 352,50 |
| EKAFVJ100F6 | M6-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~ | 432,50 |
| EKAFVJ50F7 | F7-class high efficiency filter - for VAM350~500J units | 347,50 |
| EKAFVJ65F7 | F7-class high efficiency filter - for VAM650 units | 395,00 |
| EKAFVJ100F7 | F7-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2000J units | 475,00 |
| EKAFVJ50F8 | F8-class high efficiency filter - for VAM350~500J units | 395,00 |
| EKAFVJ65F8 | F8-class high efficiency filter - for VAM650 units | 440,00 |
| EKAFVJ100F8 | F8-class high efficiency filter - for VAM800J & VAM1000J units; two kits are necessary for VAM1500~2 | 527,50 |
| ELECTRICAL HEATERS GSIEKA FOR USE WITH VAM UNITS | | |
| GSIEKA 10009 | VAM150FC9 | 1 315,00 |
| GSIEKA 15018 | VAM250FC9 | 1 327,50 |
| GSIEKA 20024 | VAM350J-500J | 1 337,50 |
| GSIEKA 25030 | VAM650J,800J,1000J | 1 432,50 |
| GSIEKA 35530 | VAM1500J-2000J | 1 450,00 |
| •VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL | | |
| VKM - GB | 50 | 4 235,00 |
| VKM - GB | 80 | 5 862,50 |
| VKM - GB | 100 | 6 700,00 |
| •VRV HEAT RECLAIM VENTILATION (HRV) UNITS WITH DX COIL and humidifier | | |
| VKM - GBM | 50 | 5 107,50 |
| VKM - GBM | 80 | 6 995,00 |
| VKM - GBM | 100 | 7 872,50 |
| BRC301B61 | Wired remote for HRV | 307,50 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| RTD-10 | universal control adaptor | 630,00 |
| RTD-NET | modbus adaptor | 472,50 |
| RTD-20 | advanced VAM control CO2 | 752,50 |
| BRP4A50 | el. Heater control VAM-FC | 285,00 |
| KRP2A51*3 | Wiring adaptor for electrical appendices | 545,00 |
| KRP50-2 | Control for 3rd party humidifier | 340,00 |
| BRYMA65 | CO2 sensor VAM350~650 | 947,50 |
| BRYMA100 | CO2 sensor VAM800~1000 | 947,50 |
| BRYMA200 | CO2 sensor VAM1500~2000 | 947,50 |
| ALB-R/LB(S) Modular Light/Smart | | |
| Premium efficiency heat recovery ventilation unit | | |
| ALB-R/LB | 02 | 9 042,50 |
| ALB-R/LB | 03 | 10 660,00 |
| ALB-R/LB | 04 | 13 962,50 |
| ALB-R/LB | 05 | 15 632,50 |
| ALB-R/LB | 06 | 20 012,50 |
| ALB-R/LB | 07 | 21 295,00 |
| ALB-R/LBS (Smart) | 02 | 7 985,00 |
| ALB-R/LBS (Smart) | 03 | 9 620,00 |
| ALB-R/LBS (Smart) | 04 | 12 932,50 |
| ALB-R/LBS (Smart) | 05 | 14 602,50 |
| ALB-R/LBS (Smart) | 06 | 18 987,50 |
| ALB-R/LBS (Smart) | 07 | 20 302,50 |

| Electrical heater for Modular L Smart | | Цена лв. без ДДС |
|--|---|------------------|
| ALD-HEFB (1,5 kW) 230V,1ph | 02 | 3 295,00 |
| ALD-HEFB (3,0 kW) 230V,1ph | 03 | 3 467,50 |
| ALD-HEFB (7,5 kW) 400V,3ph | 05 | 4 672,50 |
| ALD-HEFB (15 kW) 400V,3ph | 07 | 6 210,00 |
| ALC00902A | MODBUS INTERFACE | 525,00 |
| ALC00908A | BACNET INTERFACE | 812,50 |
| BIDDLE AC FREE HANGING CYV-DK-F | | |
| до 230 см височина | | |
| CYVS100DK80FBC/FSC | 80 | 7 362,50 |
| CYVS150DK80FBC/FSC | 80 | 9 375,00 |
| CYVS200DK100FBC/FSC | 100 | 11 335,00 |
| CYVS250DK140FBC/FSC | 140 | 12 645,00 |
| до 250 см. височина | | |
| CYVM100DK80FBC/FSC | 80 | 8 420,00 |
| CYVM150DK80FBC/FSC | 80 | 10 790,00 |
| CYVM200DK100FBC/FSC | 100 | 13 367,50 |
| CYVM250DK140FBC/FSC | 140 | 15 215,00 |
| до 300 см. височина | | |
| CYVL100DK125FBC/FSC | 125 | 10 730,00 |
| CYVL150DK200FBC/FSC | 200 | 14 275,00 |
| CYVL200DK250FBC/FSC | 250 | 17 575,00 |
| CYVL250DK250FBC/FSC | 250 | 20 412,50 |
| BIDDLE AC IN CEILING CYV-DK-C | | |
| до 230 см височина | | |
| CYVS100DK80CBC/CSC | 80 | 7 270,00 |
| CYVS150DK80CBC/CSC | 80 | 9 285,00 |
| CYVS200DK100CBC/CSC | 100 | 11 245,00 |
| CYVS250DK140CBC/CSC | 140 | 12 555,00 |
| до 250 см. височина | | |
| CYVM100DK80CBC/CSC | 80 | 8 330,00 |
| CYVM150DK80CBC/CSC | 80 | 10 700,00 |
| CYVM200DK100CBC/CSC | 100 | 13 277,50 |
| CYVM250DK140CBC/CSC | 140 | 15 125,00 |
| до 300 см. височина | | |
| CYVL100DK125CBC/CSC | 125 | 10 617,50 |
| CYVL150DK200CBC/CSC | 200 | 14 162,50 |
| CYVL200DK250CBC/CSC | 250 | 17 465,00 |
| CYVL250DK250CBC/CSC | 250 | 20 302,50 |
| BIDDLE AC RECESSED CYV-DK-R | | |
| до 230 см височина | | |
| CYVS100DK80RBC/RSC | 80 | 7 582,50 |
| CYVS150DK80RBC/RSC | 80 | 9 800,00 |
| CYVS200DK100RBC/RSC | 100 | 12 150,00 |
| CYVS250DK140RBC/RSC | 140 | 13 545,00 |
| до 250 см. височина | | |
| CYVM100DK80RBC/RSC | 80 | 8 642,50 |
| CYVM150DK80RBC/RSC | 80 | 11 172,50 |
| CYVM200DK100RBC/RSC | 100 | 14 180,00 |
| CYVM250DK140RBC/RSC | 140 | 16 100,00 |
| до 300 см. височина | | |
| CYVL100DK125RBC/RSC | 125 | 10 942,50 |
| CYVL150DK200RBC/RSC | 200 | 14 605,00 |
| CYVL200DK250RBC/RSC | 250 | 18 340,00 |
| CYVL250DK250RBC/RSC | 250 | 21 380,00 |
| CE.B_2-COVERS-H50 | Optional covers for suspension racks; maximum suspension height of 50cm; for 100, 150, 200cm units | 490,00 |
| CE.B_3-COVERS-H50 | Optional covers for suspension racks; maximum suspension height of 50cm; for 250cm units | 662,50 |
| CE.B_2-COVERS-H100 | Optional covers for suspension racks; maximum suspension height of 100cm; for 100, 150, 200cm units | 562,50 |
| CE.B_3-COVERS-H100 | Optional covers for suspension racks; maximum suspension height of 100cm; for 250cm units | 785,00 |
| CE.B_2-COVERS-H150 | Optional covers for suspension racks; maximum suspension height of 150cm; for 100, 150, 200cm units | 680,00 |
| CE.B_3-COVERS-H150 | Optional covers for suspension racks; maximum suspension height of 150cm; for 250cm units | 957,50 |

| REFNET JOINTS 2-PIPE | | Цена лв. без ДДС |
|---|--|------------------|
| KHRQ22M20T - imperial | 2 PIPE | 177,50 |
| KHRQ22M29T- imperial | 2 PIPE | 235,00 |
| KHRQ22M64T- imperial | 2 PIPE | 287,50 |
| KHRQ22M75T- imperial | 2 PIPE | 352,50 |
| KHRQM22M20T- metric | 2 PIPE | 177,50 |
| KHRQM22M29T- metric | 2 PIPE | 235,00 |
| KHRQM22M64T- metric | 2 PIPE | 287,50 |
| KHRQM22M75T- metric | 2 PIPE | 352,50 |
| REFNET HEADERS 2-PIPE | | |
| KHRQ22M29H - imperial | header | 335,00 |
| KHRQ22M64H - imperial | header | 412,50 |
| KHRQ22M75H - imperial | header | 540,00 |
| KHRQM22M29H- metric | header | 335,00 |
| KHRQM22M64H- metric | header | 412,50 |
| KHRQM22M75H- metric | header | 540,00 |
| BHFQ22P1007 | Multi-module connection kit for 2-module systems | 200,00 |
| BHFQ22P1517 | Multi-module connection kit for 3-module systems | 425,00 |
| REFNET JOINTS 3-PIPE | | |
| KHRQ23M20T- imperial | 3 PIPE | 230,00 |
| KHRQ23M29T9- imperial | 3 PIPE | 262,50 |
| KHRQ23M64T- imperial | 3 PIPE | 427,50 |
| KHRQ23M75T- imperial | 3 PIPE | 595,00 |
| KHRQM23M20T- metric | 3 PIPE | 230,00 |
| KHRQM23M29T- metric | 3 PIPE | 262,50 |
| KHRQM23M64T- metric | 3 PIPE | 427,50 |
| KHRQM23M75T- metric | 3 PIPE | 595,00 |
| REFNET HEADERS 3-PIPE | | |
| KHRQ23M29H- imperial | 3 pipe header | 465,00 |
| KHRQ23M64H- imperial | 3 pipe header | 567,50 |
| KHRQ23M75H- imperial | 3 pipe header | 800,00 |
| KHRQM23M29H- metric | 3 pipe header | 465,00 |
| KHRQM23M64H- metric | 3 pipe header | 567,50 |
| KHRQM23M75H- metric | 3 pipe header | 800,00 |
| BHFQ23P907 | Multi-module connection kit for 2-module systems | 410,00 |
| BHFQ23P1357 | Multi-module connection kit for 3-module systems | 820,00 |
| CENTRALIZED Control interface Adaptors | | |
| DTA109A51 | DIII-net expander and filter adaptor - connects to F1/F2 OUT line. This adaptor can help in resolving communication interference problems on large systems with centralized control, or to extend the standard F1/F2 wiring limits. | 1 562,50 |
| DTA112B51 | Adaptor for centralized control of R410A SkyAir units – connection to the F1/F2 line | 332,50 |
| KRP928A2S | Adaptor for centralized control of Split units – connection to the F1/F2 line Note: "KRP928A2S" is the Material name for ordering; the newer version KRP928BA2S is actually delivered. | 477,50 |
| DTA103A51 | Wiring adaptor for centralized control of other devices – connection to the F1/F2 line giving operation/error monitoring and on/off control of 1 external device (pump / lights / fans / other HVAC) through the centralized control system | 902,50 |
| DEC101A51 | D3 Digital Input Adaptor – connection to the F1/F2 line giving operation/error monitoring of up to 8 external devices (pumps /lights / fans / etc.) through the centralized control system | 1 615,00 |
| DEC102A51 | D3 Digital Input/Output Adaptor – connection to the F1/F2 line giving operation/error monitoring and on/off control of up to 4 external devices (pumps / lights / fans / etc.) through the centralized control system | 1 782,50 |
| Simple Centralized Control | | |
| KRP2A* series | KRP2A* series Wiring Adaptor for Electrical Appendices – for operation/error monitoring, on/off control and setpoint control (0-140 Ω) of entire F1/F2 line by dry contacts. An installation box or mounting plate may be necessary. KRP2A51 (0.5m cable) – for FXCQ, FXKQ, FXSQ, FXLQ, FXNQ, FXMQ, FXDQ-M9, FXAQ and BSVQ units KRP2A52 (1.3m cable) – for FXFQ, FXZQ and FXHQ KRP2A61 (2m cable) – for FXDQ-P7 units | 525,00 |
| DCS 302 A 52-9 | Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller | 290,00 |

| intelligent Touch Manager | | Цена лв. без ДДС |
|---|---|------------------|
| DCM 601A51 | ITM Main unit for advanced control of up to 64 addresses (groups/units) | 8 150,00 |
| DCM 601A52 | iTM Plus Adaptor - expansion adaptor for control of an additional 64 addresses. Up to 7 of these adaptors can be connected to one main unit for control of up to 512 addresses from a single iTM main unit. | 1 590,00 |
| DCS 302 A 52-9 | Adaptor for central monitoring board – provides potential-free contacts for operation/error monitoring and on/off control of units connected to Controller. One adaptor required for each iTM main and each iTM Plus Adaptor. | 290,00 |
| DCM 002A 51 | Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System | 3 177,50 |
| DCM 008A 51 | Energy Navigator Software Option - provides advanced energy consumption analyses and provides means to limit the energy consumption of the VRV system | 6 747,50 |
| DCM 009A 51 | BACnet Server Option - allows to use the iTM to monitor and/or control external devices connected using the BACnet/IP protocol. | 2 927,50 |
| DCM 007A 51 | HTTP option defines interface to monitor/operate Daikin units from an external application via iTM. | 2 227,50 |
| DCM 601A53 | iTM Integrator - integrates up to 5 iTM systems together into one touch screen for control of more than 512 and up to 2048 addresses via a single system | |
| WAGO interfaces for connection to intelligent Touch Manager WAGO REQUIRED COMPONENTS | | |
| WGDCMCPLR | REQUIRED for each Wago node. Modbus Coupler - interface between the iTM and Wago modules, obligatory when Wago interface modules should be used | 927,50 |
| 787-712 | REQUIRED for each Wago node Main Power Supply for node | 342,50 |
| 750-960 | REQUIRED for each Wago node PROFIBUS fieldbus connector for node | 70,00 |
| 750-600 | REQUIRED for each Wago node End module for node | 40,00 |
| 750-613 | Internal booster power supply module. Required after each 32 contacts or after every group of digital output / analogue input modules if it is followed by any digital input modules. | 352,50 |
| 750-400 | 2-channel digital input module | 65,00 |
| 750-432 | 4-channel digital input module | 85,00 |
| 750-430 | 8-channel digital input module | 130,00 |
| 750-513/000-001 | 2-channel relay output module with 230 VAC or 30 VDC output | 137,50 |
| 750-504 | 4-channel relay output module (max. 2A, 230VAC or 30VDC load) | 90,00 |
| 750-454 | 2-channel analog input module for 4~20 mA signal | 565,00 |
| 750-455 | 4-channel analog input module for 4~20 mA signal | 465,00 |
| 750-479 | 2-channel analog input module for -10~+10 VDC signal | 610,00 |
| 750-459 | 4-channel analog input module for -10~+10 VDC signal | 405,00 |
| 750-461/020-000 | 2-channel analog input module for 20 kOhm NTC temperature sensors | 610,00 |
| 750-461 | 2-channel analog input module for Pt100 temperature sensors | 545,00 |
| 750-460 | 4-channel analog input module for Pt100 temperature sensors | 630,00 |
| 750-461/000-003 | 2-channel analog input module for Pt100 temperature sensors | 545,00 |
| 750-460/000-003 | 4-channel analog input module for Pt100 temperature sensors | 630,00 |
| 750-461/000-004 | 2-channel analog input module for Ni100 temperature sensors | 545,00 |
| 750-461/000-005 | 2-channel analog input module for Ni100 temperature sensors | 545,00 |
| 750-460/000-005 | 4-channel analog input module for Ni100 temperature sensors | 630,00 |
| 750-554 | 2-channel analog output module: 4~20 mA | 505,00 |
| 750-555 | 4-channel analog output module: 4~20 mA | 452,50 |
| 750-560 | 2-channel analog output module: 0~10 VDC | 450,00 |
| 750-559 | 4-channel analog output module: 0~10 VDC | 405,00 |
| 750-638 | 2 channel: Up/Down Counter 24 V DC, 500 Hz (pulse input module – not for PPD!) | 200,00 |
| intelligent Touch Controller | | |
| DCS601C51 | ITC - Main unit for advanced control of up to 64 addresses (groups/units) | 3 227,50 |
| DCS 302 A 52 | Adaptor for central monitoring board for Centralized Remote Controller (DCS302C51) or intelligent Touch Controller (DCS601C51) – provides potential-free contacts for operation/ error monitoring and on/off control of units connected to Controller | 290,00 |
| DCS007A51 | HTT P Protocol Open Interface Option for Home Automation – provides HTT P protocol communication for connection to 3rd party control systems | 2 485,00 |
| Intelligent Tablet Controller with Cloud connection | | |
| DCS601A51 | Centralized touch controller with cloud connection for Split, Sky Air, VRV, ventilation, air curtains and hot water (up to 32 indoors) - offering 4 package options + optional stylish tablet | 1 300,00 |
| AL-CCD07-VESA-1 | Optional screen for local control (wired option which can be mounted on the wall) | 1 572,50 |
| 1 YEAR CLOUD PACKAGE | (includes router with pre-paid sim card + energy optimization report generated by Daikin engineers) | 690,00 |
| 2 YEARS CLOUD PACKAGE | (includes router with pre-paid sim card + energy optimization report generated by Daikin engineers) | 1 377,50 |
| 5 YEARS CLOUD PACKAGE | (includes router with pre-paid sim card + energy optimization report generated by Daikin engineers) | 3 440,00 |

| Gateway for centralized control via BACnet® based Building Management Systems (BMS) | | Цена лв. без ДДС |
|--|---|------------------|
| DMS 502 A51 | Main unit for BACnet® interface for up to 128 addresses (2 F1/F2 ports; 2x max 64) | 11 170,00 |
| DAM 411B51 | Optional D3 Board – expansion card for control of additional 128 addresses (giving in total 4 F1/F2 ports; 4x max 64 = 256 addresses) | 2 595,00 |
| DAM 412B51 | Proportional Power Distribution (PPD) Option – calculates contribution of each indoor unit to the total power consumption of the VRV System | 1 320,00 |
| Gateway for centralized control via LonWorks® based Building Management Systems (BMS) | | |
| DMS504B51 | Main unit for LonWorks® interface for up to 64 addresses (1 F1/F2 port) | 3 392,50 |
| Communication interface to Modbus protocol | | |
| EKMBOXA7V1 | Main unit for DIII-net Modbus interface for up to 64 addresses (1 F1/f2 port) | 4 390,00 |
| Communication interface to KNX protocol | | |
| KLIC-DI | KNX Adaptor – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit. | 455,00 |
| KLIC-DD | KNX Adaptor for Split indoor units (for RXYSQ-P8 and RYYQ-T systems) – provides a communication interface to the KNX protocol for 1 indoor unit. Connects to S21 terminal of the indoor unit. For installation outside of the indoor unit. Note: not all Split indoor units are compatible – consult the Split catalogue or price list for details. | 405,00 |
| Communication interface to MODBUS protocol | | |
| RTD-NET | Modbus adaptor – provides a communication interface to the Modbus protocol for 1 P1/P2 group of VRV or SkyAir indoor units (up to 16 indoors – control is simultaneous for entire group, monitoring is individual for every unit of the group). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit. | 472,50 |
| Rotation & Backup adaptor | | |
| DTA113B51 | Rotation & Backup adaptor – provides autonomous backup and unit rotation for up to 4 VRV or SkyAir units. Connects to P1/P2 terminals and requires a BRC1* controller to be connected as well. Not combinable with any other P1/P2 device. | 1 010,00 |
| Control and Adaptor accessories for VRV indoor units | | |
| BRC1H519W7/S7/K7 | New premium wired remote controller with white/silver/black color - will fully replace BRC1E53* after stock out | 315,00 |
| BRC1E53B | Standard wired remote controller with full-text interface and back-light | 272,50 |
| BRC1D528 | Basic wired remote controller with weekly timer | 185,00 |
| BRC2E52C | Simplified wired remote controller with back-light for hotel use | 255,00 |
| BRC3E52C | Simplified wired remote controller with back-light w/o mode change | 255,00 |
| BRP7A51 | OPTION ADAPTOR - Window kontakt + Key card (only in connection with BRC2E52B / BRC3E52B) | 162,50 |
| K.RSS | External wireless air temperature sensor – allows temperature measurement exactly in the location of room occupants without the need of running extra wiring. Connects instead of the standard suction temperature sensor to the indoor unit's PCB. | 227,50 |
| KRCS01-" | External wired air temperature sensor – allows temperature measurement exactly in the location of room occupants. Connects instead of the standard suction temperature sensor to the indoor unit's PCB. | 142,50 |
| RTD-10 | Universal control adaptor – provides for external monitoring/control via 0-10kΩ resistance or 0-10VDC input signals and dry contact output signals (operation or defrost signal, error status signal), and provides a communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit. | 630,00 |
| RTD-HO | Intelligent hotel room adaptor – provides intelligent unit control based on inputs from key card and window contacts and communication interface to the Modbus protocol. For 1 P1/P2 group of indoor units (up to 16 indoor units). Connects to P1/P2 terminals. A BRC* controller can but does not have to be connected as well. For installation outside of the indoor unit. | 630,00 |
| RTD-20 | Advanced control adaptor for retail and office applications – provides advanced control and energy saving functionality for multiple shop floor and user control zones, control of VAM units based on CO2 sensor input, control of Air Curtains based on outdoor air conditions, intelligent control of units installed in rooms with movable walls, etc. For installation outside of the indoor unit. | 752,50 |

| | | Цена лв. без ДДС |
|--|---|------------------|
| KRP4A* | Wiring adaptor for external monitoring/control via dry contacts and set-point control via 0-140Q. Connects to P1/P2 terminals and requires a BRC1/2/4/7 controller to be connected as well. Not combinable with any other P1/P2 device | 327,50 |
| EKRP1B2 | Wiring adaptor with 4 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status, Auxiliary heater signal, Humidifier signal. Connects to the indoor unit's PCB. FXCQ-A / FXDQ-M9 / FXSQ-A / FXMQ-P7 | 250,00 |
| EKRP1C12 | Wiring adaptor with 4 output signals - (as above) за FXFQ-A - with standard panel | 135,00 |
| KRP1B61 | Wiring adaptor with 4 output signals - (as above) за FXKQ-MA / FXMQ-MB / FXLQ-P | 275,00 |
| KRP1B3 | Wiring adaptor with 4 output signals - (as above) за FXHQ-A | 355,00 |
| KRP1B* | Wiring adaptor with 2 output signals – provides dry contacts, which can be used to activate/deactivate humidifiers, electrical heaters, fresh air fans, etc. based on the indoor unit's operation. Outputs: Compressor or Error status, Indoor unit fan status. Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit. Type and price depends on indoor unit type | |
| KRP1B54 | както по-горе - за FXHQ-A | 302,50 |
| KRP1B57 | както по-горе - за FXZQ-A with standard panel | 242,50 |
| KRP1B56 | както по-горе - за FXDQ-A3, FXNQ-A | 262,50 |
| DTA114A61 | Adaptor for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). Connects to the indoor unit's PCB. An installation box may be necessary, depending on the indoor unit | 260,00 |
| EKMTAC | Kit for Multi-tenant Applications – allows to turn off main power supply to an indoor unit without affecting the rest of the VRV system by supplying the indoor unit PCB by a separate 24VAC power supply (24VAC must be provided separately). This kit contains equipment for 10 indoor units. | 42,50 |
| Control and Adaptor accessories for VRV OUTDOOR UNITS | | |
| DTA 104A53/61/62-9 | External control adaptor for outdoor unit (Low Noise, Demand Limit, etc.) | 652,50 |
| KRC19-26 | Mechanical cool/heat selector – allows to switch an entire Heat Pump system, or one BS-box of Heat Recovery system between cooling, heating and fan only. Connects to the A-B-C terminals of the outdoor unit / BS-box. | 85,00 |
| KJB111A | Fixing box for mechanical cool/heat selector | 47,50 |
| BRP2A81 | A-B-C contact PCB for switching between cooling and heating from the outdoor unit | 250,00 |
| BHGP26A1 | Digital pressure gauge kit – displays current condensing and evaporating pressures in the system as standard, or expansion valve positions and temperature sensor data in a special service mode. Connect to the outdoor unit PCB, for installation in the outdoor unit | 970,00 |
| EKPCCAB4 | VRV Configurator | 450,00 |
| EKBPHPCBT | Control PCB for optional bottom plate heater for VRV IV Heat Pump and Heat Recovery outdoor units - recommended for use in case of exceptionally harsh climates (exposed installation, environments where conditions < -5°C and relative humidity >95% can last for more than 5 consecutive days, etc. | 227,50 |
| EKBPH012T7A | Optional bottom plate heater for VRV IV 8 ~ 12 HP outdoor units | 935,00 |
| EKBPH020T7A | Optional bottom plate heater for VRV IV 14 ~ 20 HP outdoor units | 975,00 |
| KKSB26B61 | Mounting plate for DTA104A61 for installation inside 14~20 HP outdoor units. See data for DTA104* adaptor details and possibilities to install in indoor units. | 110,00 |
| KKSA26A560 | Mounting plate for BRP2A81 - only necessary when also utilizing EKBPHPCBT on 14~20 HP units | 132,50 |
| EBRP2B | Cool/heat selector PCB only for RXYSQ-TV1 models | 172,50 |